

START OF JOB SNSBPF 06.01.04 09.00.45 VERSION 4.17 097520356 Hlemouchi 01N
 COORDINATION REQUEST CHECK AGAINST HARD LIMITS ONLY

SNS **HARD LIMITS for B-SAT I (097520356)** EXAMINATION REQUESTED BY : lemouchi DATE: 06/01/04 09:00:45

| B | B-SAT I | 63.00W | 0.05 | 0.05 | 11.04.00 | | | C | 097.520356 |
|------------|----------------|---------------------|-----------------|-----------|----------|-----------|-------------------|--------|-------------------|
| KR5 | 27.5 DB | POINTING ACC | 0.10 DEG | | | | 097.520356 | | |
| EC | 41000 KHZ | 11.04.00 | | | | AR11/A | 1186 | | 100.610975 |
| 13.77250 | G 41000 KHZ | 6M00G7W-- | 9.2 | DBW (MIN) | 26.2 | DBW (MAX) | -41.6 | DBW/HZ | 0001 |
| | (5) 5.503 | | | | TYPICAL | K8.0 | METER | 58.8 | REC-580 |
| | ALL WORLD | | | | | | | 85.0 | OVERLAP 6.000 MHZ |
| | | | | | | | | | 14.0 71.0 |
| 13.77250 | G 41000 KHZ | 3M96G7W-- | 9.2 | DBW (MIN) | 26.2 | DBW (MAX) | -39.8 | DBW/HZ | 0001 |
| | (5) 5.503 | | | | TYPICAL | K8.0 | METER | 58.8 | REC-580 |
| | ALL WORLD | | | | | | | 85.0 | OVERLAP 6.000 MHZ |
| | | | | | | | | | 14.0 71.0 |
| 13.77250 | G 41000 KHZ | 1M98G7W-- | 9.2 | DBW (MIN) | 26.2 | DBW (MAX) | -36.8 | DBW/HZ | 0001 |
| | (5) 5.503 | | | | TYPICAL | K8.0 | METER | 58.8 | REC-580 |
| | ALL WORLD | | | | | | | 85.0 | OVERLAP 6.000 MHZ |
| | | | | | | | | | 14.0 71.0 |
| EC | 41000 KHZ | 11.04.00 | | | | AR11/A | 1186 | | 100.610976 |
| 13.77250 | G 41000 KHZ | 6M00G7W-- | 13.7 | DBW (MIN) | 30.7 | DBW (MAX) | -37.1 | DBW/HZ | 0001 |
| | (5) 5.503 | | | | TYPICAL | K4.5 | METER | 54.3 | REC-580 |
| | ALL WORLD | | | | | | | 85.0 | OVERLAP 6.000 MHZ |
| | | | | | | | | | 14.0 71.0 |
| 13.77250 | G 41000 KHZ | 3M96G7W-- | 13.7 | DBW (MIN) | 30.0 | DBW (MAX) | -36.0 | DBW/HZ | 0001 |
| | (5) 5.503 | | | | TYPICAL | K4.5 | METER | 54.3 | REC-580 |
| | ALL WORLD | | | | | | | 84.3 | OVERLAP 6.000 MHZ |
| | | | | | | | | | 13.3 71.0 |
| 13.77250 | G 41000 KHZ | 1M98G7W-- | 13.7 | DBW (MIN) | 27.0 | DBW (MAX) | -36.0 | DBW/HZ | 0001 |
| | (5) 5.503 | | | | TYPICAL | K4.5 | METER | 54.3 | REC-580 |
| | ALL WORLD | | | | | | | 81.3 | OVERLAP 6.000 MHZ |
| | | | | | | | | | 10.3 71.0 |
| EC | 82000 KHZ | 11.04.00 | | | | AR11/A | 1186 | | 100.611000 |
| 13.79300 | G 82000 KHZ | 6M00G7W-- | 9.2 | DBW (MIN) | 26.2 | DBW (MAX) | -41.6 | DBW/HZ | 0001 |
| | (5) 5.503 | | | | TYPICAL | K8.0 | METER | 58.8 | REC-580 |
| | ALL WORLD | | | | | | | 85.0 | OVERLAP 6.000 MHZ |
| | | | | | | | | | 14.0 71.0 |
| 13.79300 | G 82000 KHZ | 3M96G7W-- | 9.2 | DBW (MIN) | 26.2 | DBW (MAX) | -39.8 | DBW/HZ | 0001 |
| | (5) 5.503 | | | | TYPICAL | K8.0 | METER | 58.8 | REC-580 |
| | ALL WORLD | | | | | | | 85.0 | OVERLAP 6.000 MHZ |
| | | | | | | | | | 14.0 71.0 |
| 13.79300 | G 82000 KHZ | 1M98G7W-- | 9.2 | DBW (MIN) | 26.2 | DBW (MAX) | -36.8 | DBW/HZ | 0001 |
| | (5) 5.503 | | | | TYPICAL | K8.0 | METER | 58.8 | REC-580 |
| | ALL WORLD | | | | | | | 85.0 | OVERLAP 6.000 MHZ |
| | | | | | | | | | 14.0 71.0 |
| EC | 82000 KHZ | 11.04.00 | | | | AR11/A | 1186 | | 100.611001 |
| 13.79300 | G 82000 KHZ | 6M00G7W-- | 13.7 | DBW (MIN) | 30.7 | DBW (MAX) | -37.1 | DBW/HZ | 0001 |
| | (5) 5.503 | | | | TYPICAL | K4.5 | METER | 54.3 | REC-580 |
| | ALL WORLD | | | | | | | 85.0 | OVERLAP 6.000 MHZ |
| | | | | | | | | | 14.0 71.0 |
| 13.79300 | G 82000 KHZ | 3M96G7W-- | 13.7 | DBW (MIN) | 30.0 | DBW (MAX) | -36.0 | DBW/HZ | 0001 |
| | (5) 5.503 | | | | TYPICAL | K4.5 | METER | 54.3 | REC-580 |
| | ALL WORLD | | | | | | | 84.3 | OVERLAP 6.000 MHZ |
| | | | | | | | | | 13.3 71.0 |
| 13.79300 | G 82000 KHZ | 1M98G7W-- | 13.7 | DBW (MIN) | 27.0 | DBW (MAX) | -36.0 | DBW/HZ | 0001 |
| | (5) 5.503 | | | | TYPICAL | K4.5 | METER | 54.3 | REC-580 |
| | ALL WORLD | | | | | | | 81.3 | OVERLAP 6.000 MHZ |
| | | | | | | | | | 10.3 71.0 |

| KR6R | | 41.0 DB POINTING ACC 0.10 DEG | | | | 097.520356 | | | |
|----------|-----------|-------------------------------|-----------|----------------|--------------------|--------------|------|-------------------|------------|
| EC | | 41000 KHZ | 11.04.00 | | | AR11/A | 1186 | | 100.610937 |
| 13.77250 | G | 41000 KHZ | 6M00G7W-- | 9.2 DBW (MIN) | 26.2 DBW (MAX) | -41.6 DBW/HZ | | | 0001 |
| | (5) | 5.503 | | | TYPICAL K8.0 METER | 58.8 REC-580 | | OVERLAP 6.000 MHZ | |
| | ALL WORLD | | | | | 85.0 | | 14.0 71.0 | |
| 13.77250 | G | 41000 KHZ | 3M96G7W-- | 9.2 DBW (MIN) | 26.2 DBW (MAX) | -39.8 DBW/HZ | | | 0001 |
| | (5) | 5.503 | | | TYPICAL K8.0 METER | 58.8 REC-580 | | OVERLAP 6.000 MHZ | |
| | ALL WORLD | | | | | 85.0 | | 14.0 71.0 | |
| 13.77250 | G | 41000 KHZ | 1M98G7W-- | 9.2 DBW (MIN) | 26.2 DBW (MAX) | -36.8 DBW/HZ | | | 0001 |
| | (5) | 5.503 | | | TYPICAL K8.0 METER | 58.8 REC-580 | | OVERLAP 6.000 MHZ | |
| | ALL WORLD | | | | | 85.0 | | 14.0 71.0 | |
| EC | | 41000 KHZ | 11.04.00 | | | AR11/A | 1186 | | 100.610938 |
| 13.77250 | G | 41000 KHZ | 6M00G7W-- | 13.7 DBW (MIN) | 30.7 DBW (MAX) | -37.1 DBW/HZ | | | 0001 |
| | (5) | 5.503 | | | TYPICAL K4.5 METER | 54.3 REC-580 | | OVERLAP 6.000 MHZ | |
| | ALL WORLD | | | | | 85.0 | | 14.0 71.0 | |
| 13.77250 | G | 41000 KHZ | 3M96G7W-- | 13.7 DBW (MIN) | 30.0 DBW (MAX) | -36.0 DBW/HZ | | | 0001 |
| | (5) | 5.503 | | | TYPICAL K4.5 METER | 54.3 REC-580 | | OVERLAP 6.000 MHZ | |
| | ALL WORLD | | | | | 84.3 | | 13.3 71.0 | |
| 13.77250 | G | 41000 KHZ | 1M96G7W-- | 13.7 DBW (MIN) | 27.0 DBW (MAX) | -36.0 DBW/HZ | | | 0001 |
| | (5) | 5.503 | | | TYPICAL K4.5 METER | 54.3 REC-580 | | OVERLAP 6.000 MHZ | |
| | ALL WORLD | | | | | 81.3 | | 10.3 71.0 | |
| EC | | 82000 KHZ | 11.04.00 | | | AR11/A | 1186 | | 100.610941 |
| 13.79300 | G | 82000 KHZ | 6M00G7W-- | 9.2 DBW (MIN) | 26.2 DBW (MAX) | -41.6 DBW/HZ | | | 0001 |
| | (5) | 5.503 | | | TYPICAL K8.0 METER | 58.8 REC-580 | | OVERLAP 6.000 MHZ | |
| | ALL WORLD | | | | | 85.0 | | 14.0 71.0 | |
| 13.79300 | G | 82000 KHZ | 3M96G7W-- | 9.2 DBW (MIN) | 26.2 DBW (MAX) | -39.8 DBW/HZ | | | 0001 |
| | (5) | 5.503 | | | TYPICAL K8.0 METER | 58.8 REC-580 | | OVERLAP 6.000 MHZ | |
| | ALL WORLD | | | | | 85.0 | | 14.0 71.0 | |
| 13.79300 | G | 82000 KHZ | 1M98G7W-- | 9.2 DBW (MIN) | 26.2 DBW (MAX) | -36.8 DBW/HZ | | | 0001 |
| | (5) | 5.503 | | | TYPICAL K8.0 METER | 58.8 REC-580 | | OVERLAP 6.000 MHZ | |
| | ALL WORLD | | | | | 85.0 | | 14.0 71.0 | |
| EC | | 82000 KHZ | 11.04.00 | | | AR11/A | 1186 | | 100.610942 |
| 13.79300 | G | 82000 KHZ | 6M00G7W-- | 13.7 DBW (MIN) | 30.7 DBW (MAX) | -37.1 DBW/HZ | | | 0001 |
| | (5) | 5.503 | | | TYPICAL K4.5 METER | 54.3 REC-580 | | OVERLAP 6.000 MHZ | |
| | ALL WORLD | | | | | 85.0 | | 14.0 71.0 | |
| 13.79300 | G | 82000 KHZ | 3M96G7W-- | 13.7 DBW (MIN) | 30.0 DBW (MAX) | -36.0 DBW/HZ | | | 0001 |
| | (5) | 5.503 | | | TYPICAL K4.5 METER | 54.3 REC-580 | | OVERLAP 6.000 MHZ | |
| | ALL WORLD | | | | | 84.3 | | 13.3 71.0 | |
| 13.79300 | G | 82000 KHZ | 1M98G7W-- | 13.7 DBW (MIN) | 27.0 DBW (MAX) | -36.0 DBW/HZ | | | 0001 |
| | (5) | 5.503 | | | TYPICAL K4.5 METER | 54.3 REC-580 | | OVERLAP 6.000 MHZ | |
| | ALL WORLD | | | | | 81.3 | | 10.3 71.0 | |

PROGRAM SNSBPFD TERMINATED OK.