

START OF JOB SNSBPFD 07.01.04 15.34.12 VERSION 4.17 099520539 H karina 01N  
 COORDINATION REQUEST CHECK AGAINST HARD LIMITS ONLY

SNS **HARD LIMITS for USASAT-35T (099520539)** EXAMINATION REQUESTED BY : karina DATE: 07/01/04 15:34:12

USA USASAT-35T 79.00W 0.10 0.10 11.11.99 C 099.520539

LNH	30.1 DB	POINTING ACC	0.05 DEG	099.520539
EC	36000 KHZ	11.11.99		AR11/A 1877 099.933510
13.77000	G 36000 KHZ	36M0F3F--	12.2 DBW (MIN) 20.7 DBW (MAX)	-42.3 DBW/HZ 60.3 REC-580 81.0 OVERLAP 6.000 MHZ 10.0 71.0 0001
	( 5) 5.503		TYPICAL A	
	ALL WORLD			
13.77000	G 36000 KHZ	35M0G1D--	12.2 DBW (MIN) 20.7 DBW (MAX)	-54.7 DBW/HZ 60.3 REC-580 73.4 OVERLAP 6.000 MHZ 2.4 71.0 0001
	( 5) 5.503		TYPICAL A	
	ALL WORLD			
13.77000	G 36000 KHZ	34M0G7W--	12.2 DBW (MIN) 20.7 DBW (MAX)	-54.6 DBW/HZ 60.3 REC-580 73.5 OVERLAP 6.000 MHZ 2.5 71.0 0001
	( 5) 5.503		TYPICAL A	
	ALL WORLD			
13.78000	G 36000 KHZ	36M0F3F--	12.2 DBW (MIN) 20.7 DBW (MAX)	-42.3 DBW/HZ 60.3 REC-580 81.0 OVERLAP 6.000 MHZ 10.0 71.0 0002
	( 5) 5.503		TYPICAL A	
	ALL WORLD			
13.78000	G 36000 KHZ	35M0G1D--	12.2 DBW (MIN) 20.7 DBW (MAX)	-54.7 DBW/HZ 60.3 REC-580 73.4 OVERLAP 6.000 MHZ 2.4 71.0 0002
	( 5) 5.503		TYPICAL A	
	ALL WORLD			
13.78000	G 36000 KHZ	34M0G7W--	12.2 DBW (MIN) 20.7 DBW (MAX)	-54.6 DBW/HZ 60.3 REC-580 73.5 OVERLAP 6.000 MHZ 2.5 71.0 0002
	( 5) 5.503		TYPICAL A	
	ALL WORLD			
EC	36000 KHZ	11.11.99		AR11/A 1877 099.933511
13.77000	G 36000 KHZ	36M0F3F--	15.9 DBW (MIN) 24.4 DBW (MAX)	-38.6 DBW/HZ 56.6 REC-580 81.0 OVERLAP 6.000 MHZ 10.0 71.0 0001
	( 5) 5.503		TYPICAL B	
	ALL WORLD			
13.77000	G 36000 KHZ	35M0G1D--	15.9 DBW (MIN) 24.4 DBW (MAX)	-51.0 DBW/HZ 56.6 REC-580 73.4 OVERLAP 6.000 MHZ 2.4 71.0 0001
	( 5) 5.503		TYPICAL B	
	ALL WORLD			
13.77000	G 36000 KHZ	34M0G7W--	15.9 DBW (MIN) 24.4 DBW (MAX)	-50.9 DBW/HZ 56.6 REC-580 73.5 OVERLAP 6.000 MHZ 2.5 71.0 0001
	( 5) 5.503		TYPICAL B	
	ALL WORLD			
13.78000	G 36000 KHZ	36M0F3F--	15.9 DBW (MIN) 24.4 DBW (MAX)	-38.6 DBW/HZ 56.6 REC-580 81.0 OVERLAP 6.000 MHZ 10.0 71.0 0002
	( 5) 5.503		TYPICAL B	
	ALL WORLD			
13.78000	G 36000 KHZ	35M0G1D--	15.9 DBW (MIN) 24.4 DBW (MAX)	-51.0 DBW/HZ 56.6 REC-580 73.4 OVERLAP 6.000 MHZ 2.4 71.0 0002
	( 5) 5.503		TYPICAL B	
	ALL WORLD			
13.78000	G 36000 KHZ	34M0G7W--	15.9 DBW (MIN) 24.4 DBW (MAX)	-50.9 DBW/HZ 56.6 REC-580 73.5 OVERLAP 6.000 MHZ 2.5 71.0 0002
	( 5) 5.503		TYPICAL B	
	ALL WORLD			
EC	36000 KHZ	11.11.99		AR11/A 1877 099.933512
13.77000	G 36000 KHZ	36M0F3F--	18.4 DBW (MIN) 26.9 DBW (MAX)	-36.1 DBW/HZ 54.1 REC-580 81.0 OVERLAP 6.000 MHZ 10.0 71.0 0001
	( 5) 5.503		TYPICAL C	
	ALL WORLD			
13.77000	G 36000 KHZ	35M0G1D--	18.4 DBW (MIN) 26.9 DBW (MAX)	-48.5 DBW/HZ 54.1 REC-580 73.4 OVERLAP 6.000 MHZ 2.4 71.0 0001
	( 5) 5.503		TYPICAL C	
	ALL WORLD			
13.77000	G 36000 KHZ	34M0G7W--	18.4 DBW (MIN) 26.9 DBW (MAX)	-48.4 DBW/HZ 54.1 REC-580 73.5 OVERLAP 6.000 MHZ 2.5 71.0 0001
	( 5) 5.503		TYPICAL C	
	ALL WORLD			
13.78000	G 36000 KHZ	36M0F3F--	18.4 DBW (MIN) 26.9 DBW (MAX)	-36.1 DBW/HZ 54.1 REC-580 81.0 OVERLAP 6.000 MHZ 10.0 71.0 0002
	( 5) 5.503		TYPICAL C	
	ALL WORLD			
13.78000	G 36000 KHZ	35M0G1D--	18.4 DBW (MIN) 26.9 DBW (MAX)	-48.5 DBW/HZ 54.1 REC-580 81.0 OVERLAP 6.000 MHZ 10.0 71.0 0002
	( 5) 5.503		TYPICAL C	
	ALL WORLD			

( 5) 5.503				TYPICAL C		54.1	REC-580	OVERLAP	6.000 MHZ	
ALL WORLD								2.4	71.0	
13.78000 G	36000 KHZ	34M0G7W--	18.4 DBW (MIN)	26.9 DBW (MAX)	-48.4 DBW/HZ		73.4			0002
( 5) 5.503				TYPICAL C		54.1	REC-580	OVERLAP	6.000 MHZ	
ALL WORLD								2.5	71.0	

LNV		30.1 DB POINTING ACC 0.05 DEG				099.520539			
EC		36000 KHZ	11.11.99		AR11/A 1877			099.933605	
13.77000	G	36000 KHZ	36M0F3F--	12.2 DBW (MIN)	20.7 DBW (MAX)	-42.3 DBW/HZ		0001	
	( 5)	5.503			TYPICAL A	60.3 REC-580	OVERLAP 6.000 MHZ		
	ALL WORLD					81.0	10.0 71.0		
13.77000	G	36000 KHZ	35M0G1D--	12.2 DBW (MIN)	20.7 DBW (MAX)	-54.7 DBW/HZ		0001	
	( 5)	5.503			TYPICAL A	60.3 REC-580	OVERLAP 6.000 MHZ		
	ALL WORLD					73.4	2.4 71.0		
13.77000	G	36000 KHZ	34M0G7W--	12.2 DBW (MIN)	20.7 DBW (MAX)	-54.6 DBW/HZ		0001	
	( 5)	5.503			TYPICAL A	60.3 REC-580	OVERLAP 6.000 MHZ		
	ALL WORLD					73.5	2.5 71.0		
13.78000	G	36000 KHZ	36M0F3F--	12.2 DBW (MIN)	20.7 DBW (MAX)	-42.3 DBW/HZ		0002	
	( 5)	5.503			TYPICAL A	60.3 REC-580	OVERLAP 6.000 MHZ		
	ALL WORLD					81.0	10.0 71.0		
13.78000	G	36000 KHZ	35M0G1D--	12.2 DBW (MIN)	20.7 DBW (MAX)	-54.7 DBW/HZ		0002	
	( 5)	5.503			TYPICAL A	60.3 REC-580	OVERLAP 6.000 MHZ		
	ALL WORLD					73.4	2.4 71.0		
13.78000	G	36000 KHZ	34M0G7W--	12.2 DBW (MIN)	20.7 DBW (MAX)	-54.6 DBW/HZ		0002	
	( 5)	5.503			TYPICAL A	60.3 REC-580	OVERLAP 6.000 MHZ		
	ALL WORLD					73.5	2.5 71.0		
EC		36000 KHZ	11.11.99		AR11/A 1877			099.933606	
13.77000	G	36000 KHZ	36M0F3F--	15.9 DBW (MIN)	24.4 DBW (MAX)	-38.6 DBW/HZ		0001	
	( 5)	5.503			TYPICAL B	56.6 REC-580	OVERLAP 6.000 MHZ		
	ALL WORLD					81.0	10.0 71.0		
13.77000	G	36000 KHZ	35M0G1D--	15.9 DBW (MIN)	24.4 DBW (MAX)	-51.0 DBW/HZ		0001	
	( 5)	5.503			TYPICAL B	56.6 REC-580	OVERLAP 6.000 MHZ		
	ALL WORLD					73.4	2.4 71.0		
13.77000	G	36000 KHZ	34M0G7W--	15.9 DBW (MIN)	24.4 DBW (MAX)	-50.9 DBW/HZ		0001	
	( 5)	5.503			TYPICAL B	56.6 REC-580	OVERLAP 6.000 MHZ		
	ALL WORLD					73.5	2.5 71.0		
13.78000	G	36000 KHZ	36M0F3F--	15.9 DBW (MIN)	24.4 DBW (MAX)	-38.6 DBW/HZ		0002	
	( 5)	5.503			TYPICAL B	56.6 REC-580	OVERLAP 6.000 MHZ		
	ALL WORLD					81.0	10.0 71.0		
13.78000	G	36000 KHZ	35M0G1D--	15.9 DBW (MIN)	24.4 DBW (MAX)	-51.0 DBW/HZ		0002	
	( 5)	5.503			TYPICAL B	56.6 REC-580	OVERLAP 6.000 MHZ		
	ALL WORLD					73.4	2.4 71.0		
13.78000	G	36000 KHZ	34M0G7W--	15.9 DBW (MIN)	24.4 DBW (MAX)	-50.9 DBW/HZ		0002	
	( 5)	5.503			TYPICAL B	56.6 REC-580	OVERLAP 6.000 MHZ		
	ALL WORLD					73.5	2.5 71.0		
EC		36000 KHZ	11.11.99		AR11/A 1877			099.933607	
13.77000	G	36000 KHZ	36M0F3F--	18.4 DBW (MIN)	26.9 DBW (MAX)	-36.1 DBW/HZ		0001	
	( 5)	5.503			TYPICAL C	54.1 REC-580	OVERLAP 6.000 MHZ		
	ALL WORLD					81.0	10.0 71.0		
13.77000	G	36000 KHZ	35M0G1D--	18.4 DBW (MIN)	26.9 DBW (MAX)	-48.5 DBW/HZ		0001	
	( 5)	5.503			TYPICAL C	54.1 REC-580	OVERLAP 6.000 MHZ		
	ALL WORLD					73.4	2.4 71.0		
13.77000	G	36000 KHZ	34M0G7W--	18.4 DBW (MIN)	26.9 DBW (MAX)	-48.4 DBW/HZ		0001	
	( 5)	5.503			TYPICAL C	54.1 REC-580	OVERLAP 6.000 MHZ		
	ALL WORLD					73.5	2.5 71.0		
13.78000	G	36000 KHZ	36M0F3F--	18.4 DBW (MIN)	26.9 DBW (MAX)	-36.1 DBW/HZ		0002	
	( 5)	5.503			TYPICAL C	54.1 REC-580	OVERLAP 6.000 MHZ		
	ALL WORLD					81.0	10.0 71.0		
13.78000	G	36000 KHZ	35M0G1D--	18.4 DBW (MIN)	26.9 DBW (MAX)	-48.5 DBW/HZ		0002	
	( 5)	5.503			TYPICAL C	54.1 REC-580	OVERLAP 6.000 MHZ		
	ALL WORLD					73.4	2.4 71.0		
13.78000	G	36000 KHZ	34M0G7W--	18.4 DBW (MIN)	26.9 DBW (MAX)	-48.4 DBW/HZ		0002	
	( 5)	5.503			TYPICAL C	54.1 REC-580	OVERLAP 6.000 MHZ		
	ALL WORLD					73.5	2.5 71.0		

LSH		30.1 DB POINTING ACC 0.05 DEG				099.520539			
EC		36000 KHZ	11.11.99		AR11/A 1877			099.933616	
13.77000	G	36000 KHZ	36M0F3F--	12.2 DBW (MIN)	20.7 DBW (MAX)	-42.3 DBW/HZ		0001	
	( 5)	5.503			TYPICAL A	60.3 REC-580	OVERLAP 6.000 MHZ		
	ALL WORLD					81.0	10.0 71.0		
13.77000	G	36000 KHZ	35M0G1D--	12.2 DBW (MIN)	20.7 DBW (MAX)	-54.7 DBW/HZ		0001	
	( 5)	5.503			TYPICAL A	60.3 REC-580	OVERLAP 6.000 MHZ		
	ALL WORLD					73.4	2.4 71.0		
13.77000	G	36000 KHZ	34M0G7W--	12.2 DBW (MIN)	20.7 DBW (MAX)	-54.6 DBW/HZ		0001	
	( 5)	5.503			TYPICAL A	60.3 REC-580	OVERLAP 6.000 MHZ		
	ALL WORLD					73.5	2.5 71.0		
13.78000	G	36000 KHZ	36M0F3F--	12.2 DBW (MIN)	20.7 DBW (MAX)	-42.3 DBW/HZ		0002	
	( 5)	5.503			TYPICAL A	60.3 REC-580	OVERLAP 6.000 MHZ		
	ALL WORLD					81.0	10.0 71.0		
13.78000	G	36000 KHZ	35M0G1D--	12.2 DBW (MIN)	20.7 DBW (MAX)	-54.7 DBW/HZ		0002	
	( 5)	5.503			TYPICAL A	60.3 REC-580	OVERLAP 6.000 MHZ		
	ALL WORLD					73.4	2.4 71.0		
13.78000	G	36000 KHZ	34M0G7W--	12.2 DBW (MIN)	20.7 DBW (MAX)	-54.6 DBW/HZ		0002	
	( 5)	5.503			TYPICAL A	60.3 REC-580	OVERLAP 6.000 MHZ		
	ALL WORLD					73.5	2.5 71.0		
EC		36000 KHZ	11.11.99		AR11/A 1877			099.933617	
13.77000	G	36000 KHZ	36M0F3F--	15.9 DBW (MIN)	24.4 DBW (MAX)	-38.6 DBW/HZ		0001	
	( 5)	5.503			TYPICAL B	56.6 REC-580	OVERLAP 6.000 MHZ		
	ALL WORLD					81.0	10.0 71.0		
13.77000	G	36000 KHZ	35M0G1D--	15.9 DBW (MIN)	24.4 DBW (MAX)	-51.0 DBW/HZ		0001	
	( 5)	5.503			TYPICAL B	56.6 REC-580	OVERLAP 6.000 MHZ		
	ALL WORLD					73.4	2.4 71.0		
13.77000	G	36000 KHZ	34M0G7W--	15.9 DBW (MIN)	24.4 DBW (MAX)	-50.9 DBW/HZ		0001	
	( 5)	5.503			TYPICAL B	56.6 REC-580	OVERLAP 6.000 MHZ		
	ALL WORLD					73.5	2.5 71.0		
13.78000	G	36000 KHZ	36M0F3F--	15.9 DBW (MIN)	24.4 DBW (MAX)	-38.6 DBW/HZ		0002	
	( 5)	5.503			TYPICAL B	56.6 REC-580	OVERLAP 6.000 MHZ		
	ALL WORLD					81.0	10.0 71.0		
13.78000	G	36000 KHZ	35M0G1D--	15.9 DBW (MIN)	24.4 DBW (MAX)	-51.0 DBW/HZ		0002	
	( 5)	5.503			TYPICAL B	56.6 REC-580	OVERLAP 6.000 MHZ		
	ALL WORLD					73.4	2.4 71.0		
13.78000	G	36000 KHZ	34M0G7W--	15.9 DBW (MIN)	24.4 DBW (MAX)	-50.9 DBW/HZ		0002	
	( 5)	5.503			TYPICAL B	56.6 REC-580	OVERLAP 6.000 MHZ		
	ALL WORLD					73.5	2.5 71.0		
EC		36000 KHZ	11.11.99		AR11/A 1877			099.933618	
13.77000	G	36000 KHZ	36M0F3F--	18.4 DBW (MIN)	26.9 DBW (MAX)	-36.1 DBW/HZ		0001	
	( 5)	5.503			TYPICAL C	54.1 REC-580	OVERLAP 6.000 MHZ		
	ALL WORLD					81.0	10.0 71.0		
13.77000	G	36000 KHZ	35M0G1D--	18.4 DBW (MIN)	26.9 DBW (MAX)	-48.5 DBW/HZ		0001	
	( 5)	5.503			TYPICAL C	54.1 REC-580	OVERLAP 6.000 MHZ		
	ALL WORLD					73.4	2.4 71.0		
13.77000	G	36000 KHZ	34M0G7W--	18.4 DBW (MIN)	26.9 DBW (MAX)	-48.4 DBW/HZ		0001	
	( 5)	5.503			TYPICAL C	54.1 REC-580	OVERLAP 6.000 MHZ		
	ALL WORLD					73.5	2.5 71.0		
13.78000	G	36000 KHZ	36M0F3F--	18.4 DBW (MIN)	26.9 DBW (MAX)	-36.1 DBW/HZ		0002	
	( 5)	5.503			TYPICAL C	54.1 REC-580	OVERLAP 6.000 MHZ		
	ALL WORLD					81.0	10.0 71.0		
13.78000	G	36000 KHZ	35M0G1D--	18.4 DBW (MIN)	26.9 DBW (MAX)	-48.5 DBW/HZ		0002	
	( 5)	5.503			TYPICAL C	54.1 REC-580	OVERLAP 6.000 MHZ		
	ALL WORLD					73.4	2.4 71.0		
13.78000	G	36000 KHZ	34M0G7W--	18.4 DBW (MIN)	26.9 DBW (MAX)	-48.4 DBW/HZ		0002	
	( 5)	5.503			TYPICAL C	54.1 REC-580	OVERLAP 6.000 MHZ		
	ALL WORLD					73.5	2.5 71.0		

LSV	30.1 DB POINTING ACC 0.05 DEG				099.520539			
EC	36000 KHZ 11.11.99				AR11/A 1877 099.933647			
13.77000	G	36000 KHZ	36M0F3F--	12.2 DBW (MIN)	20.7 DBW (MAX)	-42.3 DBW/HZ		0001
	( 5)	5.503		TYPICAL A		60.3 REC-580	OVERLAP 6.000 MHZ	
	ALL WORLD					81.0	10.0 71.0	
13.77000	G	36000 KHZ	35M0G1D--	12.2 DBW (MIN)	20.7 DBW (MAX)	-54.7 DBW/HZ		0001
	( 5)	5.503		TYPICAL A		60.3 REC-580	OVERLAP 6.000 MHZ	
	ALL WORLD					73.4	2.4 71.0	
13.77000	G	36000 KHZ	34M0G7W--	12.2 DBW (MIN)	20.7 DBW (MAX)	-54.6 DBW/HZ		0001
	( 5)	5.503		TYPICAL A		60.3 REC-580	OVERLAP 6.000 MHZ	
	ALL WORLD					73.5	2.5 71.0	
13.78000	G	36000 KHZ	36M0F3F--	12.2 DBW (MIN)	20.7 DBW (MAX)	-42.3 DBW/HZ		0002
	( 5)	5.503		TYPICAL A		60.3 REC-580	OVERLAP 6.000 MHZ	
	ALL WORLD					81.0	10.0 71.0	
13.78000	G	36000 KHZ	35M0G1D--	12.2 DBW (MIN)	20.7 DBW (MAX)	-54.7 DBW/HZ		0002
	( 5)	5.503		TYPICAL A		60.3 REC-580	OVERLAP 6.000 MHZ	
	ALL WORLD					73.4	2.4 71.0	
13.78000	G	36000 KHZ	34M0G7W--	12.2 DBW (MIN)	20.7 DBW (MAX)	-54.6 DBW/HZ		0002
	( 5)	5.503		TYPICAL A		60.3 REC-580	OVERLAP 6.000 MHZ	
	ALL WORLD					73.5	2.5 71.0	
EC	36000 KHZ 11.11.99				AR11/A 1877 099.933648			
13.77000	G	36000 KHZ	36M0F3F--	15.9 DBW (MIN)	24.4 DBW (MAX)	-38.6 DBW/HZ		0001
	( 5)	5.503		TYPICAL B		56.6 REC-580	OVERLAP 6.000 MHZ	
	ALL WORLD					81.0	10.0 71.0	
13.77000	G	36000 KHZ	35M0G1D--	15.9 DBW (MIN)	24.4 DBW (MAX)	-51.0 DBW/HZ		0001
	( 5)	5.503		TYPICAL B		56.6 REC-580	OVERLAP 6.000 MHZ	
	ALL WORLD					73.4	2.4 71.0	
13.77000	G	36000 KHZ	34M0G7W--	15.9 DBW (MIN)	24.4 DBW (MAX)	-50.9 DBW/HZ		0001
	( 5)	5.503		TYPICAL B		56.6 REC-580	OVERLAP 6.000 MHZ	
	ALL WORLD					73.5	2.5 71.0	
13.78000	G	36000 KHZ	36M0F3F--	15.9 DBW (MIN)	24.4 DBW (MAX)	-38.6 DBW/HZ		0002
	( 5)	5.503		TYPICAL B		56.6 REC-580	OVERLAP 6.000 MHZ	
	ALL WORLD					81.0	10.0 71.0	
13.78000	G	36000 KHZ	35M0G1D--	15.9 DBW (MIN)	24.4 DBW (MAX)	-51.0 DBW/HZ		0002
	( 5)	5.503		TYPICAL B		56.6 REC-580	OVERLAP 6.000 MHZ	
	ALL WORLD					73.4	2.4 71.0	
13.78000	G	36000 KHZ	34M0G7W--	15.9 DBW (MIN)	24.4 DBW (MAX)	-50.9 DBW/HZ		0002
	( 5)	5.503		TYPICAL B		56.6 REC-580	OVERLAP 6.000 MHZ	
	ALL WORLD					73.5	2.5 71.0	
EC	36000 KHZ 11.11.99				AR11/A 1877 099.933649			
13.77000	G	36000 KHZ	36M0F3F--	18.4 DBW (MIN)	26.9 DBW (MAX)	-36.1 DBW/HZ		0001
	( 5)	5.503		TYPICAL C		54.1 REC-580	OVERLAP 6.000 MHZ	
	ALL WORLD					81.0	10.0 71.0	
13.77000	G	36000 KHZ	35M0G1D--	18.4 DBW (MIN)	26.9 DBW (MAX)	-48.5 DBW/HZ		0001
	( 5)	5.503		TYPICAL C		54.1 REC-580	OVERLAP 6.000 MHZ	
	ALL WORLD					73.4	2.4 71.0	
13.77000	G	36000 KHZ	34M0G7W--	18.4 DBW (MIN)	26.9 DBW (MAX)	-48.4 DBW/HZ		0001
	( 5)	5.503		TYPICAL C		54.1 REC-580	OVERLAP 6.000 MHZ	
	ALL WORLD					73.5	2.5 71.0	
13.78000	G	36000 KHZ	36M0F3F--	18.4 DBW (MIN)	26.9 DBW (MAX)	-36.1 DBW/HZ		0002
	( 5)	5.503		TYPICAL C		54.1 REC-580	OVERLAP 6.000 MHZ	
	ALL WORLD					81.0	10.0 71.0	
13.78000	G	36000 KHZ	35M0G1D--	18.4 DBW (MIN)	26.9 DBW (MAX)	-48.5 DBW/HZ		0002
	( 5)	5.503		TYPICAL C		54.1 REC-580	OVERLAP 6.000 MHZ	
	ALL WORLD					73.4	2.4 71.0	
13.78000	G	36000 KHZ	34M0G7W--	18.4 DBW (MIN)	26.9 DBW (MAX)	-48.4 DBW/HZ		0002
	( 5)	5.503		TYPICAL C		54.1 REC-580	OVERLAP 6.000 MHZ	
	ALL WORLD					73.5	2.5 71.0	

**CNH 27.1 DB POINTING ACC 0.10 DEG**

ER 1000 KHZ 11.11.99  
 3700.50000 M 1000 KHZ 1K00N0N-- -10.0 DBW -53.9 DBW/HZ  
 ( 5) RR 21.16 FIXED-SATELLITE  
 ALL WORLD 140W55 60N17 CAN  
 4199.50000 M 1000 KHZ 1K00N0N-- -10.0 DBW -53.9 DBW/HZ  
 ( 5) RR 21.16 FIXED-SATELLITE  
 ALL WORLD 140W55 60N17 CAN

**099.520539**

AR11/A 1877 099.933297  
 25.4 -147.9 REF. BW 0.004 MHZ 0001  
 4.1 -152.0  
 25.4 -147.9 REF. BW 0.004 MHZ 0002  
 4.1 -152.0

**CNV 27.1 DB POINTING ACC 0.10 DEG**

ER 1000 KHZ 11.11.99  
 3700.50000 M 1000 KHZ 1K00NON-- -10.0 DBW -53.9 DBW/HZ  
 ( 5) RR 21.16 FIXED-SATELLITE  
 ALL WORLD 140W55 60N17 CAN  
 4199.50000 M 1000 KHZ 1K00NON-- -10.0 DBW -53.9 DBW/HZ  
 ( 5) RR 21.16 FIXED-SATELLITE  
 ALL WORLD 140W55 60N17 CAN

**099.520539**

AR11/A 1877 099.933342  
 25.4 -147.9 REF. BW 0.004 MHZ 0001  
 4.1 -152.0  
 25.4 -147.9 REF. BW 0.004 MHZ 0002  
 4.1 -152.0

□

**PROGRAM SNSBPFD TERMINATED OK.**