



ITU / BDT- COE workshop

Bangkok, Thailand,

11 – 15 November 2002

Network Planning

Lecture NP- 5.4

Supporting Network Planning Tools

November 14th

ITU/BDT-COE Network Planning/ Supporting Tools - O.G.S.

Lecture NP - 5.4- slide 1



BDT - COE workshop on Network Planning

Module 1: Introduction and Experiences in the Region

Module 2
Role of Network Planning in the current Telecom scenario

Module 3
Integrated Planning Process

Module 4
Specific Network Planning per Layer

Module 5
Supporting Network Planning Tools


November 14th

ITU/BDT-COE Network Planning/ Supporting Tools - O.G.S.

Lecture NP - 5.4- slide 2



Network Planning Tools: Tool examples per category



November 14th

ITU/BDT-COE Network Planning/ Supporting Tools - O.G.S.

Lecture NP - 5.4- slide 3



Network Planning Tools: CIRCEE



Objective : CIRCEE by Alcatel (in France) is a design, configuration and planning tool for the physical network including Outside Plant. Also handles network inventory and suits well the relation between planning and operational tasks

November 14th

ITU/BDT-COE Network Planning/ Supporting Tools - O.G.S.


Lecture NP - 5.4- slide 4



Network Planning Tools: CIRCEE OutSide Plant definition & objectives

OutSide Plant definition.

"All telecom equipment and services related to the network installation from the exchange Main Distribution Frame (MDF) or Optical Distribution Frame (ODF) to the subscriber premises (or to other MDF/ODF)"




OSP planning objectives.

Optimize the infrastructures (civil works, aerial routes) and the network layout (cabinets, cables, joints,...) in order to provide the forecasted services to the potential subscribers at minimum cost.

Adapt the switching, transmission or radio planning results to the field constraints.



Network Planning Tools: CIRCEE OSP design process





Network Planning Tools: CIRCEE Mapping

- Mapping is the basis of accurate subscriber locations and optimal infrastructure design



- Encountered problems:

- *How to convert the existing mapping documentation in a minimum time, but with up-to-date data?*
- *Existing mapping may be consistent at microscopic level, but wrong when trying to assemble it on a town or regional level... How to enhance the quality of the documentation?*



November 14th

ITU/BDT-COE Network Planning/ Supporting Tools - O.G.S.

Lecture NP - 5.4- slide 7




Network Planning Tools: CIRCEE Demand forecast

- Demand forecast:

The aim is to compare macroscopic planning results ('Top Down') to the local area specificity (subscribers accurate locations and socio-economical classifications), called 'Bottom Up' approach, and to simulate the forecasts, for an optimized network dimensioning.

Encountered problems:

- *How to compare 'top-down' and 'bottom-up' figures?*
- *How to differentiate forecasts for various telecom services?*
- *How to handle multi-provider data in the same area?*
- *How to choose the most realistic forecast figures?*



November 14th

ITU/BDT-COE Network Planning/ Supporting Tools - O.G.S.

Lecture NP - 5.4- slide 8



Network Planning Tools: CIRCEE Network design

- Network design:

Efficient OSP network design should reduce infrastructure costs with respects of the technical constraints and local usage, but give enough flexibility to allow network extensions and to be adaptable to population 'micro-movements'.

Encountered problem:

- *How to choose the best technological solution?*



November 14th

ITU/BDT-COE Network Planning/ Supporting Tools - O.G.S.

Lecture NP - 5.4- slide 9



Network Planning Tools: CIRCEE Subscriber management


- Subscriber management:

The OSP network data and subscriber location is mandatory for the subscriber line assignment

Encountered problems:

- *How to speed up and optimize the service activation at the front desk of a commercial office?*

- Simple subscriber geo-location
- Reservation of equipment for a given subscriber
- Link with Operation Support Services (OSS) tools to activate the service(s)



November 14th

ITU/BDT-COE Network Planning/ Supporting Tools - O.G.S.

Lecture NP - 5.4- slide 10



Network Planning Tools: CIRCEE

Network maintenance

- Network maintenance:
- To be able to improve and speed up future network extension design, it is mandatory to maintain the existing OSP data up-to-date.

Encountered problems:

- *How to implement a secured data updating process?*
- *How to give a full view of the network data in a single 'GIS' database (OSP + Transmission + Wireless...)?*
- *How to improve the operation workflow ?*
- *How to give a low cost and scalable 'read only' access to the network plans for the maintenance teams?*
- *How to have a quick and accurate list of the subscribers/services concerned by an intervention on a part of the network?*
- *How to ensure compatibility of Alcatel data with Customer database/GIS tools?*



November 14th



ITU/BDT-COE Network Planning/ Supporting Tools - O.G.S.

Lecture NP - 5.4- slide 11



Network Planning Tools: CIRCEE

- Mapping with a Geographical Information System (GIS):
- Existing documentation conversion.
 - Rasterizing existing maps: quick solution, but basic results can be disappointing...tedious additional cleaning jobs, with help of dedicated raster editing tools is mandatory to get legible results. Conversion from raster to vectorized data is now affordable.
 - Digital Terrain Models (DTM) and Building Elevation Models (BEM) can be used for radio planning control.



November 14th

ITU/BDT-COE Network Planning/ Supporting Tools - O.G.S.

Lecture NP - 5.4- slide 12



Network Planning Tools: CIRCEE

- Mapping with a Geographical Information System (GIS):



- Optimize documentation quality.

- Geographical continuum, is achieved by usage of a consistent GIS coordinate system. If a coordinate system is missing, GPS survey of the main street axis gives a good frame to adjust local documentation.
- 'Topological functions' allow to enhance topo map quality

- Satellite image resolutions are forecasted with a sub-meter accuracy in year 2000

But whatever the solution, a site survey is mandatory!



November 14th

ITU/BDT-COE Network Planning/ Supporting Tools - O.G.S.

Lecture NP - 5.4- slide 13




Network Planning Tools: CIRCEE Demand forecast

- Interactive forecast simulations are needed to optimize the best 'PF' table
- Thematic mapping possibilities can help to analyze the data

The validation of the final Penetration Factors is always Customer's responsibility!

- Different methodologies:

- 'Macro Demand Forecast'
- 'Micro Demand Forecast'
- Extrapolations of significant areas, investigation statistics...



November 14th


ITU/BDT-COE Network Planning/ Supporting Tools - O.G.S.

Lecture NP - 5.4- slide 14



Network Planning Tools: CIRCEE Network design

- Computation of the 'gravity' centers, per year/service, in order to optimize significant network nodes locations (exchanges, cabinets,...)
- Network layout is consistent with infrastructure data
- Cable layout control functions, to automate element codification and check engineering guidelines
- Detailed network design is based on demand forecast results



November 14th

ITU/BDT-COE Network Planning/ Supporting Tools - O.G.S.


Lecture NP - 5.4- slide 15



Network Planning Tools: CIRCEE Subscriber management

- Implementation of an GIS Internet browser in commercial offices, to give graphical access to subscriber locations, as well as significant OSP elements locations and identifications
- Interface with Line Configuration System, to be able to transmit the job order and service activation data.

Name:	Arroyo Cesar
Address:	17, Rizal Street
City:	Penablanca
Nearest Landmark:	Penablanca Market
Service required:	Telecom
Results:	
DP:	17
Cabinet:	#003
Exchange:	Penablanca
Sec. Pair:	173
Prim. Pair:	89
MDF Fuse:	1-2-1-89



November 14th

ITU/BDT-COE Network Planning/ Supporting Tools - O.G.S.

Lecture NP - 5.4- slide 16



Network Planning Tools: CIRCEE Network maintenance

- Current GIS and database have standardized file transfer formats: interoperability is a question of clarifying the data format in details (graphic and alphanumeric)
- By implementing a standard Internet browser in operation centers, users will have an easy access to current plans and data.
- Interfacing OSS and OSP maintenance tools is to be improved.
- 'Network Plant Record' Department must be centralized, to have a single authorized data updating center.



November 14th

ITU/BDT-COE Network Planning/ Supporting Tools - O.G.S.

Lecture NP - 5.4- slide 17



Network Planning Tools: CIRCEE Competitive environment: added value

- Circee is a field proven tool
 - implemented in various countries (France, Pakistan, Thailand, Bangladesh, Philippines, Poland,...)
 - used to design over 2 million telecom lines, since 1986
- Circee leaves a structured information for the Customer
 - Structured graphic files, respecting the local drawing standards
 - Detailed alphanumeric data of the network and the subscribers, accessible via Intranet, and customisable



Plan ID	Description	Status	Area	Value	Unit	Color	Filter
001	London 1 zone 12 page 001 page 1/3	OK	1	1000	km	Green	OK
002	London 1 zone 12 page 002 page 2/3	OK	1	1000	km	Green	OK
003	London 1 zone 12 page 003 page 3/3	OK	1	1000	km	Green	OK
004	London 1 zone 12 page 004 page 4/3	OK	1	1000	km	Green	OK
005	London 1 zone 12 page 005 page 5/3	OK	1	1000	km	Green	OK
006	London 1 zone 12 page 006 page 6/3	OK	1	1000	km	Green	OK
007	London 1 zone 12 page 007 page 7/3	OK	1	1000	km	Green	OK
008	London 1 zone 12 page 008 page 8/3	OK	1	1000	km	Green	OK
009	London 1 zone 12 page 009 page 9/3	OK	1	1000	km	Green	OK
010	London 1 zone 12 page 010 page 10/3	OK	1	1000	km	Green	OK
011	London 1 zone 12 page 011 page 11/3	OK	1	1000	km	Green	OK
012	London 1 zone 12 page 012 page 12/3	OK	1	1000	km	Green	OK
013	London 1 zone 12 page 013 page 13/3	OK	1	1000	km	Green	OK
014	London 1 zone 12 page 014 page 14/3	OK	1	1000	km	Green	OK
015	London 1 zone 12 page 015 page 15/3	OK	1	1000	km	Green	OK
016	London 1 zone 12 page 016 page 16/3	OK	1	1000	km	Green	OK
017	London 1 zone 12 page 017 page 17/3	OK	1	1000	km	Green	OK
018	London 1 zone 12 page 018 page 18/3	OK	1	1000	km	Green	OK
019	London 1 zone 12 page 019 page 19/3	OK	1	1000	km	Green	OK
020	London 1 zone 12 page 020 page 20/3	OK	1	1000	km	Green	OK
021	London 1 zone 12 page 021 page 21/3	OK	1	1000	km	Green	OK
022	London 1 zone 12 page 022 page 22/3	OK	1	1000	km	Green	OK
023	London 1 zone 12 page 023 page 23/3	OK	1	1000	km	Green	OK
024	London 1 zone 12 page 024 page 24/3	OK	1	1000	km	Green	OK
025	London 1 zone 12 page 025 page 25/3	OK	1	1000	km	Green	OK
026	London 1 zone 12 page 026 page 26/3	OK	1	1000	km	Green	OK
027	London 1 zone 12 page 027 page 27/3	OK	1	1000	km	Green	OK
028	London 1 zone 12 page 028 page 28/3	OK	1	1000	km	Green	OK
029	London 1 zone 12 page 029 page 29/3	OK	1	1000	km	Green	OK
030	London 1 zone 12 page 030 page 30/3	OK	1	1000	km	Green	OK

November 14th


ITU/BDT-COE Network Planning/ Supporting Tools - O.G.S.

Lecture NP - 5.4- slide 18



Network Planning Tools: CIRCEE

Map visualization



November 14th


ITU/BDT-COE Network Planning/ Supporting Tools - O.G.S.

Lecture NP - 5.4- slide 19



Network Planning Tools: CIRCEE

Client server structure




November 14th

ITU/BDT-COE Network Planning/ Supporting Tools - O.G.S.

Lecture NP - 5.4- slide 20



Network Planning Tools : CIRCEE Software architecture



November 14th

ITU/BDT-COE Network Planning/ Supporting Tools - O.G.S.

Lecture NP - 5.4- slide 21



Network Planning Tools : CIRCEE

CIRCEE 2000 is based on the following platforms :

1. AutoCAD from Autodesk : The AutoCAD engine provides the sophisticated functions needed to cover all the graphical Telecom Operator constraints.
2. AutoCAD Map adds the complementary elementary functions to cover the mapping raster issues, as well as the major graphical format conversions.
3. MapGuide from Autodesk : The MapGuide solution allows a low cost and scalable Intranet/Internet access to the graphical and alphanumeric data, using the WEB navigator Explorer 5.5 from Microsoft.
4. Oracle V8i from Oracle : The Oracle 8i server is used to implement the RDBMS. The Oracle Spatial Cartridge improve the management efficiency for a wide number of spatial objects and attributes.
5. Geonet GIS from Geomap : Based on Autodesk solution, Geonet implements all the services required by a complete Geographical Information System (GIS).
6. Finally, a CIRCEE 2000 layer implements a data model and the rules dedicated to Telecom Operators

November 14th

ITU/BDT-COE Network Planning/ Supporting Tools - O.G.S.

Lecture NP - 5.4- slide 22