

国际电信联盟

电信标准化局



2011年3月16日，日内瓦

参考号: **电信标准化局AAP-55**
AAP/MJ

电话: +41 22 730 5860

传真: +41 22 730 5853

电子邮件: tsbdir@itu.int

– 致国际电联成员国各主管部门;

– 致ITU-T各部门成员;

– 致ITU-T 部门准成员

抄送:

– 电信标准化局研究组主席和副主席

– 电信发展局主任

– 无线电通信局主任

事由: **有关采用替换批准程序 (AAP) 处理的建议书的情况**

先生/女士,

ITU-T A.8 建议书中规定的建议书替换批准程序 (AAP) 适用于那些不会产生政策或监管影响、因而不需与成员国正式协商的建议书 (见国际电联《公约》第246B款)。

附件1列出了那些在以往电信标准化局AAP预告后地位发生变化的案文。

如您希望针对某个适用AAP的建议书提出意见, 请使用可在ITU-T网站AAP区域 (<http://www.itu.int/ITU-T/aap>) 的“建议书”网页上获取的《AAP意见在线提交表格》(见**附件2**)。或者, 可填妥**附件3**中的表格并将意见发送给相关研究组的秘书处。

敬请留意, 我们不鼓励提交仅支持通过所涉案文而没有实质内容的意见。

顺致敬意!

马尔科姆·琼森
电信标准化局主任

附件: 3件

Place des Nations
CH-1211 Geneva 20
Switzerland

Telephone +41 22 730 51 11
Telefax Gr3: +41 22 733 72 56
Gr4: +41 22 730 65 00

Telex 421 000 uit ch
E-mail: itumail@itu.int
Telegram ITU GENEVE

Web page:
www.itu.int

Annex 1

(to TSB AAP-55)

Status codes used in the AAP announcements:

LC = Last Call

LJ = Last Call Judgment (includes comment resolution)

AR = Additional Review

AJ = Additional Review Judgment (includes comment resolution)

SG = For Study Group approval

A = Approved

AT = Approved with typographic corrections

AC = Approved after Additional Review of Comments

NA = Not approved

TAP = Moved to TAP (ITU-T A.8 / § 5.2)

ITU-T website entry page:

<http://www.itu.int/ITU-T>

Alternative approval process (AAP) welcome page:

<http://www.itu.int/ITU-T/aapinfo>

Note – A tutorial on the ITU-T AAP application is available under the AAP welcome page

ITU-T website AAP Recommendation search page:

<http://www.itu.int/ITU-T/aap/>

Study Group web pages and contacts:

| | | |
|-------|---|--|
| SG 2 | http://www.itu.int/ITU-T/studygroups/com02 | tsbsg2@itu.int |
| SG 3 | http://www.itu.int/ITU-T/studygroups/com03 | tsbsg3@itu.int |
| SG 5 | http://www.itu.int/ITU-T/studygroups/com05 | tsbsg5@itu.int |
| SG 9 | http://www.itu.int/ITU-T/studygroups/com09 | tsbsg9@itu.int |
| SG 11 | http://www.itu.int/ITU-T/studygroups/com11 | tsbsg11@itu.int |
| SG 12 | http://www.itu.int/ITU-T/studygroups/com12 | tsbsg12@itu.int |
| SG 13 | http://www.itu.int/ITU-T/studygroups/com13 | tsbsg13@itu.int |
| SG 15 | http://www.itu.int/ITU-T/studygroups/com15 | tsbsg15@itu.int |
| SG 16 | http://www.itu.int/ITU-T/studygroups/com16 | tsbsg16@itu.int |
| SG 17 | http://www.itu.int/ITU-T/studygroups/com17 | tsbsg17@itu.int |

Situation concerning Study Group 2 Recommendations under AAP

| Rec # | Title | Last Call (LC) Period | | | | Additional Review (AR) Period | | | | Status |
|---------------------------------|-----------------------------------|-----------------------|------------|-----------|-----------|-------------------------------|--------|-----------|-----------|--------|
| | | LC Start | LC End | LC Result | LJ Result | AR Start | AR End | AR Result | AJ Result | |
| M.727 (M.7pnop) | Planned Outage Notification Point | 2010-12-01 | 2011-01-12 | A | | | | | | A |

Situation concerning Study Group 5 Recommendations under AAP

| Rec # | Title | Last Call (LC) Period | | | | Additional Review (AR) Period | | | | Status |
|---|--|-----------------------|------------|-----------|-----------|-------------------------------|------------|-----------|-----------|--------|
| | | LC Start | LC End | LC Result | LJ Result | AR Start | AR End | AR Result | AJ Result | |
| K.83 (K.monitor) | Monitoring of EMF levels | 2010-12-16 | 2011-01-12 | LJ | AR | 2011-02-16 | 2011-03-08 | AC | | AC |
| L.1400 (L.methodology umbrella) | Overview and general principles of methodologies for assessing the environmental impact of ICT | 2010-10-16 | 2010-11-12 | LJ | AR | 2011-02-01 | 2011-02-21 | AJ | AC | AC |

Situation concerning Study Group 12 Recommendations under AAP

| Rec # | Title | Last Call (LC) Period | | | | Additional Review (AR) Period | | | | Status |
|-----------------------------------|---|-----------------------|------------|-----------|-----------|-------------------------------|--------|-----------|-----------|--------|
| | | LC Start | LC End | LC Result | LJ Result | AR Start | AR End | AR Result | AJ Result | |
| G.1050 | Network model for evaluating multimedia transmission performance over Internet Protocol | 2011-02-01 | 2011-02-28 | A | | | | | | A |
| P.56 | Objective measurement of active speech level | 2011-02-01 | 2011-02-28 | A | | | | | | A |
| P.311 | Transmission characteristics for wideband digital handset and headset telephones | 2011-02-01 | 2011-02-28 | A | | | | | | A |
| P.341 | Transmission characteristics for wideband digital loudspeaking and hands-free telephony terminals | 2011-02-01 | 2011-02-28 | A | | | | | | A |
| P.1100 | Narrowband hands-free communication in motor vehicles | 2011-02-01 | 2011-02-28 | A | | | | | | A |
| Y.1540 | Internet protocol data communication service – IP packet transfer and availability performance parameters | 2011-02-01 | 2011-02-28 | A | | | | | | A |
| Y.1564 (Y.156sam) | Ethernet service activation test methodology | 2011-02-01 | 2011-02-28 | AT | | | | | | AT |

Situation concerning Study Group 15 Recommendations under AAP

| Rec # | Title | Last Call (LC) Period | | | | Additional Review (AR) Period | | | | Status |
|---|--|-----------------------|------------|-----------|-----------|-------------------------------|--------|-----------|-----------|--------|
| | | LC Start | LC End | LC Result | LJ Result | AR Start | AR End | AR Result | AJ Result | |
| G.663 | Application related aspects of optical amplifier devices and subsystems | 2011-03-16 | 2011-04-12 | | | | | | | LC |
| G.709/Y.1331 (2009) Amd.2 | Interfaces for the Optical Transport Network (OTN): Amendment 2 | 2011-03-16 | 2011-04-12 | | | | | | | LC |
| G.798 (2010) Amd.1 | Characteristics of optical transport network hierarchy equipment functional blocks: Amendment 1 | 2011-03-16 | 2011-04-12 | | | | | | | LC |
| G.798 (2010) Cor.1 | Characteristics of optical transport network hierarchy equipment functional blocks: Corrigendum 1 | 2011-03-16 | 2011-04-12 | | | | | | | LC |
| G.798.1 | Types and characteristics of Optical Transport Network (OTN) equipment | 2011-03-16 | 2011-04-12 | | | | | | | LC |
| G.806 (2009) Amd.1 | Characteristics of transport equipment – Description methodology and generic functionality: Amendment 1 | 2011-03-16 | 2011-04-12 | | | | | | | LC |
| G.873.1 | Optical Transport Network (OTN): Linear protection | 2011-03-16 | 2011-04-12 | | | | | | | LC |
| G.874 (2010) Cor.1 | Management aspects of optical transport network elements: Corrigendum 1 | 2011-03-16 | 2011-04-12 | | | | | | | LC |
| G.959.1 (2009) Amd.1 | Optical transport networks physical layer interfaces: Amendment 1 | 2011-03-16 | 2011-04-12 | | | | | | | LC |
| G.972 | Definition of terms relevant to optical fibre submarine cable systems | 2011-03-16 | 2011-04-12 | | | | | | | LC |
| G.973.2 (G.mdasub) | Multichannel DWDM applications with single channel optical interfaces for repeaterless optical fibre submarine cable systems | 2011-03-16 | 2011-04-12 | | | | | | | LC |

| Rec # | Title | Last Call (LC) Period | | | | Additional Review (AR) Period | | | | Status |
|---|---|-----------------------|------------|-----------|-----------|-------------------------------|--------|-----------|-----------|--------|
| | | LC Start | LC End | LC Result | LJ Result | AR Start | AR End | AR Result | AJ Result | |
| G.977 | Characteristics of optically amplified optical fibre submarine cable systems | 2011-03-16 | 2011-04-12 | | | | | | | LC |
| G.988 (2010-10) Amd.1 | ONU management and control interface (OMCI) specification: Amendment 1 - Maintenance | 2011-03-16 | 2011-04-12 | | | | | | | LC |
| G.992.3 (2009) Cor.2 | Asymmetric digital subscriber line transceivers 2 (ADSL2): Corrigendum 2 | 2011-03-16 | 2011-04-12 | | | | | | | LC |
| G.993.2 (2006) Amd.7 | Very high speed digital subscriber line transceivers 2 (VDSL2): Amendment 7 | 2011-03-16 | 2011-04-12 | | | | | | | LC |
| G.993.2 (2006) Cor.4 | Very high speed digital subscriber line transceivers 2 (VDSL2): Corrigendum 4 | 2011-03-16 | 2011-04-12 | | | | | | | LC |
| G.993.5 (2010) Cor.1 (G.vector) | Self-FEXT cancellation (vectoring) for use with VDSL2 transceivers: Corrigendum 1 | 2011-03-16 | 2011-04-12 | | | | | | | LC |
| G.994.1 (2007) Amd.7 | Handshake procedures for digital subscriber line (DSL) transceivers: Amendment 7 | 2011-03-16 | 2011-04-12 | | | | | | | LC |
| G.997.1 (2009) Amd.3 | Physical layer management for digital subscriber line (DSL) transceivers: Amendment 3 | 2011-03-16 | 2011-04-12 | | | | | | | LC |
| G.998.4 (2010) Amd.1 | Improved impulse noise protection for DSL transceivers: Amendment 1 | 2011-03-16 | 2011-04-12 | | | | | | | LC |
| G.998.4 (2010) Cor.2 | Improved impulse noise protection for DSL transceivers: Corrigendum 2 | 2011-03-16 | 2011-04-12 | | | | | | | LC |
| G.7041/Y.1303 | Generic framing procedure (GFP) | 2011-03-16 | 2011-04-12 | | | | | | | LC |
| G.7710/Y.1701 (2007) Cor.2 | Common equipment management function requirements: Corrigendum 2 | 2011-03-16 | 2011-04-12 | | | | | | | LC |
| G.8001/Y.1354 | Terms and definitions for Ethernet frames over Transport | 2011-03-16 | 2011-04-12 | | | | | | | LC |

| Rec # | Title | Last Call (LC) Period | | | | Additional Review (AR) Period | | | | Status |
|---|---|-----------------------|------------|-----------|-----------|-------------------------------|--------|-----------|-----------|--------|
| | | LC Start | LC End | LC Result | LJ Result | AR Start | AR End | AR Result | AJ Result | |
| G.8013/Y.1731 (Y.1731) | OAM functions and mechanisms for Ethernet based networks | 2011-03-16 | 2011-04-12 | | | | | | | LC |
| G.8021/Y.1341 (2010) Amd.1 | Characteristics of Ethernet transport network equipment functional blocks: Amendment 1 | 2011-03-16 | 2011-04-12 | | | | | | | LC |
| G.8031/Y.1342 | Ethernet linear protection switching | 2011-03-16 | 2011-04-12 | | | | | | | LC |
| G.8051/Y.1345 (2009) Amd.1 (G.eot-mgmt) | Management aspects of the Ethernet-over-Transport (EoT) capable network element: Amendment 1 | 2011-03-16 | 2011-04-12 | | | | | | | LC |
| G.8110.1/Y.1370.1 | Architecture of MPLS Transport Profile (MPLS-TP) layer network | 2011-03-16 | 2011-04-12 | | | | | | | LC |
| G.8201 | Error performance parameters and objectives for multi-operator international paths within the Optical Transport Network (OTN) | 2011-03-16 | 2011-04-12 | | | | | | | LC |
| G.8251 (2010) Amd.1 | The control of jitter and wander within the optical transport network (OTN): Amendment 1 | 2011-03-16 | 2011-04-12 | | | | | | | LC |
| G.8265.1/Y.1365.1 (2010) Amd.1 | Precision time protocol telecom profile for frequency synchronization: Amendment 1 | 2011-03-16 | 2011-04-12 | | | | | | | LC |
| G.9956 (G.hnem) | Narrow-band OFDM power line communication transceivers - Data link layer specification | 2011-03-16 | 2011-04-12 | | | | | | | LC |
| G.9961 (2010) Amd.1 | Data link layer (DLL) for unified high-speed wire-line based home networking transceivers: Amendment 1 | 2011-03-16 | 2011-04-12 | | | | | | | LC |
| G.9961 (2010) Cor.1 | Data link layer (DLL) for unified high-speed wire-line based home networking transceivers: Corrigendum 1 | 2011-03-16 | 2011-04-12 | | | | | | | LC |

| Rec # | Title | Last Call (LC) Period | | | | Additional Review (AR) Period | | | | Status |
|------------------------------------|---|-----------------------|------------|-----------|-----------|-------------------------------|--------|-----------|-----------|--------|
| | | LC Start | LC End | LC Result | LJ Result | AR Start | AR End | AR Result | AJ Result | |
| O.174 (2009) Amd.1 | Jitter and wander measuring equipment for digital systems which are based on synchronous Ethernet technology: Amendment 1 | 2011-03-16 | 2011-04-12 | | | | | | | LC |

Annex 2

(to TSB AAP-55)

Using the on-line comment submission form

Comment submission

- Go to AAP search Web page at <http://www.itu.int/ITU-T/aap/>

- Select your Recommendation

| Recommendation_No | Title | Study_Group | State | Consent_Date | Approval_Date | Study_Period | Comment |
|--------------------------------------|---|-------------|-------|--------------|---------------|--------------|---------|
| G.711.1 (2008) Amd.1 | Wideband embedded extension for G.711 pulse code modulation; New Annex A on a reference floating-point implementation for G.711.1 and editorial corrections to the main body text | 16 | LC | 2008-10-03 | | 2005-2008 | |
| G.718 (2008) Cor.1 | Frame error robust narrowband and wideband embedded variable bit-rate coding of speech and audio from 8-32 kbit/s; Corrections to fixed-point C-code | 16 | LC | 2008-10-03 | | 2005-2008 | |
| G.719 (2008) Amd.1 | New Annex A on storage format definitions for G.719, and new Annex B on a reference floating-point implementation for G.719 | 16 | LC | 2008-10-03 | | 2005-2008 | |
| G.722.2 (2003) Cor.3 | Wideband coding of speech at around 16 kbit/s using Adaptive Multi-Rate Wideband (AMR-WB); Corrections to text and C source code in Annex C | 16 | LC | 2008-10-03 | | 2005-2008 | |
| G.729.1 (2006) Amd.5 | G.729-based embedded variable bit-rate coder; An 8-32 kbit/s scalable wideband coder bitstream interoperable with G.729; New Annex D (Reference floating-point implementation for G.729.1 Annex C DTX/CNG) and corrections to the main body and Annex B | 16 | LC | 2008-10-03 | | 2005-2008 | |
| H.264 (2007) Cor.1 | Advanced video coding for generic audiovisual services; corrections and updates | 16 | LJ | 2008-05-02 | | 2005-2008 | ★ |

Total 6 records match.

3) Click the "Submit Comment" button

ITU International Telecommunication Union

AAP Info | AAP Search | Rec. Under AAP | AAP Announcements

AAP Recommendation: **G.711.1 (2008) Amd.1**

Work Programme: G.711.1 (2008) Amd.1

| Title | Study Group | Current Status | Consent Date | Approval Date | Study Period | Provisional Name | IPR | Input used for Consent |
|---|-------------|----------------|--------------|---------------|--------------|------------------|-----|-------------------------------------|
| Wideband embedded extension for G.711 pulse code modulation: New Annex A on a reference floating-point implementation for G.711.1 and editorial corrections to the main body text | 16 | LC | 2008-10-03 | | 2005-2008 | G.711-WB-Float | ? | <input type="checkbox"/> TD 381-WP3 |

Observation

AAP Process Details

| Last Call (LC) | | | | Additional Review (AR) | | | | Study Group (SG) | |
|----------------------------|------------|-----------|-----------|------------------------|--------|-----------|-----------|------------------|-----------|
| LC Start | LC End | LC Result | LJ Result | AR Start | AR End | AR Result | AJ Result | SG Date | SG Result |
| 2008-10-16 | 2008-11-12 | | | | | | | | |
| [AAP-92] | | | | | | | | | |
| LC - Text / Summary | | | | AR - Text / Summary | | | | SG Documents | |
| LC Text | | | | | | | | | |
| LC Summary | | | | | | | | | |
| LC - Comments | | | | AR - Comments | | | | SG Decisions | |

Submit Comment

4) Complete the on-line form and click on "Submit"

Study group*: SG16

Announcement number*: AAP 92

Recommendation number*: G.711.1 (2008) Amd.1

Recommendation under*: Last Call (LC) Additional Review (AR)

Country: Adelie Land

Administration or Company*: [dropdown]

Email of contact (for AAP): [dropdown]

Email of Administration or Company: [text box]

Technical contact email: [text box]

Sender name*: [text box]

Sender email address*: [text box]

Telephone: [text box]

Comments: (Choose as applicable)

We do not support this text. Reasons are given in the attachment.

We support this text on the condition that it be modified as per revision shown in the attachment.

Observation: [text area]

Comments or revised text should be sent as an attachment in reprocessable format such as RTF or Winword. Revision marks must be shown relative to the text posted by TSB.

Attach the file: [text box]

Note: Maximum file size is 10 Mb

No attachment Comments are given in the Observation field, no attachment needed

Please check your entries and click on Submit to confirm

If the submission is successful, you will get an acknowledgement report and receive an email containing this report.

For more information, read the AAP tutorial on:
<http://www.itu.int/ITU-T/aapinfo/files/AAPTutorial.pdf>

Annex 3

(to TSB AAP-55)

Recommendations under LC/AR – Comment submission form

(Separate form for each Recommendation being commented upon)

ITU-T AAP comment submission form for the period 2009-2012

Study Group: _____

Announcement number: _____

Recommendation number: _____

Recommendation under: Last call (LC)
 Additional Review (AR)

Country: _____

Administration/Company: _____

Name of AAP Contact Person: _____

Email of AAP Contact Person: _____

Sender name:
(if different from AAP Contact Person) _____

Sender email address: _____

Telephone: _____

Comments:
(Choose as applicable) We do not support this text. Reasons are given in the attachment.
 We support this text on the condition that it be modified as per revision shown in the attachment.

Observations: _____

No attachment: Comments are given in the Observation field, no attachment needed

To be returned to: email: *tsbmsg...@itu.int*
[or fax +41 22 730 5853]

Comments or revised text should be sent as an attachment in RTF or WinWord format.
Revision marks must be shown relative to the text posted by TSB.