



الاتحاد الدولي للاتصالات

مكتب تقييس الاتصالات

جنيف، 1 نوفمبر 2011

- إلى إدارات الدول الأعضاء في الاتحاد؛
- إلى أعضاء قطاع تقييس الاتصالات؛
- إلى المنتسبين إلى قطاع تقييس الاتصالات

المرجع: TSB AAP-70
AAP/MJ

الهاتف: +41 22 730 5860

الفاكس: +41 22 730 5853

البريد الإلكتروني: tsbdir@itu.int

نسخة إلى:

- رؤساء لجان الدراسات في قطاع تقييس الاتصالات ونوابهم؛
- مدير مكتب تنمية الاتصالات؛
- مدير مكتب الاتصالات الراديوية

الموضوع: حالة التوصيات الخاضعة لعملية الموافقة البديلة (AAP)

حضرات السادة والسيدات،

تحية طيبة وبعد،

تنطبق عملية الموافقة البديلة (AAP) المعرفة في التوصية ITU-T A.8 على التوصيات التي لا تنطوي على بعد سياسي أو تنظيمي ولا تتطلب بالتالي استشارة الدول الأعضاء رسمياً (انظر الرقم 246B من اتفاقية الاتحاد).

ويتضمن الملحق 1 لائحة بالنصوص التي تغيرت حالتها مقارنة بما جاء في إعلانات عملية الموافقة البديلة السابقة.

إذا رغبتكم في تقديم تعليق بشأن توصية ما خاضعة لعملية الموافقة البديلة، فارجو منكم استعمال استمارة التعليق على الخط المتوفرة على موقع قطاع تقييس الاتصالات على صفحة عملية الموافقة البديلة <http://www.itu.int/ITU-T/aap> على المدخل الخاص بالتوصية المعنية (انظر الملحق 2). وبديلاً من ذلك، يمكنكم تقديم التعليقات باستكمال الاستمارة الواردة في الملحق 3 وإرسالها إلى أمانة لجنة الدراسات المعنية بالأمر.

وتجدر الإشارة إلى أنه يفضل عدم إرسال تعليقات تقتصر على تأييد اعتماد النص قيد النظر.

وتفضلوا بقبول فائق الاحترام والتقدير.

مالكولم جونسون
مدير مكتب تقييس الاتصالات

الملحقات: 3

Place des Nations Telephone +41 22 730 51 11
CH-1211 Geneva 20 Telefax Gr3: +41 22 733 72 56
Switzerland Gr4: +41 22 730 65 00

Telex 421 000 uit ch
E-mail: itumail@itu.int
Telegram ITU GENEVE

Web page:
www.itu.int

Annex 1

(to TSB AAP-70)

Status codes used in the AAP announcements:

LC = Last Call

LJ = Last Call Judgment (includes comment resolution)

AR = Additional Review

AJ = Additional Review Judgment (includes comment resolution)

SG = For Study Group approval

A = Approved

AT = Approved with typographic corrections

AC = Approved after Additional Review of Comments

NA = Not approved

TAP = Moved to TAP (ITU-T A.8 / § 5.2)

ITU-T website entry page:

<http://www.itu.int/ITU-T>

Alternative approval process (AAP) welcome page:

<http://www.itu.int/ITU-T/aapinfo>

Note – A tutorial on the ITU-T AAP application is available under the AAP welcome page

ITU-T website AAP Recommendation search page:

<http://www.itu.int/ITU-T/aap/>

Study Group web pages and contacts:

SG 2	http://www.itu.int/ITU-T/studygroups/com02	tsbsg2@itu.int
SG 3	http://www.itu.int/ITU-T/studygroups/com03	tsbsg3@itu.int
SG 5	http://www.itu.int/ITU-T/studygroups/com05	tsbsg5@itu.int
SG 9	http://www.itu.int/ITU-T/studygroups/com09	tsbsg9@itu.int
SG 11	http://www.itu.int/ITU-T/studygroups/com11	tsbsg11@itu.int
SG 12	http://www.itu.int/ITU-T/studygroups/com12	tsbsg12@itu.int
SG 13	http://www.itu.int/ITU-T/studygroups/com13	tsbsg13@itu.int
SG 15	http://www.itu.int/ITU-T/studygroups/com15	tsbsg15@itu.int
SG 16	http://www.itu.int/ITU-T/studygroups/com16	tsbsg16@itu.int
SG 17	http://www.itu.int/ITU-T/studygroups/com17	tsbsg17@itu.int

Situation concerning Study Group 11 Recommendations under AAP

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
Q.3303.3 v2 (Q.RwDiameterv2)	Resource control protocol no.3 (rcp3) Protocol at the interface between Policy Decision Physical Entity (PD-PE) and Policy Enforcement Physical Entity (PE-PE) (Rw interface): Diameter Profile version 2	2011-11-01	2011-11-28							LC
Q.3313 (Q.Flowstatesig)	Signalling protocols and procedures relating to Flow State Aware QoS control in a bounded sub-network of a NGN	2011-11-01	2011-11-28							LC
Q.3909 (Q.NGN interoperability)	The framework and overview of NGN conformance and interoperability testing	2011-11-01	2011-11-28							LC
Q.3945	The types and list of NGN services testing on the model networks. Test set I	2011-11-01	2011-11-28							LC
Q.3950 (Q.nid-test-arch)	Testing and model network architecture for tag-based identification systems and functions	2011-11-01	2011-11-28							LC

Situation concerning Study Group 13 Recommendations under AAP

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
Q.1741.7	IMT 2000 references to Release 9 of GSM-evolved UMTS core network	2011-11-01	2011-11-28							LC
Q.1742.9	IMT 2000 References (approved as of 31 December 2010) to ANSI-41 evolved Core Network with cdma2000 Access Network	2011-11-01	2011-11-28							LC
Y.2057 (Y.ipv6split)	Framework of Identifiers and Locators Separation in IPv6-based Next Generation Networks	2011-11-01	2011-11-28							LC
Y.2058 (Y.ipv6migration)	Roadmap for IPv6 Migration from Next Generation Networks Operators' Perspectives	2011-11-01	2011-11-28							LC
Y.2111	Resource and admission control functions in Next Generation Networks	2011-11-01	2011-11-28							LC
Y.2122 (2009) Amd. 1	Flow Aggregate Information Exchange Functions in Next Generation Networks - Amendment 1 - Information model	2011-11-01	2011-11-28							LC
Y.2809 (Y.SMF)	Framework of Mobility Management in Service Stratum for NGN	2011-11-01	2011-11-28							LC
Y.3021 (Y.FNenergy)	Framework of energy saving for Future Networks	2011-11-01	2011-11-28							LC

Situation concerning Study Group 15 Recommendations under AAP

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
G.992.3 (2009) Amd.4	Asymmetric digital subscriber line transceivers 2 (ADSL2): Amendment 4	2011-10-01	2011-10-28	LJ						LJ
G.993.2	Very high speed digital subscriber line transceivers 2 (VDSL2)	2011-10-01	2011-10-28	LJ						LJ
G.993.5 (2010) Amd.1 (G.vector)	Self-FEXT cancellation (vectoring) for use with VDSL2 transceivers: Amendment 1	2011-10-01	2011-10-28	LJ						LJ
G.994.1 (2007) Amd.8 (G.hs)	Handshake procedures for digital subscriber line (DSL) transceivers - Amendment 8	2011-10-01	2011-10-28	LJ						LJ
G.994.1 (2007) Cor.1 (G.hs)	Handshake procedures for digital subscriber line (DSL) transceivers - Corrigendum 1	2011-10-01	2011-10-28	LJ						LJ
G.997.1 (2009) Amd.4	Physical layer management for digital subscriber line (DSL) transceivers: Amendment 4	2011-10-01	2011-10-28	LJ						LJ
G.997.1 (2009) Cor.2	Physical layer management for digital subscriber line (DSL) transceivers: Corrigendum 2	2011-10-01	2011-10-28	LJ						LJ
G.998.4 (2010) Cor.3	Improved impulse noise protection for DSL transceivers: Corrigendum 3	2011-10-01	2011-10-28	LJ						LJ
G.7044/Y.1347 (G.hao)	Hitless Adjustment of ODUflex(GFP) (HAO)	2011-10-01	2011-10-28	LJ						LJ
G.8013/Y.1731 (2011) Cor.1	OAM functions and mechanisms for Ethernet based networks: Corrigendum 1	2011-10-01	2011-10-28	LJ						LJ
G.9960	Unified high-speed wire-line based home networking transceivers - System architecture and physical layer specification	2011-10-01	2011-10-28	LJ						LJ

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
G.9963 (G.hn-MIMO)	Unified high-speed wire-line based home networking transceivers - Multiple Input/Multiple Output (MIMO)	2011-10-01	2011-10-28	LJ						LJ
G.9973 (G.cmh, G.phnt)	Protocol for identifying home network topology	2011-10-01	2011-10-28	LJ						LJ

Annex 2

(to TSB AAP-70)

Using the on-line comment submission form

Comment submission

- Go to AAP search Web page at <http://www.itu.int/ITU-T/aap/>

- Select your Recommendation

Recommendation_No	Title	Study_Group	State	Consent_Date	Approval_Date	Study_Period	Comment
G.711.1 (2008) Amd.1	Wideband embedded extension for G.711 pulse code modulation: New Annex A on a reference floating-point implementation for G.711.1 and editorial corrections to the main body text	16	LC	2008-10-03		2005-2008	
G.718 (2008) Cor.1	Frame error robust narrowband and wideband embedded variable bit-rate coding of speech and audio from 8-32 kbit/s: Corrections to fixed-point C-code	16	LC	2008-10-03		2005-2008	
G.719 (2008) Amd.1	New Annex A on storage format definitions for G.719, and new Annex B on a reference floating-point implementation for G.719	16	LC	2008-10-03		2005-2008	
G.722.2 (2003) Cor.3	Wideband coding of speech at around 16 kbit/s using Adaptive Multi-Rate Wideband (AMR-WB): Corrections to text and C source code in Annex C	16	LC	2008-10-03		2005-2008	
G.729.1 (2006) Amd.5	G.729-based embedded variable bit-rate coder: An 8-32 kbit/s scalable wideband coder bitstream interoperable with G.729: New Annex D (Reference floating-point implementation for G.729.1 Annex C DTX/CNG) and corrections to the main body and Annex B	16	LC	2008-10-03		2005-2008	
H.264 (2007) Cor.1	Advanced video coding for generic audiovisual services: corrections and updates	16	LJ	2008-05-02		2005-2008	★

Total 6 records match.

3) Click the "Submit Comment" button

International Telecommunication Union

AAP Info | AAP Search | Rec. Under AAP | AAP Announcements

AAP Recommendation: **G.711.1 (2008) Amd.1**

Work Programme: G.711.1 (2008) Amd.1

Title	Study Group	Current Status	Consent Date	Approval Date	Study Period	Provisional Name	IPR	Input used for Consent
Wideband embedded extension for G.711 pulse code modulation: New Annex A on a reference floating-point implementation for G.711.1 and editorial corrections to the main body text	16	LC	2008-10-03		2005-2008	G.711-WB-Float	?	TD 381-WP3

Observation

AAP Process Details

Last Call (LC)				Additional Review (AR)				Study Group (SG)	
LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	SG Date	SG Result
2008-10-16	2008-11-12								
[AAP-92]									
LC - Text / Summary				AR - Text / Summary				SG Documents	
LC Text									
LC Summary									
LC - Comments				AR - Comments				SG Decisions	

Submit Comment

4) Complete the on-line form and click on "Submit"

Study group*: SG16

Announcement number*: AAP 92

Recommendation number*: G.711.1 (2008) Amd.1

Recommendation under*: Last Call (LC) Additional Review (AR)

Country: Adelie Land

Administration or Company*:

Email of contact (for AAP):

Email of Administration or Company:

Technical contact email:

Sender name*:

Sender email address*:

Telephone:

Comments: (Choose as applicable)

We do not support this text. Reasons are given in the attachment.

We support this text on the condition that it be modified as per revision shown in the attachment.

Observation:

Comments or revised text should be sent as an attachment in reprocessable format such as RTF or Winword. Revision marks must be shown relative to the text posted by TSB.

Attach the file:

Note: Maximum file size is 10 Mb

No attachment Comments are given in the Observation field, no attachment needed

Please check your entries and click on **Submit to confirm**

If the submission is successful, you will get an acknowledgement report and receive an email containing this report.

For more information, read the AAP tutorial on:
<http://www.itu.int/ITU-T/aapinfo/files/AAPTutorial.pdf>

Annex 3

(to TSB AAP-70)

Recommendations under LC/AR – Comment submission form

(Separate form for each Recommendation being commented upon)

ITU-T AAP comment submission form for the period 2009-2012

Study Group: _____

Announcement number: _____

Recommendation number: _____

Recommendation under: Last call (LC)
 Additional Review (AR)

Country: _____

Administration/Company: _____

Name of AAP Contact Person: _____

Email of AAP Contact Person: _____

Sender name:
(if different from AAP Contact Person) _____

Sender email address: _____

Telephone: _____

Comments: We do not support this text. Reasons are given in the attachment.
(Choose as applicable) We support this text on the condition that it be modified as per
revision shown in the attachment.

Observations: _____

No attachment: Comments are given in the Observation field, no attachment needed

*To be returned to: email: tsbsg...@itu.int
[or fax +41 22 730 5853]*

*Comments or revised text should be sent as an attachment in RTF or WinWord format.
Revision marks must be shown relative to the text posted by TSB.*