

国际电信联盟

电信标准化局



2012年5月1日，日内瓦

参考号: **电信标准化局AAP-81**
AAP/MJ

电话: +41 22 730 5860

传真: +41 22 730 5853

电子邮件: tsbdir@itu.int

– 致国际电联成员国各主管部门;

– 致ITU-T各部门成员;

– 致ITU-T 部门准成员

抄送:

– 电信标准化局研究组主席和副主席

– 电信发展局局长

– 无线电通信局局长

事由: **有关采用替换批准程序 (AAP) 处理的建议书的情况**

先生/女士,

ITU-T A.8 建议书中规定的建议书替换批准程序 (AAP) 适用于那些不会产生政策或监管影响、因而不需与成员国正式协商的建议书 (见国际电联《公约》第246B款)。

附件1列出了那些在以往电信标准化局AAP预告后地位发生变化的案文。

如您希望针对某个适用AAP的建议书提出意见, 请使用可在ITU-T网站AAP区域 (<http://www.itu.int/ITU-T/aap>) 的“建议书”网页上获取的《AAP意见在线提交表格》(见**附件2**)。或者, 可填妥**附件3**中的表格并将意见发送给相关研究组的秘书处。

敬请留意, 我们不鼓励提交仅支持通过所涉案文而没有实质内容的意见。

顺致敬意!

马尔科姆·琼森
电信标准化局局长

附件: 3件

Place des Nations
CH-1211 Geneva 20
Switzerland

Telephone +41 22 730 51 11
Telefax Gr3: +41 22 733 72 56
Gr4: +41 22 730 65 00

Telex 421 000 uit ch
E-mail: itumail@itu.int
Telegram ITU GENEVE

Web page:
www.itu.int

Annex 1

(to TSB AAP-81)

Status codes used in the AAP announcements:

LC = Last Call

LJ = Last Call Judgment (includes comment resolution)

AR = Additional Review

AJ = Additional Review Judgment (includes comment resolution)

SG = For Study Group approval

A = Approved

AT = Approved with typographic corrections

AC = Approved after Additional Review of Comments

NA = Not approved

TAP = Moved to TAP (ITU-T A.8 / § 5.2)

ITU-T website entry page:

<http://www.itu.int/ITU-T>

Alternative approval process (AAP) welcome page:

<http://www.itu.int/ITU-T/aapinfo>

Note – A tutorial on the ITU-T AAP application is available under the AAP welcome page

ITU-T website AAP Recommendation search page:

<http://www.itu.int/ITU-T/aap/>

Study Group web pages and contacts:

SG 2	http://www.itu.int/ITU-T/studygroups/com02	tsbsg2@itu.int
SG 3	http://www.itu.int/ITU-T/studygroups/com03	tsbsg3@itu.int
SG 5	http://www.itu.int/ITU-T/studygroups/com05	tsbsg5@itu.int
SG 9	http://www.itu.int/ITU-T/studygroups/com09	tsbsg9@itu.int
SG 11	http://www.itu.int/ITU-T/studygroups/com11	tsbsg11@itu.int
SG 12	http://www.itu.int/ITU-T/studygroups/com12	tsbsg12@itu.int
SG 13	http://www.itu.int/ITU-T/studygroups/com13	tsbsg13@itu.int
SG 15	http://www.itu.int/ITU-T/studygroups/com15	tsbsg15@itu.int
SG 16	http://www.itu.int/ITU-T/studygroups/com16	tsbsg16@itu.int
SG 17	http://www.itu.int/ITU-T/studygroups/com17	tsbsg17@itu.int

Situation concerning Study Group 5 Recommendations under AAP

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
K.28	Parameters of thyristor-based surge protective devices for the protection of telecommunication installations	2012-05-01	2012-05-28							LC
K.44	Resistibility tests for telecommunication equipment exposed to overvoltages and overcurrents – Basic Recommendation	2012-05-01	2012-05-28							LC
K.46	Protection of telecommunication lines using metallic symmetric conductors against lightning-induced surges	2012-05-01	2012-05-28							LC
K.47	Protection of telecommunication lines using metallic conductors against direct lightning discharges	2012-05-01	2012-05-28							LC
K.89 (K.injury)	Protection of persons inside a structure using telecommunication services provided by metallic conductors against lightning - Risk management	2012-05-01	2012-05-28							LC
K.90 (K.mag)	Evaluation techniques and working procedures for compliance with limits to power-frequency (DC, 50 Hz and 60 Hz) electromagnetic field exposure of network operator personnel	2012-05-01	2012-05-28							LC
K.91 (K.guide)	Guidance for assessment, evaluation and monitoring of human exposure to radio frequency electromagnetic fields	2012-05-01	2012-05-28							LC
K.92 (K.henv)	Conducted and radiated electromagnetic environment in home networking	2012-05-01	2012-05-28							LC
K.93 (K.im bb)	Immunity of home network devices to electromagnetic disturbances	2012-05-01	2012-05-28							LC

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
K.94 (K.deg)	Mutual-disturbance test method for performance degradation evaluation of converged terminal devices	2012-05-01	2012-05-28							LC
L.1200 (L.specDC)	Specification of DC power feeding system interface	2012-05-01	2012-05-28							LC
L.1310 (L.M&M)	Energy efficiency metrics and measurement for telecommunication equipment	2012-05-01	2012-05-28							LC

Situation concerning Study Group 11 Recommendations under AAP

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
Q.3308.1 (Q.Rhv1)	Resource control protocol 8 (rcp8) Protocol at the interface between Resource Admission Control Physical Entity (RAC-PE) and CPN Gateway Policy Enforcement Physical Entities (CGPE-PE) (Rh interface): COPS alternative	2012-03-01	2012-03-28	LJ	AT					AT
Q.3314 (Q.M9)	Requirements and protocol at the interface between mobile location management physical entity used as a proxy and the central instance of the mobile location management physical entity (M9 interface)	2012-03-01	2012-03-28	LJ	AR	2012-05-01	2012-05-21			AR
Q.3613 (Q.TS-IVR)	Signalling requirements for touch screen terminal-based IVR services	2012-03-01	2012-03-28	LJ	AR	2012-05-01	2012-05-21			AR
Q.3925	The types of traffic flows which should be generated for voice, data and video on the Model network for testing QoS parameters	2012-03-01	2012-03-28	LJ	AT					AT
X.603	Information technology - Relayed multicast protocol: Framework	2012-03-01	2012-03-28	LJ	AT					AT

Situation concerning Study Group 13 Recommendations under AAP

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
Y.2023 (Y.MCC-arch)	Functional requirements and architecture of the Next Generation Network for Multimedia Communication Centre service	2012-03-01	2012-03-28	AR		2012-04-01	2012-04-21	AC		AC
Y.2060 (Y.IoT-overview)	Overview of Internet of Things	2012-03-01	2012-03-28	LJ	SG					SG
Y.2061 (Y.MOC-Reqts)	Requirements for support of machine-oriented communication applications in the NGN environment	2012-03-01	2012-03-28	LJ	SG					SG
Y.2080 (Y.dsnarch)	Architecture of Distributed Service Networking	2012-03-01	2012-03-28	LJ	SG					SG

Situation concerning Study Group 15 Recommendations under AAP

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
G.873.2	Optical Transport Network (OTN) - Ring Protection	2012-01-16	2012-02-12	LJ	AR	2012-04-01	2012-04-21	AC		AC
G.984.1 (2008) Amd.2	Gigabit-capable Passive Optical Networks (GPON): General characteristics: Amendment 2	2012-01-16	2012-02-12	LJ	AR	2012-04-01	2012-04-21	AC		AC
G.984.3 (2008) Amd.3	Gigabit-capable Passive Optical Networks (GPON): Transmission convergence layer specification - Amendment 3	2012-01-16	2012-02-12	LJ	AR	2012-04-01	2012-04-21	AC		AC
G.987.1 (2010) Amd.1	10Gigabit-capable Passive Optical Networks (XG-PON): General Requirements: Amendment 1	2012-01-16	2012-02-12	LJ	AR	2012-04-01	2012-04-21	AC		AC
G.988 (2010) Amd.2	ONU management and control interface (OMCI): Amendment 2	2012-01-16	2012-02-12	LJ	AR	2012-04-01	2012-04-21	AC		AC

Situation concerning Study Group 17 Recommendations under AAP

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
Z.107	Specification and Description language: Object-oriented data in SDL-2010	2012-04-01	2012-04-28	AT						AT
Z.109	Specification and description language: Unified modeling language (UML) profile for SDL-2010	2012-04-01	2012-04-28	AT						AT
Z.151 (2008) Cor.1	User Requirements Notation (URN) – Language definition	2012-04-01	2012-04-28	A						A
Z.161	Testing and test control notation version 3: TTCN-3 core language	2012-05-01	2012-05-28							LC
Z.161.1	The testing and test control notation version 3: TTCN-3 language extensions: Support of interfaces with continuous signals	2012-05-01	2012-05-28							LC
Z.164	Testing and Test control notation version 3: TTCN-3 operational semantics	2012-05-01	2012-05-28							LC
Z.165	Testing and test control notation version 3: TTCN-3 runtime interface (TRI)	2012-05-01	2012-05-28							LC
Z.165.1	Testing and Test control notation version 3: TTCN-3 extension package, Extended TRI	2012-05-01	2012-05-28							LC
Z.166	Testing and test control notation version 3: TTCN-3 control interface (TCI)	2012-05-01	2012-05-28							LC
Z.167	Testing and test control notation version 3: TTCN-3 mapping from ASN.1	2012-05-01	2012-05-28							LC
Z.168	Testing and test control notation version 3: TTCN-3 mapping from CORBA IDL	2012-05-01	2012-05-28							LC
Z.169	Testing and test control notation version 3: TTCN-3 mapping from XMLdata definition	2012-05-01	2012-05-28							LC

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
Z.170	Testing and test control notation version 3: TTCN-3 documentation comment specification	2012-05-01	2012-05-28							LC

Annex 2

(to TSB AAP-81)

Using the on-line comment submission form

Comment submission

- Go to AAP search Web page at <http://www.itu.int/ITU-T/aap/>

- Select your Recommendation

Recommendation_No	Title	Study_Group	State	Consent_Date	Approval_Date	Study_Period	Comment
G.711.1 (2008) Amd.1	Wideband embedded extension for G.711 pulse code modulation; New Annex A on a reference floating-point implementation for G.711.1 and editorial corrections to the main body text	16	LC	2008-10-03		2005-2008	
G.718 (2008) Cor.1	Frame error robust narrowband and wideband embedded variable bit-rate coding of speech and audio from 8-32 kbit/s; Corrections to fixed-point C-code	16	LC	2008-10-03		2005-2008	
G.719 (2008) Amd.1	New Annex A on storage format definitions for G.719, and new Annex B on a reference floating-point implementation for G.719	16	LC	2008-10-03		2005-2008	
G.722.2 (2003) Cor.3	Wideband coding of speech at around 16 kbit/s using Adaptive Multi-Rate Wideband (AMR-WB); Corrections to text and C source code in Annex C	16	LC	2008-10-03		2005-2008	
G.729.1 (2006) Amd.5	G.729-based embedded variable bit-rate coder; An 8-32 kbit/s scalable wideband coder bitstream interoperable with G.729; New Annex D (Reference floating-point implementation for G.729.1 Annex C DTX/CNG) and corrections to the main body and Annex B	16	LC	2008-10-03		2005-2008	
H.264 (2007) Cor.1	Advanced video coding for generic audiovisual services; corrections and updates	16	LJ	2008-05-02		2005-2008	★

Total 6 records match.

3) Click the "Submit Comment" button

AAP Recommendation: G.711.1 (2008) Amd.1

Work Programme: G.711.1 (2008) Amd.1

Title	Study Group	Current Status	Consent Date	Approval Date	Study Period	Provisional Name	IPR	Input used for Consent
Wideband embedded extension for G.711 pulse code modulation: New Annex A on a reference floating-point implementation for G.711.1 and editorial corrections to the main body text	16	LC	2008-10-03		2005-2008	G.711-WB-Float	?	TD 381-WP3

Observation

AAP Process Details

Last Call (LC)				Additional Review (AR)				Study Group (SG)	
LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	SG Date	SG Result
2008-10-16	2008-11-12								
[AAP-92]									
LC - Text / Summary				AR - Text / Summary				SG Documents	
LC Text									
LC Summary									
LC - Comments				AR - Comments				SG Decisions	

Submit Comment

4) Complete the on-line form and click on "Submit"

Study group*: SG16

Announcement number*: AAP 92

Recommendation number*: G.711.1 (2008) Amd.1

Recommendation under*: Last Call (LC) Additional Review (AR)

Country: Adelie Land

Administration or Company*:

Email of contact (for AAP):

Email of Administration or Company:

Technical contact email:

Sender name*:

Sender email address*:

Telephone:

Comments: (Choose as applicable)

We do not support this text. Reasons are given in the attachment.

We support this text on the condition that it be modified as per revision shown in the attachment.

Observation:

Comments or revised text should be sent as an attachment in reprocessable format such as RTF or Winword. Revision marks must be shown relative to the text posted by TSB.

Attach the file:

Note: Maximum file size is 10 Mb

No attachment Comments are given in the Observation field, no attachment needed

Please check your entries and click on Submit to confirm

If the submission is successful, you will get an acknowledgement report and receive an email containing this report.

For more information, read the AAP tutorial on:
<http://www.itu.int/ITU-T/aapinfo/files/AAPTutorial.pdf>

Annex 3

(to TSB AAP-81)

Recommendations under LC/AR – Comment submission form

(Separate form for each Recommendation being commented upon)

ITU-T AAP comment submission form for the period 2009-2012

Study Group: _____

Announcement number: _____

Recommendation number: _____

Recommendation under: Last call (LC)
 Additional Review (AR)

Country: _____

Administration/Company: _____

Name of AAP Contact Person: _____

Email of AAP Contact Person: _____

Sender name:
(if different from AAP Contact Person) _____

Sender email address: _____

Telephone: _____

Comments: We do not support this text. Reasons are given in the attachment.
(Choose as applicable) We support this text on the condition that it be modified as per
revision shown in the attachment.

Observations: _____

No attachment: Comments are given in the Observation field, no attachment needed

To be returned to: email: *tsbgs...@itu.int*
[or fax +41 22 730 5853]

Comments or revised text should be sent as an attachment in RTF or WinWord format.
Revision marks must be shown relative to the text posted by TSB.