

МЕЖДУНАРОДНЫЙ СОЮЗ ЭЛЕКТРОСВЯЗИ

Бюро стандартизации электросвязи



Женева, 1 мая 2012

Осн.: **TSB AAP-81** – Администрациям Государств – Членов Союза;
AAP/MJ – Членам Сектора МСЭ-Т;
– Ассоциированным членам МСЭ-Т

Тел.: +41 22 730 5860 **Копии:**

Факс: +41 22 730 5853 – Председателям и заместителям председателей Исследовательских комиссий МСЭ-Т;

Эл. почта: tsbdir@itu.int – Директору Бюро Развития Электросвязи;
– Директору Бюро Радиосвязи

Предмет: **Положение относительно Рекомендаций, рассматриваемых в соответствии с альтернативным процессом утверждения (АПУ)**

Альтернативный процесс утверждения (АПУ), определенный в Рекомендации МСЭ-Т А.8, распространяется на Рекомендации, которые не имеют политических или регламентарных последствий и которые поэтому не требуют официальных консультаций с Государствами-Членами (см. п. 246В Конвенции МСЭ).

В **Приложении 1** содержится перечень текстов, статус которых изменился по сравнению с предыдущими объявлениями об АПУ БСЭ.

Если вы желаете представить замечания относительно какой-либо Рекомендации, рассматриваемой в соответствии с АПУ, рекомендуем Вам использовать онлайн-форму для представления замечаний по АПУ, которая размещена на странице этой Рекомендации в разделе веб-сайта МСЭ-Т, посвященном АПУ, по адресу: <http://www.itu.int/ITU-T/aap/> (см. **Приложение 2**). Замечания можно представить иным способом, заполнив приведенную в **Приложении 3** форму и направив ее в секретариат заинтересованной исследовательской комиссии.

Просим принять к сведению, что не рекомендуется представлять замечания, являющиеся не чем иным, как поддержкой рассматриваемого текста.

С уважением,

Малколм Джонсон
Директор Бюро
стандартизации электросвязи

Приложения: 3

Place des Nations
CH-1211 Geneva 20
Switzerland

Telephone +41 22 730 51 11
Telefax Gr3: +41 22 733 72 56
Gr4: +41 22 730 65 00

Telex 421 000 uit ch
E-mail: itumail@itu.int
Telegram ITU GENEVE

Web page:
www.itu.int

Annex 1

(to TSB AAP-81)

Status codes used in the AAP announcements:

LC = Last Call

LJ = Last Call Judgment (includes comment resolution)

AR = Additional Review

AJ = Additional Review Judgment (includes comment resolution)

SG = For Study Group approval

A = Approved

AT = Approved with typographic corrections

AC = Approved after Additional Review of Comments

NA = Not approved

TAP = Moved to TAP (ITU-T A.8 / § 5.2)

ITU-T website entry page:

<http://www.itu.int/ITU-T>

Alternative approval process (AAP) welcome page:

<http://www.itu.int/ITU-T/aapinfo>

Note – A tutorial on the ITU-T AAP application is available under the AAP welcome page

ITU-T website AAP Recommendation search page:

<http://www.itu.int/ITU-T/aap/>

Study Group web pages and contacts:

SG 2	http://www.itu.int/ITU-T/studygroups/com02	tsbsg2@itu.int
SG 3	http://www.itu.int/ITU-T/studygroups/com03	tsbsg3@itu.int
SG 5	http://www.itu.int/ITU-T/studygroups/com05	tsbsg5@itu.int
SG 9	http://www.itu.int/ITU-T/studygroups/com09	tsbsg9@itu.int
SG 11	http://www.itu.int/ITU-T/studygroups/com11	tsbsg11@itu.int
SG 12	http://www.itu.int/ITU-T/studygroups/com12	tsbsg12@itu.int
SG 13	http://www.itu.int/ITU-T/studygroups/com13	tsbsg13@itu.int
SG 15	http://www.itu.int/ITU-T/studygroups/com15	tsbsg15@itu.int
SG 16	http://www.itu.int/ITU-T/studygroups/com16	tsbsg16@itu.int
SG 17	http://www.itu.int/ITU-T/studygroups/com17	tsbsg17@itu.int

Situation concerning Study Group 5 Recommendations under AAP

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
K.28	Parameters of thyristor-based surge protective devices for the protection of telecommunication installations	2012-05-01	2012-05-28							LC
K.44	Resistibility tests for telecommunication equipment exposed to overvoltages and overcurrents – Basic Recommendation	2012-05-01	2012-05-28							LC
K.46	Protection of telecommunication lines using metallic symmetric conductors against lightning-induced surges	2012-05-01	2012-05-28							LC
K.47	Protection of telecommunication lines using metallic conductors against direct lightning discharges	2012-05-01	2012-05-28							LC
K.89 (K.injury)	Protection of persons inside a structure using telecommunication services provided by metallic conductors against lightning - Risk management	2012-05-01	2012-05-28							LC
K.90 (K.mag)	Evaluation techniques and working procedures for compliance with limits to power-frequency (DC, 50 Hz and 60 Hz) electromagnetic field exposure of network operator personnel	2012-05-01	2012-05-28							LC
K.91 (K.guide)	Guidance for assessment, evaluation and monitoring of human exposure to radio frequency electromagnetic fields	2012-05-01	2012-05-28							LC
K.92 (K.henv)	Conducted and radiated electromagnetic environment in home networking	2012-05-01	2012-05-28							LC
K.93 (K.im bb)	Immunity of home network devices to electromagnetic disturbances	2012-05-01	2012-05-28							LC

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
K.94 (K.deg)	Mutual-disturbance test method for performance degradation evaluation of converged terminal devices	2012-05-01	2012-05-28							LC
L.1200 (L.specDC)	Specification of DC power feeding system interface	2012-05-01	2012-05-28							LC
L.1310 (L.M&M)	Energy efficiency metrics and measurement for telecommunication equipment	2012-05-01	2012-05-28							LC

Situation concerning Study Group 11 Recommendations under AAP

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
Q.3308.1 (Q.Rhv1)	Resource control protocol 8 (rcp8) Protocol at the interface between Resource Admission Control Physical Entity (RAC-PE) and CPN Gateway Policy Enforcement Physical Entities (CGPE-PE) (Rh interface): COPS alternative	2012-03-01	2012-03-28	LJ	AT					AT
Q.3314 (Q.M9)	Requirements and protocol at the interface between mobile location management physical entity used as a proxy and the central instance of the mobile location management physical entity (M9 interface)	2012-03-01	2012-03-28	LJ	AR	2012-05-01	2012-05-21			AR
Q.3613 (Q.TS-IVR)	Signalling requirements for touch screen terminal-based IVR services	2012-03-01	2012-03-28	LJ	AR	2012-05-01	2012-05-21			AR
Q.3925	The types of traffic flows which should be generated for voice, data and video on the Model network for testing QoS parameters	2012-03-01	2012-03-28	LJ	AT					AT
X.603	Information technology - Relayed multicast protocol: Framework	2012-03-01	2012-03-28	LJ	AT					AT

Situation concerning Study Group 13 Recommendations under AAP

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
Y.2023 (Y.MCC-arch)	Functional requirements and architecture of the Next Generation Network for Multimedia Communication Centre service	2012-03-01	2012-03-28	AR		2012-04-01	2012-04-21	AC		AC
Y.2060 (Y.IoT-overview)	Overview of Internet of Things	2012-03-01	2012-03-28	LJ	SG					SG
Y.2061 (Y.MOC-Reqts)	Requirements for support of machine-oriented communication applications in the NGN environment	2012-03-01	2012-03-28	LJ	SG					SG
Y.2080 (Y.dsnarch)	Architecture of Distributed Service Networking	2012-03-01	2012-03-28	LJ	SG					SG

Situation concerning Study Group 15 Recommendations under AAP

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
G.873.2	Optical Transport Network (OTN) - Ring Protection	2012-01-16	2012-02-12	LJ	AR	2012-04-01	2012-04-21	AC		AC
G.984.1 (2008) Amd.2	Gigabit-capable Passive Optical Networks (GPON): General characteristics: Amendment 2	2012-01-16	2012-02-12	LJ	AR	2012-04-01	2012-04-21	AC		AC
G.984.3 (2008) Amd.3	Gigabit-capable Passive Optical Networks (GPON): Transmission convergence layer specification - Amendment 3	2012-01-16	2012-02-12	LJ	AR	2012-04-01	2012-04-21	AC		AC
G.987.1 (2010) Amd.1	10Gigabit-capable Passive Optical Networks (XG-PON): General Requirements: Amendment 1	2012-01-16	2012-02-12	LJ	AR	2012-04-01	2012-04-21	AC		AC
G.988 (2010) Amd.2	ONU management and control interface (OMCI): Amendment 2	2012-01-16	2012-02-12	LJ	AR	2012-04-01	2012-04-21	AC		AC

Situation concerning Study Group 17 Recommendations under AAP

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
Z.107	Specification and Description language: Object-oriented data in SDL-2010	2012-04-01	2012-04-28	AT						AT
Z.109	Specification and description language: Unified modeling language (UML) profile for SDL-2010	2012-04-01	2012-04-28	AT						AT
Z.151 (2008) Cor.1	User Requirements Notation (URN) – Language definition	2012-04-01	2012-04-28	A						A
Z.161	Testing and test control notation version 3: TTCN-3 core language	2012-05-01	2012-05-28							LC
Z.161.1	The testing and test control notation version 3: TTCN-3 language extensions: Support of interfaces with continuous signals	2012-05-01	2012-05-28							LC
Z.164	Testing and Test control notation version 3: TTCN-3 operational semantics	2012-05-01	2012-05-28							LC
Z.165	Testing and test control notation version 3: TTCN-3 runtime interface (TRI)	2012-05-01	2012-05-28							LC
Z.165.1	Testing and Test control notation version 3: TTCN-3 extension package, Extended TRI	2012-05-01	2012-05-28							LC
Z.166	Testing and test control notation version 3: TTCN-3 control interface (TCI)	2012-05-01	2012-05-28							LC
Z.167	Testing and test control notation version 3: TTCN-3 mapping from ASN.1	2012-05-01	2012-05-28							LC
Z.168	Testing and test control notation version 3: TTCN-3 mapping from CORBA IDL	2012-05-01	2012-05-28							LC
Z.169	Testing and test control notation version 3: TTCN-3 mapping from XMLdata definition	2012-05-01	2012-05-28							LC

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
Z.170	Testing and test control notation version 3: TTCN-3 documentation comment specification	2012-05-01	2012-05-28							LC

Annex 2

(to TSB AAP-81)

Using the on-line comment submission form

Comment submission

- Go to AAP search Web page at <http://www.itu.int/ITU-T/aap/>

- Select your Recommendation

Recommendation_No	Title	Study_Group	State	Consent_Date	Approval_Date	Study_Period	Comment
G.711.1 (2008) Amd.1	Wideband embedded extension for G.711 pulse code modulation; New Annex A on a reference floating-point implementation for G.711.1 and editorial corrections to the main body text	16	LC	2008-10-03		2005-2008	
G.718 (2008) Cor.1	Frame error robust narrowband and wideband embedded variable bit-rate coding of speech and audio from 8-32 kbit/s; Corrections to fixed-point C-code	16	LC	2008-10-03		2005-2008	
G.719 (2008) Amd.1	New Annex A on storage format definitions for G.719, and new Annex B on a reference floating-point implementation for G.719	16	LC	2008-10-03		2005-2008	
G.722.2 (2003) Cor.3	Wideband coding of speech at around 16 kbit/s using Adaptive Multi-Rate Wideband (AMR-WB); Corrections to text and C source code in Annex C	16	LC	2008-10-03		2005-2008	
G.729.1 (2006) Amd.5	G.729-based embedded variable bit-rate coder; An 8-32 kbit/s scalable wideband coder bitstream interoperable with G.729; New Annex D (Reference floating-point implementation for G.729.1 Annex C DTX/CNG) and corrections to the main body and Annex B	16	LC	2008-10-03		2005-2008	
H.264 (2007) Cor.1	Advanced video coding for generic audiovisual services; corrections and updates	16	LJ	2008-05-02		2005-2008	★

Total 6 records match.

3) Click the "Submit Comment" button

AAP Recommendation: G.711.1 (2008) Amd.1

Work Programme: G.711.1 (2008) Amd.1

Title	Study Group	Current Status	Consent Date	Approval Date	Study Period	Provisional Name	IPR	Input used for Consent
Wideband embedded extension for G.711 pulse code modulation: New Annex A on a reference floating-point implementation for G.711.1 and editorial corrections to the main body text	16	LC	2008-10-03		2005-2008	G.711-WB-Float	?	TD 381-WP3

Observation

AAP Process Details

Last Call (LC)				Additional Review (AR)				Study Group (SG)	
LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	SG Date	SG Result
2008-10-16	2008-11-12								
[AAP-92]									
LC - Text / Summary				AR - Text / Summary				SG Documents	
LC Text									
LC Summary									
LC - Comments				AR - Comments				SG Decisions	

Submit Comment

4) Complete the on-line form and click on "Submit"

Study group*: SG16

Announcement number*: AAP 92

Recommendation number*: G.711.1 (2008) Amd.1

Recommendation under*: Last Call (LC) Additional Review (AR)

Country: Adelie Land

Administration or Company*: [Dropdown]

Email of contact (for AAP): [Dropdown]

Email of Administration or Company: [Text]

Technical contact email: [Text]

Sender name*: [Text]

Sender email address*: [Text]

Telephone: [Text]

Comments: (Choose as applicable)

We do not support this text. Reasons are given in the attachment.

We support this text on the condition that it be modified as per revision shown in the attachment.

Observation:

Comments or revised text should be sent as an attachment in reprocessable format such as RTF or Winword. Revision marks must be shown relative to the text posted by TSB.

Attach the file: [Text]

Note: Maximum file size is 10 Mb

No attachment Comments are given in the Observation field, no attachment needed

Please check your entries and click on Submit to confirm

If the submission is successful, you will get an acknowledgement report and receive an email containing this report.

For more information, read the AAP tutorial on:
<http://www.itu.int/ITU-T/aapinfo/files/AAPTutorial.pdf>

Annex 3

(to TSB AAP-81)

Recommendations under LC/AR – Comment submission form

(Separate form for each Recommendation being commented upon)

ITU-T AAP comment submission form for the period 2009-2012

Study Group: _____

Announcement number: _____

Recommendation number: _____

Recommendation under: Last call (LC)
 Additional Review (AR)

Country: _____

Administration/Company: _____

Name of AAP Contact Person: _____

Email of AAP Contact Person: _____

Sender name:
(if different from AAP Contact Person) _____

Sender email address: _____

Telephone: _____

Comments: We do not support this text. Reasons are given in the attachment.
(Choose as applicable) We support this text on the condition that it be modified as per
revision shown in the attachment.

Observations: _____

No attachment: Comments are given in the Observation field, no attachment needed

To be returned to: email: *tsbgs...@itu.int*
[or fax +41 22 730 5853]

Comments or revised text should be sent as an attachment in RTF or WinWord format.
Revision marks must be shown relative to the text posted by TSB.