

# 国际电信联盟

电信标准化局



2012年5月16日，日内瓦

参考号: **电信标准化局AAP-82**  
AAP/MJ

电话: +41 22 730 5860

传真: +41 22 730 5853

电子邮件: [tsbdir@itu.int](mailto:tsbdir@itu.int)

- 致国际电联成员国各主管部门;
- 致ITU-T各部门成员;
- 致ITU-T 部门准成员

**抄送:**

- 电信标准化局研究组主席和副主席
- 电信发展局主任
- 无线电通信局主任

事由: **有关采用替换批准程序 (AAP) 处理的建议书的情况**

先生/女士,

ITU-T A.8 建议书中规定的建议书替换批准程序 (AAP) 适用于那些不会产生政策或 监管影响、因而不需与成员国正式协商的建议书 (见国际电联《公约》第246B款)。

**附件1**列出了那些在以往电信标准化局AAP预告后地位发生变化的案文。

如您希望针对某个适用AAP的建议书提出意见, 请使用可在ITU-T网站AAP区域 (<http://www.itu.int/ITU-T/aap>) 的“建议书”网页上获取的《AAP意见在线提交表格》(见**附件2**)。或者, 可填妥**附件3**中的表格并将意见发送给相关研究组的秘书处。

敬请留意, 我们不鼓励提交仅支持通过所涉案文而没有实质内容的意见。

顺致敬意!

马尔科姆·琼森  
电信标准化局主任

附件: 3件

Place des Nations  
CH-1211 Geneva 20  
Switzerland

Telephone +41 22 730 51 11  
Telefax Gr3: +41 22 733 72 56  
Gr4: +41 22 730 65 00

Telex 421 000 uit ch  
E-mail: [itumail@itu.int](mailto:itumail@itu.int)  
Telegram ITU GENEVE

Web page:  
[www.itu.int](http://www.itu.int)

## **Annex 1**

(to TSB AAP-82)

### **Status codes used in the AAP announcements:**

LC = Last Call

LJ = Last Call Judgment (includes comment resolution)

AR = Additional Review

AJ = Additional Review Judgment (includes comment resolution)

SG = For Study Group approval

A = Approved

AT = Approved with typographic corrections

AC = Approved after Additional Review of Comments

NA = Not approved

TAP = Moved to TAP (ITU-T A.8 / § 5.2)

### **ITU-T website entry page:**

<http://www.itu.int/ITU-T>

### **Alternative approval process (AAP) welcome page:**

<http://www.itu.int/ITU-T/aapinfo>

Note – A tutorial on the ITU-T AAP application is available under the AAP welcome page

### **ITU-T website AAP Recommendation search page:**

<http://www.itu.int/ITU-T/aap/>

### **Study Group web pages and contacts:**

SG 2	<a href="http://www.itu.int/ITU-T/studygroups/com02">http://www.itu.int/ITU-T/studygroups/com02</a>	<a href="mailto:tsbsg2@itu.int">tsbsg2@itu.int</a>
SG 3	<a href="http://www.itu.int/ITU-T/studygroups/com03">http://www.itu.int/ITU-T/studygroups/com03</a>	<a href="mailto:tsbsg3@itu.int">tsbsg3@itu.int</a>
SG 5	<a href="http://www.itu.int/ITU-T/studygroups/com05">http://www.itu.int/ITU-T/studygroups/com05</a>	<a href="mailto:tsbsg5@itu.int">tsbsg5@itu.int</a>
SG 9	<a href="http://www.itu.int/ITU-T/studygroups/com09">http://www.itu.int/ITU-T/studygroups/com09</a>	<a href="mailto:tsbsg9@itu.int">tsbsg9@itu.int</a>
SG 11	<a href="http://www.itu.int/ITU-T/studygroups/com11">http://www.itu.int/ITU-T/studygroups/com11</a>	<a href="mailto:tsbsg11@itu.int">tsbsg11@itu.int</a>
SG 12	<a href="http://www.itu.int/ITU-T/studygroups/com12">http://www.itu.int/ITU-T/studygroups/com12</a>	<a href="mailto:tsbsg12@itu.int">tsbsg12@itu.int</a>
SG 13	<a href="http://www.itu.int/ITU-T/studygroups/com13">http://www.itu.int/ITU-T/studygroups/com13</a>	<a href="mailto:tsbsg13@itu.int">tsbsg13@itu.int</a>
SG 15	<a href="http://www.itu.int/ITU-T/studygroups/com15">http://www.itu.int/ITU-T/studygroups/com15</a>	<a href="mailto:tsbsg15@itu.int">tsbsg15@itu.int</a>
SG 16	<a href="http://www.itu.int/ITU-T/studygroups/com16">http://www.itu.int/ITU-T/studygroups/com16</a>	<a href="mailto:tsbsg16@itu.int">tsbsg16@itu.int</a>
SG 17	<a href="http://www.itu.int/ITU-T/studygroups/com17">http://www.itu.int/ITU-T/studygroups/com17</a>	<a href="mailto:tsbsg17@itu.int">tsbsg17@itu.int</a>

**Situation concerning Study Group 2 Recommendations under AAP**

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
<a href="#">E.139 (E.PIAP)</a>	Public Internet Access Points (PIAPs)	2012-04-16	2012-05-13	A						A
<a href="#">M.1402</a>	Formalization of data for service management	2012-04-16	2012-05-13	A						A
<a href="#">M.3347 (X.service-activation)</a>	Requirements for the NGN Service Activation of NMS-EMS Interface	2012-04-16	2012-05-13	A						A
<a href="#">Q.818 (Q.ws-xml)</a>	Web-service based Management Services	2012-04-16	2012-05-13	A						A
<a href="#">X.782 (X.ws-xml)</a>	Guidelines for defining Web-services for managed objects and management interfaces	2012-04-16	2012-05-13	AT						AT

**Situation concerning Study Group 9 Recommendations under AAP**

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
<a href="#">J.185 (J.fmc-rev)</a>	Transmission equipment for transferring multi-channel television signals over optical access networks by frequency modulation conversion	2012-05-16	2012-06-12							LC
<a href="#">J.381 (J.atrans-req)</a>	Requirements for advanced digital cable transmission technologies	2012-05-16	2012-06-12							LC
<a href="#">J.1101 (J.vodoc-req)</a>	Functional requirements for IP-based switched digital video using Data Over Cable Service Interface Specifications	2012-05-16	2012-06-12							LC

**Situation concerning Study Group 13 Recommendations under AAP**

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
<a href="#">Y.3031 (Y.FNid)</a>	Identification framework in future networks	2012-03-01	2012-03-28	LJ	AR	2012-04-16	2012-05-06	AC		AC

**Situation concerning Study Group 15 Recommendations under AAP**

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
<a href="#">G.984.6 (2008) Amd. 2</a>	Gigabit-capable Passive Optical Networks (GPON): Reach extender (RE) units - Amendment 2	2012-01-16	2012-02-12	LJ	AR	2012-04-16	2012-05-06	AC		AC
<a href="#">G.987</a>	10-Gigabit-capable passive optical network (XG-PON) systems: Definitions, abbreviations and acronyms	2012-05-16	2012-06-12							LC
<a href="#">G.987.4 (G.xgpon.re)</a>	10-Gigabit-capable Passive Optical Networks (XG-PON): Reach extension	2012-01-16	2012-02-12	LJ	AR	2012-05-16	2012-06-05			AR
<a href="#">G.988 (2010) Cor.1</a>	ONU management and control interface (OMCI) specification: Corrigendum 1	2012-05-16	2012-06-12							LC
<a href="#">G.993.2 (2011) Cor.1</a>	Very high speed digital subscriber line transceivers 2 (VDSL2): Corrigendum 1	2012-05-16	2012-06-12							LC
<a href="#">G.993.5 (2010) Cor.2</a>	Self-FEXT cancellation (vectoring) for use with VDSL2 transceivers: Corrigendum 2	2012-05-16	2012-06-12							LC
<a href="#">G.994.1</a>	Handshake procedures for digital subscriber line (DSL) transceivers	2012-05-16	2012-06-12							LC
<a href="#">G.997.1</a>	Physical layer management for digital subscriber line (DSL) transceivers	2012-05-16	2012-06-12							LC
<a href="#">G.998.4 (2010) Cor.4</a>	Improved impulse noise protection for DSL transceivers: Corrigendum 4	2012-05-16	2012-06-12							LC
<a href="#">G.8013/Y.1731 (2011) Amd.1</a>	OAM functions and mechanisms for Ethernet based networks: Amendment 1	2012-01-16	2012-02-12	LJ	AR	2012-04-16	2012-05-06	AC		AC
<a href="#">G.8021/Y.1341</a>	Characteristics of Ethernet transport network equipment functional blocks	2012-01-16	2012-02-12	LJ	AR	2012-04-16	2012-05-06	AC		AC

## Annex 2

(to TSB AAP-82)

### Using the on-line comment submission form

#### Comment submission

- Go to AAP search Web page at <http://www.itu.int/ITU-T/aap/>

- Select your Recommendation

Recommendation_No	Title	Study_Group	State	Consent_Date	Approval_Date	Study_Period	Comment
<a href="#">G.711.1 (2008) Amd.1</a>	Wideband embedded extension for G.711 pulse code modulation: New Annex A on a reference floating-point implementation for G.711.1 and editorial corrections to the main body text	16	LC	2008-10-03		2005-2008	
G.718 (2008) Cor.1	Frame error robust narrowband and wideband embedded variable bit-rate coding of speech and audio from 8-32 kbit/s: Corrections to fixed-point C-code	16	LC	2008-10-03		2005-2008	
G.719 (2008) Amd.1	New Annex A on storage format definitions for G.719, and new Annex B on a reference floating-point implementation for G.719	16	LC	2008-10-03		2005-2008	
G.722.2 (2003) Cor.3	Wideband coding of speech at around 16 kbit/s using Adaptive Multi-Rate Wideband (AMR-WB): Corrections to text and C source code in Annex C	16	LC	2008-10-03		2005-2008	
G.729.1 (2006) Amd.5	G.729-based embedded variable bit-rate coder: An 8-32 kbit/s scalable wideband coder bitstream interoperable with G.729: New Annex D (Reference floating-point implementation for G.729.1 Annex C DTX/CNG) and corrections to the main body and Annex B	16	LC	2008-10-03		2005-2008	
H.264 (2007) Cor.1	Advanced video coding for generic audiovisual services: corrections and updates	16	LJ	2008-05-02		2005-2008	★

Total 6 records match.

3) Click the "Submit Comment" button

**AAP Recommendation: G.711.1 (2008) Amd.1**

Work Programme: G.711.1 (2008) Amd.1

Title	Study Group	Current Status	Consent Date	Approval Date	Study Period	Provisional Name	IPR	Input used for Consent
Wideband embedded extension for G.711 pulse code modulation: New Annex A on a reference floating-point implementation for G.711.1 and editorial corrections to the main body text	16	LC	2008-10-03		2005-2008	G.711-WB-Float	?	TD 381-WP3

**Observation**

**AAP Process Details**

Last Call (LC)				Additional Review (AR)				Study Group (SG)	
LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	SG Date	SG Result
2008-10-16	2008-11-12								
[AAP-92]									
LC - Text / Summary				AR - Text / Summary				SG Documents	
<a href="#">LC Text</a>									
<a href="#">LC Summary</a>									
LC - Comments				AR - Comments				SG Decisions	

4) Complete the on-line form and click on "Submit"

**Study group\*:** SG16

**Announcement number\*:** AAP 92

**Recommendation number\*:** G.711.1 (2008) Amd.1

**Recommendation under\*:**  Last Call (LC)  Additional Review (AR)

**Country:** Adelie Land

**Administration or Company\*:** [Dropdown]

**Email of contact (for AAP):** [Dropdown]

**Email of Administration or Company:** [Text]

**Technical contact email:** [Text]

**Sender name\*:** [Text]

**Sender email address\*:** [Text]

**Telephone:** [Text]

**Comments: (Choose as applicable)**

We do not support this text. Reasons are given in the attachment.

We support this text on the condition that it be modified as per revision shown in the attachment.

**Observation:**

Comments or revised text should be sent as an attachment in reprocessable format such as RTF or Winword. Revision marks must be shown relative to the text posted by TSB.

**Attach the file:** [Text]

Note: Maximum file size is 10 Mb

**No attachment** Comments are given in the Observation field, no attachment needed

**Please check your entries and click on Submit to confirm**

If the submission is successful, you will get an acknowledgement report and receive an email containing this report.

For more information, read the AAP tutorial on:  
<http://www.itu.int/ITU-T/aapinfo/files/AAPTutorial.pdf>



### Annex 3

(to TSB AAP-82)

#### Recommendations under LC/AR – Comment submission form

*(Separate form for each Recommendation being commented upon)*

#### ITU-T AAP comment submission form for the period 2009-2012

**Study Group:** \_\_\_\_\_

**Announcement number:** \_\_\_\_\_

**Recommendation number:** \_\_\_\_\_

**Recommendation under:**

Last call (LC)

Additional Review (AR)

**Country:** \_\_\_\_\_

**Administration/Company:** \_\_\_\_\_

**Name of AAP Contact Person:** \_\_\_\_\_

**Email of AAP Contact Person:** \_\_\_\_\_

**Sender name:**

*(if different from AAP Contact Person)* \_\_\_\_\_

**Sender email address:** \_\_\_\_\_

**Telephone:** \_\_\_\_\_

**Comments:**

*(Choose as applicable)*

We do not support this text. Reasons are given in the attachment.

We support this text on the condition that it be modified as per revision shown in the attachment.

**Observations:** \_\_\_\_\_

**No attachment:** Comments are given in the Observation field, no attachment needed

*To be returned to: email: tsbsg...@itu.int  
[or fax +41 22 730 5853]*

*Comments or revised text should be sent as an attachment in RTF or WinWord format.  
Revision marks must be shown relative to the text posted by TSB.*