



МЕЖДУНАРОДНЫЙ СОЮЗ ЭЛЕКТРОСВЯЗИ

Бюро стандартизации электросвязи

Женева, 1 апреля 2019

Осн.: **TSB AAP-55** – Администрациям Государств – Членов Союза;
AAP/CL – Членам Сектора МСЭ-Т;
– Ассоциированным членам МСЭ-Т

Тел.: +41 22 730 5860 **Копии:**

Факс: +41 22 730 5853 – Председателям и заместителям председателей Исследовательских комиссий МСЭ-Т;

Эл. почта: tsbdir@itu.int – Директору Бюро Развития Электросвязи;
– Директору Бюро Радиосвязи

Предмет: **Положение относительно Рекомендаций, рассматриваемых в соответствии с альтернативным процессом утверждения (АПУ)**

Уважаемая госпожа,
уважаемый господин,

Альтернативный процесс утверждения (АПУ), определенный в Рекомендации МСЭ-Т А.8, распространяется на Рекомендации, которые не имеют политических или регламентарных последствий и которые поэтому не требуют официальных консультаций с Государствами-Членами (см. п. 246В Конвенции МСЭ).

В **Приложении 1** содержится перечень текстов, статус которых изменился по сравнению с предыдущими объявлениями об АПУ БСЭ.

Если вы желаете представить замечания относительно какой-либо Рекомендации, рассматриваемой в соответствии с АПУ, рекомендуем Вам использовать онлайн-форму для представления замечаний по АПУ, которая размещена на странице этой Рекомендации в разделе веб-сайта МСЭ-Т, посвященном АПУ, по адресу: <http://www.itu.int/ITU-T/aap/> (см. **Приложение 2**). Замечания можно представить иным способом, заполнив приведенную в **Приложении 3** форму и направив ее в секретариат заинтересованной исследовательской комиссии.

Просим принять к сведению, что не рекомендуется представлять замечания, являющиеся не чем иным, как поддержкой рассматриваемого текста.

С уважением,

Чхе Суб Ли
Директор Бюро стандартизации электросвязи

Приложения: 3

Place des Nations
CH-1211 Geneva 20
Switzerland

Telephone +41 22 730 51 11
Telefax Gr3: +41 22 733 72 56
Gr4: +41 22 730 65 00

Telex 421 000 uit ch
E-mail: itumail@itu.int
Telegram ITU GENEVE

Web page:
www.itu.int

Annex 1

(to TSB AAP-55)

Status codes used in the AAP announcements:

LC = Last Call

LJ = Last Call Judgment (includes comment resolution)

AR = Additional Review

AJ = Additional Review Judgment (includes comment resolution)

SG = For Study Group approval

A = Approved

AT = Approved with typographic corrections

AC = Approved after Additional Review of Comments

NA = Not approved

TAP = Moved to TAP (ITU-T A.8 / § 5.2)

ITU-T website entry page:

<http://www.itu.int/ITU-T>

Alternative approval process (AAP) welcome page:

<http://www.itu.int/ITU-T/aapinfo>

Note – A tutorial on the ITU-T AAP application is available under the AAP welcome page

ITU-T website AAP Recommendation search page:

<http://www.itu.int/ITU-T/aap/>

Study Group web pages and contacts:

| | | |
|-------|---|--|
| SG 2 | http://www.itu.int/ITU-T/studygroups/com02 | tsbsg2@itu.int |
| SG 3 | http://www.itu.int/ITU-T/studygroups/com03 | tsbsg3@itu.int |
| SG 5 | http://www.itu.int/ITU-T/studygroups/com05 | tsbsg5@itu.int |
| SG 9 | http://www.itu.int/ITU-T/studygroups/com09 | tsbsg9@itu.int |
| SG 11 | http://www.itu.int/ITU-T/studygroups/com11 | tsbsg11@itu.int |
| SG 12 | http://www.itu.int/ITU-T/studygroups/com12 | tsbsg12@itu.int |
| SG 13 | http://www.itu.int/ITU-T/studygroups/com13 | tsbsg13@itu.int |
| SG 15 | http://www.itu.int/ITU-T/studygroups/com15 | tsbsg15@itu.int |
| SG 16 | http://www.itu.int/ITU-T/studygroups/com16 | tsbsg16@itu.int |
| SG 17 | http://www.itu.int/ITU-T/studygroups/com17 | tsbsg17@itu.int |
| SG 20 | http://www.itu.int/ITU-T/studygroups/com20 | tsbsg20@itu.int |

Situation concerning Study Group 9 Recommendations under AAP

| Rec # | Title | Last Call (LC) Period | | | | Additional Review (AR) Period | | | | Status |
|-----------------------------------|---|-----------------------|------------|-----------|-----------|-------------------------------|------------|-----------|-----------|--------|
| | | LC Start | LC End | LC Result | LJ Result | AR Start | AR End | AR Result | AJ Result | |
| J.298 (J.stb-cts) | Requirements and technical specifications of cable TV hybrid set-top box that has the compatibility with terrestrial and satellite TV transport (Summary) | 2018-12-16 | 2019-01-12 | LJ | AR | 2019-03-01 | 2019-03-21 | AC | | AC |

Situation concerning Study Group 11 Recommendations under AAP

| Rec # | Title | Last Call (LC) Period | | | | Additional Review (AR) Period | | | | Status |
|--|--|-----------------------|------------|-----------|-----------|-------------------------------|--------|-----------|-----------|--------|
| | | LC Start | LC End | LC Result | LJ Result | AR Start | AR End | AR Result | AJ Result | |
| Q.731.3 | Stage 3 Description for number identification supplementary services using Signalling System no.7 - Calling Line Identification Presentation (Summary) | 2019-04-01 | 2019-04-28 | | | | | | | LC |
| Q.731.4 | Stage 3 Description for number identification supplementary services using Signalling System no.7 - Calling Line Identification Restriction (Summary) | 2019-04-01 | 2019-04-28 | | | | | | | LC |
| Q.731.5 | Stage 3 Description for number identification supplementary services using Signalling System no.7 - Connected Line Identification Presentation (Summary) | 2019-04-01 | 2019-04-28 | | | | | | | LC |
| Q.731.6 | Stage 3 Description for number identification supplementary services using Signalling System no.7 - Connected Line Identification Restriction (Summary) | 2019-04-01 | 2019-04-28 | | | | | | | LC |
| Q.850 (2018) Amd.1 | Usage of cause and location in the Digital Subscriber Signalling System No. 1 and the Signalling System No. 7 ISDN user part (Summary) | 2019-04-01 | 2019-04-28 | | | | | | | LC |
| Q.3054 (Q.VCNSA) | Signalling architecture for virtualization of control network entities (Summary) | 2019-04-01 | 2019-04-28 | | | | | | | LC |
| Q.3642 (Q.Interop IMS Rel 1 2) | IMS references to Release 12 for communication between IMS and NGN networks to support end-to-end service interoperability (Summary) | 2019-04-01 | 2019-04-28 | | | | | | | LC |

| Rec # | Title | Last Call (LC) Period | | | | Additional Review (AR) Period | | | | Status |
|--|---|-----------------------|------------|-----------|-----------|-------------------------------|--------|-----------|-----------|--------|
| | | LC Start | LC End | LC Result | LJ Result | AR Start | AR End | AR Result | AJ Result | |
| Q.4014.1 | PSTN/ISDN terminal equipment using IP Multimedia core network subsystem; Conformance testing; Part 1: PICS (Summary) | 2019-04-01 | 2019-04-28 | | | | | | | LC |
| Q.4014.2 (Q.39 SI IAD TS Part 2 v.1) | PSTN/ISDN terminal equipment using IP Multimedia core network subsystem; Conformance testing; Part 2: TSS&TP (Summary) | 2019-04-01 | 2019-04-28 | | | | | | | LC |
| Q.4061 (Q.SDN-CT) | Framework of SDN controller testing (Summary) | 2019-04-01 | 2019-04-28 | | | | | | | LC |
| Q.5020 (Q.NS-LCMP) | Protocol requirements and procedures for network slice lifecycle management (Summary) | 2019-04-01 | 2019-04-28 | | | | | | | LC |

Situation concerning Study Group 13 Recommendations under AAP

| Rec # | Title | Last Call (LC) Period | | | | Additional Review (AR) Period | | | | Status |
|---|---|-----------------------|------------|-----------|-----------|-------------------------------|--------|-----------|-----------|--------|
| | | LC Start | LC End | LC Result | LJ Result | AR Start | AR End | AR Result | AJ Result | |
| Y.2620 (Y.PTDN-T-interface) | T interface for Public packet Telecommunication Data Network (PTDN) (Summary) | 2019-04-01 | 2019-04-28 | | | | | | | LC |
| Y.3072 (Y.ICN-ReqN) | Requirements and Capabilities of Name Mapping and Resolution for Information Centric Networking in IMT-2020 (Summary) | 2019-04-01 | 2019-04-28 | | | | | | | LC |
| Y.3106 (Y.IMT2020-qos-req) | QoS functional requirements for the IMT-2020 network (Summary) | 2019-04-01 | 2019-04-28 | | | | | | | LC |
| Y.3151 (Y.NetSoft-SSSDN) | High-level technical characteristics of network softwarization for IMT-2020 - part: SDN (Summary) | 2019-04-01 | 2019-04-28 | | | | | | | LC |
| Y.3152 (Y.IMT2020-ADPP) | Advanced Data Plane Programmability for IMT-2020 (Summary) | 2019-04-01 | 2019-04-28 | | | | | | | LC |
| Y.3172 (Y.IMT2020-ML-Arch) | Architectural framework for machine learning in future networks including IMT-2020 (Summary) | 2019-04-01 | 2019-04-28 | | | | | | | LC |

Situation concerning Study Group 15 Recommendations under AAP

| Rec # | Title | Last Call (LC) Period | | | | Additional Review (AR) Period | | | | Status |
|---|---|-----------------------|------------|-----------|-----------|-------------------------------|------------|-----------|-----------|--------|
| | | LC Start | LC End | LC Result | LJ Result | AR Start | AR End | AR Result | AJ Result | |
| G.709/Y.1331 (2016) Amd.3 | Interfaces for the optical transport network (OTN): Amendment 3 (Summary) | 2018-11-01 | 2018-11-28 | LJ | AR | 2019-03-01 | 2019-03-21 | AC | | AC |
| G.997.2 | Physical layer management for G.fast transceivers (Summary) | 2018-11-01 | 2018-11-28 | LJ | AR | 2019-03-01 | 2019-03-21 | AC | | AC |
| G.9701 | Fast access to subscriber terminals (G.fast) - Physical layer specification (Summary) | 2018-11-01 | 2018-11-28 | LJ | AR | 2019-03-01 | 2019-03-21 | AC | | AC |
| G.9991 (G.vlc) | High speed indoor visible light communication transceiver - System architecture, physical layer and data link layer specification (Summary) | 2018-11-01 | 2018-11-28 | LJ | AR | 2019-03-01 | 2019-03-21 | AC | | AC |
| G.9992 (G.occ) | Indoor optical camera communication transceivers - System architecture, physical layer and data link layer specification (Summary) | 2018-11-01 | 2018-11-28 | LJ | AR | 2019-03-01 | 2019-03-21 | AC | | AC |

Situation concerning Study Group 17 Recommendations under AAP

| Rec # | Title | Last Call (LC) Period | | | | Additional Review (AR) Period | | | | Status |
|-------------------------------------|--|-----------------------|------------|-----------|-----------|-------------------------------|--------|-----------|-----------|--------|
| | | LC Start | LC End | LC Result | LJ Result | AR Start | AR End | AR Result | AJ Result | |
| X.894 (2018) Cor. 1 | Generic applications of ASN.1 Cryptographic Message Syntax (Summary) | 2019-02-16 | 2019-03-15 | A | | | | | | A |
| X.1043 (X.sdnsec-3) | Security framework and requirements for service function chaining based on software-defined networking (Summary) | 2019-02-16 | 2019-03-15 | A | | | | | | A |
| X.1094 (X.tab) | Telebiometric authentication using biosignals (Summary) | 2019-02-16 | 2019-03-15 | A | | | | | | A |

Annex 2

(to TSB AAP-55)

Using the on-line comment submission form

Comment submission

- 1) Go to AAP search Web page at <http://www.itu.int/ITU-T/aap/>

- 2) Select your Recommendation

| Recommendation_No | Title | Study_Group | State | Consent_Date | Approval_Date | Study_Period | Comment |
|--------------------------------------|---|-------------|-------|--------------|---------------|--------------|---------|
| G.711.1 (2008) Amd.1 | Wideband embedded extension for G.711 pulse code modulation: New Annex A on a reference floating-point implementation for G.711.1 and editorial corrections to the main body text | 16 | LC | 2008-10-03 | | 2005-2008 | |
| G.718 (2008) Cor.1 | Frame error robust narrowband and wideband embedded variable bit-rate coding of speech and audio from 8-32 kbit/s: Corrections to fixed-point C-code | 16 | LC | 2008-10-03 | | 2005-2008 | |
| G.719 (2008) Amd.1 | New Annex A on storage format definitions for G.719, and new Annex B on a reference floating-point implementation for G.719 | 16 | LC | 2008-10-03 | | 2005-2008 | |
| G.722.2 (2003) Cor.3 | Wideband coding of speech at around 16 kbit/s using Adaptive Multi-Rate Wideband (AMR-WB): Corrections to text and C source code in Annex C | 16 | LC | 2008-10-03 | | 2005-2008 | |
| G.729.1 (2006) Amd.5 | G.729-based embedded variable bit-rate coder: An 8-32 kbit/s scalable wideband coder bitstream interoperable with G.729: New Annex D (Reference floating-point implementation for G.729.1 Annex C DTX/CNG) and corrections to the main body and Annex B | 16 | LC | 2008-10-03 | | 2005-2008 | |
| H.264 (2007) Cor.1 | Advanced video coding for generic audiovisual services: corrections and updates | 16 | LJ | 2008-05-02 | | 2005-2008 | ★ |

Total 6 records match.

3) Click the "Submit Comment" button

AAP Recommendation: G.711.1 (2008) Amd.1

Work Programme: G.711.1 (2008) Amd.1

| Title | Study Group | Current Status | Consent Date | Approval Date | Study Period | Provisional Name | IPR | Input used for Consent |
|---|-------------|----------------|--------------|---------------|--------------|------------------|-----|------------------------|
| Wideband embedded extension for G.711 pulse code modulation: New Annex A on a reference floating-point implementation for G.711.1 and editorial corrections to the main body text | 16 | LC | 2008-10-03 | | 2005-2008 | G.711-WB-Float | ? | TD 381-WP3 |

Observation

AAP Process Details

| Last Call (LC) | | | | Additional Review (AR) | | | | Study Group (SG) | |
|---|------------|-----------|-----------|------------------------|--------|-----------|-----------|------------------|-----------|
| LC Start | LC End | LC Result | LJ Result | AR Start | AR End | AR Result | AJ Result | SG Date | SG Result |
| 2008-10-16 | 2008-11-12 | | | | | | | | |
| [AAP-92] | | | | | | | | | |
| LC - Text / Summary | | | | AR - Text / Summary | | | | SG Documents | |
| LC Text LC Summary | | | | | | | | | |
| LC - Comments | | | | AR - Comments | | | | SG Decisions | |

Submit Comment

4) Complete the on-line form and click on "Submit"

Study group*: SG16

Announcement number*: AAP 92

Recommendation number*: G.711.1 (2008) Amd.1

Recommendation under*: Last Call (LC) Additional Review (AR)

Country: Adelie Land

Administration or Company*:

Email of contact (for AAP):

Email of Administration or Company:

Technical contact email:

Sender name*:

Sender email address*:

Telephone:

Comments: (Choose as applicable)

We do not support this text. Reasons are given in the attachment.

We support this text on the condition that it be modified as per revision shown in the attachment.

Observation:

Comments or revised text should be sent as an attachment in reprocessable format such as RTF or Winword. Revision marks must be shown relative to the text posted by TSB.

Attach the file:

Note: Maximum file size is 10 Mb

No attachment Comments are given in the Observation field, no attachment needed

Please check your entries and click on **Submit to confirm**

If the submission is successful, you will get an acknowledgement report and receive an email containing this report.

For more information, read the AAP tutorial on:

<http://www.itu.int/ITU-T/aapinfo/files/AAPTutorial.pdf>

(to TSB AAP-55)

Recommendations under LC/AR – Comment submission form

(Separate form for each Recommendation being commented upon)

ITU-T AAP comment submission form for the period 2009-2012

Study Group: _____

Announcement number: _____

Recommendation number: _____

Recommendation under: Last call (LC)
 Additional Review (AR)

Country: _____

Administration/Company: _____

Name of AAP Contact Person: _____

Email of AAP Contact Person: _____

Sender name:
(if different from AAP Contact Person) _____

Sender email address: _____

Telephone: _____

Comments: We do not support this text. Reasons are given in the attachment.
(Choose as applicable) We support this text on the condition that it be modified as per revision shown in the attachment.

Observations: _____

No attachment: Comments are given in the Observation field, no attachment needed

*To be returned to: email: tsbsg...@itu.int
[or fax +41 22 730 5853]*

*Comments or revised text should be sent as an attachment in RTF or WinWord format.
Revision marks must be shown relative to the text posted by TSB.*