

Workshop for SADC countries to promote the development and implementation of Conformity Assessment programmes

Livingstone (Zambia)

13-15 October 2014

PART1 Considerations in building Type Approval and Interoperability Test Labs, and areas of operation

Presented by: Bill McCrum ITU Consultant



Livingstone, Zambia, 13-16 Oct 2014

Fundamentals of an orderly telecom equipment marketplace

- Robust technical requirements for products entering the marketplace
- Interference free services wireless and wireline
- Products are safe for citizens and service provider personnel
- Market access regime that inspires trust and confidence in users
- Delivers national and international connectivity
- Reflects priorities and values of a society



- Robust legal framework for market entry with assessed penalties for non compliance
- Telecom policy and regulations
- Accreditation, certification and testing
- Marking
- Post market surveillance and audit
- Technical specifications covering the following areas of activity:
- wireless and wireline
- > FMC
- > SAR
- Broadcast



Livingstone, Zambia, 13-16 Oct 2014

Implementation alternatives for an orderly telecom equipment marketplace Example 2- Adoption

- Adopt one or more schemes already deployed successfully in other economies
- Examples already used as interim measure by some developing countries:
 - > EU marking
 - > FCC marking
 - > IC marking
 - Other





Status of needs in Developing Countries

- Many developing countries moving quickly from uncontrolled market access driven by variety of concerns e.g. health, quality, performance of equipment
- Many DCs already using Adoption method to improve orderliness in telecom marketplace
- Many more have moved to implement test labs, accreditation and certification systems
- Others actively seeking assistance to establish test centres and improve quality and performance
- Growing recognition of business opportunity of becoming the test lab(s) of choice for regional needs
- BDT/TSB initiatives on test centres timely and viewed positively



Livingstone, Zambia, 13-16 Oct 2014



Interoperability Testing Issues

- Interoperability testing is at another level of complexity beyond regulatory type approval testing
- Deals with complex protocol implementation and interactions between and among complete devices – system testing
- Complementary to conformance testing
- Greater requirement for programming language and computer science expertise
- Expertise required in test suite languages, formal description languages, sophisticated test tools
- Type approval test lab expertise can ease transition to interoperability testing



Example of Interop Testing Areas: "University of New Hampshire Interop Lab"

- ❖ IP
 - IPv6 Routing
 - IPv4 Routing
 - USGv6 Testing
 - IPv6 Ready Program
- Open Fabrics Open Source
- Storage
 - SAS –Stats Analysis
 - SATA Computer Bus I/face
 - Fibre Channel
 - iSCSI small computer i/face
- TR-069 Test Consortium Tools
- ❖ VoIP
- Wireless LAN
 - ❖ 802.11 a,b,g,n

- Ethernet
 - 10BASE-T Ethernet
 - Gigabit Ethernet
 - 10 Gigabit Ethernet
 - * Fast Ethernet
 - Power over Ethernet
- Backplane
- Bridging
 - Data Center Bridging
 - MACsec
 - VLAN
 - Spanning Tree
- DLNA ICV Certification Pgm
 - DHN (Digital Home Networking)
- **❖** DSL
- MIPI Music Industry



Livingstone, Zambia, 13-16 Oct 2014

Type Approval Test Lab modularity

- Test lab implementations tend to be modular
- Modularity permits growth in step with priorities e.g. Wireless test lab initially focusing on cellphones; second step, addition of a Wireless test lab focusing on XDSL
- Test lab modules may include:
 - Certification unit
 - Reception
 - Shipping and receiving
 - Financial operations and fee collection
 - Filing system
 - Market surveillance and audit
 - > Inspection





Type Approval Test Labs - typical sub-units

- Wireless test lab
- Wireline test lab
- EMC test test
- Calibration unit
- SAR test systems
- Environmental chamber
- Anechoic chamber
- Open Area Test Site (OATS)
- Electromagnetically Shielded room



Livingstone, Zambia, 13-16 Oct 2014

Test Lab: typical examples of partial scope of technical standards - Broadcasting 1/3

- BETS-1 Technical Standards and Requirements for Low Power Announce Transmitters in the Frequency Bands 525-1,705 kHz and 88-107.5 MHz Issue 1, November 1, 1996
- BETS-4 Technical Standards and Requirements for Television Broadcasting Transmitters

Issue 1, November 1, 1996

 BETS-5 - Technical Standards and Requirements for AM Broadcasting Transmitters

Issue 1, November 1, 1996

 BETS-6 - Technical Standards and Requirements for FM Broadcasting Transmitters

Issue 2, August 2005

- BETS-8 Technical Standards and Requirements for FM Transmitters Operating in Small Remote Communities
 Issue 1 November 1, 1996
- BETS-9 Technical Standards and Requirements for Television Transmitters
 Operating in Small Remote Communities
 Issue 1, November 1, 1996

Test Lab: typical examples of partial scope of technical standards - Wireless 2/3

- RSS-192 Fixed Wireless Access Equipment Operating in the Band 3450 3650 MHz Issue 3, January 2008
- RSS-194 Fixed Wireless Access Equipment Operating in the Band 953-960 MHz Issue 1, October 2007
- RSS-193 Multipoint and Point-to-Point Communication Systems (MCS) in the Fixed Service Operating in the 2150-2160 MHz, 2500-2596 MHz and 2686-2690 MHz Bands Issue 1, July 2003
- RSS-195 Wireless Communications Service Equipment Operating in the Bands 2305-2320 MHz and 2345-2360 MHz Issue 1, January 2004
- RSS-197 Wireless Broadband Access Equipment Operating in the Band 3650-3700 MHz Issue 1, February 2010
- RSS-199 Broadband Radio Service (BRS) Equipment Operating in the Band 2500-2690 MHz
- Issue 1, January 2010
- RSS-210 Low-power Licence-exempt Radiocommunication Devices (All Frequency Bands): <u>Category I Equipment</u> New Issue 8, December 2010
- RSS-Gen General Requirements and Information for the Certification of Radiocommunication Equipment New Issue 3, December 2010



Livingstone, Zambia, 13-16 Oct 2014

Test Lab: typical examples of partial scope of technical standards - EMC 3/3

- ICES-001 Industrial, Scientific and Medical Radio Frequency Generators Issue 3, March 7, 1998
- ICES-002 Spark Ignition Systems of Vehicles and Other Devices Equipped with Internal <u>Combustion Engines</u>
 Issue 5, August 2009
- ICES-003 Digital Apparatus Issue 4, February 7, 2004
- ICES-004 Alternating Current High Voltage Power Systems Issue 3, December 2001
- ICES-005 Radio Frequency Lighting Devices
- Issue 3, May 2009
 ICES-006 AC Wire Carrier Current Devices (Unintentional Radiators)
 Issue 2, June 2009
- RSS-102 Radio Frequency Exposure Compliance of Radiocommunication Apparatus (All Frequency Bands)
 Issue 3, June 2009
- RSS-310 Low-power Licence-exempt Radiocommunication Devices (All Frequency Bands): <u>Category II Equipment New</u> Issue 3, December 2010
- RSS-Gen General Requirements and Information for the Certification of Radiocommunication Equipment New Issue 3, December 2010

Type Approval Test Lab activities - Portfolio of Test Methods

- Electromagnetic emission test methods
- Product safety test methods
- Radio test methods
- Telecom equipment test methods
- RF exposure test methods



Livingstone, Zambia, 13-16 Oct 2014



Examples - Electromagnetic emission test methods

- IEC/CISPR 13 (2001-04), EN 55013 (2001), AS/NZS CISPR 13 (2003), and CNS 13439 (2001): Sound and television broadcast receivers and associated equipment - Radio disturbance characteristics - Limits and methods of measurement
- [12/CIS13aa] CISPR 13, Edition 4.2 (2006-03) Sound and broadcast receivers and associated equipment - Radio disturbance characteristics - Limits and methods of measurement
- [12/CIS14a3] EN 55014-1 (2000) with Amendments A1(2001) & A2 (2001) Electromagnetic Compatibility - Requirements for household appliances, electric tools and similar apparatus - Part 1: Emission
- [12/CIS14x1] IEC/CISPR 14-1, Ed. 5.0 (2005) Electromagnetic Compatibility - Requirements for Household Appliances, Electric Tools and Similar Apparatus - Part 1: Emission
- [12/CIS22] IEC/CISPR 22 (1997) & EN 55022 (1998) + A1(2000) Limits and methods of measurement of radio disturbance characteristics of information technology equipment
- [12/CIS22b] CNS 13438 (1997) Limits and Methods of Measurement of Radio Interference Characteristics of Information Technology Equipment
- [12/CIS22i] IEC/CISPR 22, Edition 5.2 (2006-03) Limits and Methods of Measurement of Radio Disturbance Characteristics of Information Technology Equipment





Examples - Product safety test methods

- [12/50392] BS EN 50392 (2004)
 Generic standard to demonstrate the compliance of electronic and electrical apparatus with the basic restrictions related to human exposure to electromagnetic fields (0 Hz 300 GHz)
- [12/60065] IEC 60065 (2001-12), 7th edition
 Audio, video and similar electronic apparatus Safety requirements
- [12/60601aa] IEC 60601-1-2, Ed 2.1 (2004-11) & EN 60601-1-2 (2002)
 Medical electrical equipment Part 1-2: General requirements for safety Collateral standard: Electromagnetic compatibility Requirements and tests
- [12/60601ab] IEC 60601-1-2, Ed. 3.0 (2007)
 Medical electrical equipment Part 1-2: General requirements for safety Collateral standard: Electromagnetic compatibility Requirements and tests
- [12/61010a] IEC 61010-1 (2001-02), 2nd edition
 Safety requirements for electrical equipment for measurement, control, and laboratory use Part 1: General requirements
- [12/T41a] AS/NZS 60950 (2000)
 Safety of Information Technology Equipment (including Amdt1)
- [12/T41i] EN 60950-1 (2006), IEC 60950-1 (2005) & UL 60950-1
 Information technology equipment Safety Part 1: General requirements



Livingstone, Zambia, 13-16 Oct 2014



Examples - Wireless/radio test methods

- [12/300220d] ETSI EN 300 220-1 V2.1.1 (2006-04)
 Electromagnetic Compatibility Radio Spectrum Matters; Short Range Devices;
 Radio Equipment to be used in the 25 MHz to 1,000 MHz Frequency Range with
 Power Levels Ranging up to 500mW; Part 1: Technical Characteristics and Test
 Methods
- [12/300220e] ETSI EN 300 220-2 V2.1.1 (2006-04)
 ERM; Short Range Devices; Radio Equipment to be used in the 25MHz to 1,000
 MHz Frequency Range with Power Levels Ranging up to 550 mW; Part 2:
 Supplementary Parameters Not Intended for Conformity Purposes
- [12/300220f] ETSI EN 300 220-2 V2.1.2 (2007-06)
 ERM; Short Range Devices; Radio Equipment to be used in the 25MHz to 1,000 MHz Frequency Range with Power Levels Ranging up to 550 mW; Part 2: Supplementary Parameters Not Intended for Conformity Purposes
- [12/300224b] ETSI EN 300 224-2 v1.1.1 (2001-01)
 Electromagnetic compatibility and Radio spectrum Matters (ERM); On-site paging service; Part 2: Harmonized EN under article 3.2 of the R&TTE Directive
- [12/300328b] ETSI EN 300 328-2 v1.2.1 (2001-12)
 Wideband Transmission systems; Data transmission equipment operating in the 2.4 GHz ISM band and using spread spectrum modulation techniques; Part 2: Harmonized EN covering essential requirements under article 3.2 of the R&TTE Directive



Examples-Telecom terminal equipment test methods

- [12/CS03a] Industry Canada CS-03, Issue 9, Amendment 1 (2005)
 Compliance Specification for Terminal Equipment, Terminal Systems, Network
 Protection Devices, Connection Arrangements and Hearing Aids Compatibility
 (Sections I, II, V only)
- [12/T01]
 Terminal Equipment Network Protection Standards, FCC/ACTA Method 47 CFR Part 68 Analog and Digital
- [12/T01b]
 68.316 and 68.317 Hearing Aid Compatibility: technical standards
- [12/TIA31B] TIA/EIA TSB-31-B (1998)
 Part 68 Rational and Measurement Guidelines
- [12/TIA968] ANSI/TIA-968-A (2003)
 Telephone Terminal Equipment, Technical Requirements for Connection of Terminal Equipment to the Telephone Network
- [12/TIA968a] ANSI/TIA-968-A-1 (2003)
 Telephone Terminal Equipment, Technical Requirements for Connection of Terminal Equipment to the Telephone Network - Addendum 1
- [12/TIA968b] ANSI/TIA-968-A-2 (2004)
 Telephone Terminal Equipment, Technical Requirements for Connection of Terminal Equipment to the Telephone Network - Addendum 2



Livingstone, Zambia, 13-16 Oct 2014



Examples - RF exposure test methods

- [12/50360] EN 50360 (2001)
 Product standard to demonstrate the compliance of mobile phones with the basic restrictions related to human exposure to electromagnetic fields (300 MHz - 3 GHz)
- [12/50361] EN 50361 (2001)
 Basic standard for the measurement of Specific Absorption Rate related to human exposure to electromagnetic fields from mobile phones (300 MHz - 3 GHz)
- [12/50371] EN 50371 (2002)
 Generic standard to demonstrate the compliance of low power electronic and electric apparatus with the basic restrictions related to human exposure to electromagnetic fields (300 MHz 3 GHz)
- [12/50383] EN 50383:2002
 Basic Standard for the calculation and measurement of electromagnetic field strength and SAR related to human exposure from radio base stations and fixed terminal stations for wireless telecommunication system (110 MHz 40 GHz)
- [12/60215] EN 60215 (1989) and IEC 215 (1987)+ A1 (1992) + A2 (1994)
 Safety requirements for radio transmitting equipment
- [12/H46] H46-2/99-273E Limits of Human Exposure to Radiofrequency Electromagnetic Fields in the Frequency Range From 3 kHZ to 300 GHz - Safety Code 6 (Canada)

18



References to Worldwide Test Labs and their scopes 1/3

USA - National Institute of Standards and Technology (NIST)
 http://ts.nist.gov/standards/scopes/programs.htm
 http://ts.nist.gov/standards/scopes/ect.htm

AFRICA, CHINA ETC

http://www.itu.int/dms_pub/itut/oth/06/24/T06240000010009MSWE.doc http://www.itu.int/dms_pub/itut/oth/06/24/T06240000010009MSWE.doc

AUSTRALIA

http://www.austest.com.au/about_us.php

EUROPEAN

http://start.europadev.com/Home/consultancy-1



Livingstone, Zambia, 13-16 Oct 2014



References to Worldwide Test Labs and their scopes 2/3

A4Labs

http://www.at4wireless.com/testing-certification-services/accreditations.html

TUNISIA

http://www.cert.nat.tn/

FCC Q&A SITE

http://www.bureauveritas.com/wps/wcm/connect/bv_com/group /home/news/did-you-knowthat/fcc_faqs?presentationtemplate=bv_master/news_full_sto ry_presentation





References to Worldwide Test Labs and their scopes 3/3

MIDDLE EAST

http://www.uaelab.ae/UAELAB/about UAELAB.htm

http://www.wipro.com/services/testing-services/services/lab-on-hire.htm

http://www.contractlaboratory.com/labclass/telecommunications.cfm

http://www.intertek.com/it/

http://teletimesinternational.com/middleeast/3662/wimaxforum-certification-lab-opens-in-malaysia



Livingstone, Zambia, 13-16 Oct 2014



Conclusions

- Excellent websites exist in various countries fully furnished with type approval test info as in previous 3 slides
- Websites are replete with detailed technical standards, test methods, procedures, fee schedules and market surveillance and audit information
- In principle the same parameters tested are common for all regulatory type approval systems
- No need to re-invent the wheel
- Many countries willing to provide on-site training, in some cases for free
- Some Lab visits and demonstrations available at no charge – travel and accommodation costs to be borne by visitors





Recommendations

- certification and Suppliers' Declaration of Conformity (SDoC) are the preferred conformity assessment schemes for ICT equipment.
- conformity assessment bodies and accreditation bodies must be accredited or assessed to meet International standards, namely ISO/IEC 17011 for accreditation bodies, ISO/IEC 17025 for testing laboratories and ISO/IEC 17065 for certification bodies.
- Countries must have have legislation, regulations, standards, procedures and processes in place to enable the smooth and transparent operations of conformity assessment schemes for ICT equipment
- countries should consider carefully the applicability of conformity assessment and testing procedures and processes that are already established in developed countries before deciding to develop their own from first principles.



Livingstone, Zambia, 13-16 Oct 2014



Thank you for your attention

billmccrum@bell.net

