

Description of EPFD validation and results of examination

Uplink examination of frequency range 27500-28600 MHz and 29500-30000 GHz

Downlink examination of frequency range 17800-18600 MHz

Intersatellite examination of frequency range 17800-18400 MHz

<i>B1A</i>	<i>B2</i>	<i>BR7a</i>	<i>GHz</i>	<i>Orbital planes id. no.</i>	<i>Mask ID</i>	<i>Article 22 Limit</i>	<i>Result</i>	<i>Article 22 Examination</i>
<i>Beam designation</i>	<i>Emi-Rcp</i>	<i>Group id./ Target Group id.</i>						
R1R	R	114696422 114696424 114696426	28	1	1	TABLE 22-2	Pass	Favorable
R2R	R	114696428 114696430 114696432	28	1	1	TABLE 22-2	Pass	Favorable
T1R	E	114696404 114696406 114696408	17	1	2, 3	TABLE 22-3 TABLE 22-1B	Pass Pass	Favorable
T1R	E	114696410 114696411 114696412	18	1	2, 3	TABLE 22-3 TABLE 22-1B	Pass Pass	Favorable
T2R	E	114696413 114696415 114696417	17	1	2, 3	TABLE 22-3 TABLE 22-1B	Pass Pass	Favorable
T2R	E	114696419 114696420 114696421	18	1	2, 3	TABLE 22-3 TABLE 22-1B	Pass Pass	Favorable

Notes:

- Findings are promulgated as favorable when all applicable limits in Article 22 are met for given group of frequency assignments in all applicable scenarios.
- The Result column can be either Pass or Fail (see Rec. ITU-R S.1503-2). N/A (Non Applicable) refers to the case when an applicable Article 22 limit is not examined in the current scenario.