

## Description of EPFD validation and results of examination

Uplink examination of frequency range 27500-28600 MHz

Downlink examination of frequency range 17800-18600 MHz

Intersatellite examination of frequency range 17800-18400 MHz

<i>B1A</i> <i>Beam designation</i>	<i>B2</i> <i>Emi-Rcp</i>	<i>BR7a</i> <i>Group id./ Target Group id.</i>	<i>GHz</i>	<i>Orbital planes id. no.</i>	<i>Mask ID</i>	<i>Article 22 Limit</i>	<i>Result</i>	<i>Article 22 Examination</i>
R1R	R	316612731 / 116612731 316612733 / 116612733 316612735 / 116612735	28	1	1 - 3	TABLE 22-2	Pass	Favorable
R2R	R	316612737 / 116612737 316612739 / 116612739 316612741 / 116612741	28	1	1 - 3	TABLE 22-2	Pass	Favorable
T1R	E	316612719 / 116612719 316612721 / 116612721 316612723 / 116612723	18	1	1 - 3	TABLE 22-3 TABLE 22-1B	Pass Pass	Favorable
T2R	E	316612725 / 116612725 316612727 / 116612727 316612729 / 116612729	18	1	1 - 3	TABLE 22-3 TABLE 22-1B	Pass Pass	Favorable

### Notes:

- Findings are promulgated as favorable when all applicable limits in Article 22 are met for given group of frequency assignments in all applicable scenarios.
- The Result column can be either Pass or Fail (see Rec. ITU-R S.1503-2). N/A (Non Applicable) refers to the case when an applicable Article 22 limit is not examined in the current scenario.