

Description of EPFD validation and results of examination

Input parameters

Mask link data

Mask Id.	Direction	Minimum frequency, MHz	Maximum frequency, MHz	Linked orbit IDs / Satellite IDs
1	↓	10700	12750	All
2	↔	10700	12750	All
3	↑	12750	14500	All

Common SNS Data

Common

A.4.b.7.d.1 Exclusion zone type	A.4.b.7.d.1 Exclusion zone size, degrees
Y - topocentric angle (earth based)	3

Orbits

Apogee/Perigee/Inclination	A.4.b.6.d Uses station keeping	A.4.b.6.e Uses specific precession
550/550/7 550/550/53 550/550/70 550/550/97.03 550/550/97.6	No keeping	Default

Uplink

A.4.b.7.b Earth station density (1/km ²)	A.4.b.7.c Average distance (km)	A.4.b.7.a number of satellites receiving simultaneously
1E-06	1000	1

Downlink

A.4.b.6.a Number of satellites transmitting to any latitude within corresponding range		
From latitude	To latitude	Number
-90	90	1

Group table

Beam(s)	Direction	Minimum frequency, MHz	Maximum frequency, MHz	A.4.b.7.cbis Minimum elevation angle
KUFLUP	R	12750	14500	5
KUFLDN	E	10700	12750	5

Results

B1A Beam designation	B2 Emi-Rcp	BR7a Group id./ Target Group id.	GHz	Orbital planes id. no.	Mask ID	Article 22 Limit	Result	Article 22 Examination
KUFLUP	R	322763501 / 122618420	12.75-13.25	1 - 19	3	TABLE 22-2	Pass	Favorable
KUFLUP	R	322763502 / 122618421	13.75- 13.772	1 - 19	3	TABLE 22-2	Pass	Favorable
KUFLUP	R	322763503 / 122618422	14-14.5	1 - 19	3	TABLE 22-2	Pass	Favorable
KUFLUP	R	322763504 / 122618426	13.778-14	1 - 19	3	TABLE 22-2	Pass	Favorable
KUFLDN	E	322763497 / 122618413	11.7-12.2	1 - 19	1	RR 22.5C4 RR 22.5C8 TABLE 22-1A TABLE 22-1D	Pass Pass Pass Pass	Favorable
KUFLDN	E	322763498 / 122618414	10.7-11.7	1 - 19	1, 2	RR 22.5C4 TABLE 22-1A TABLE 22-3	Pass Pass Pass	Favorable
KUFLDN	E	322763499 / 122618415	12.2-12.5	1 - 19	1	RR 22.5C4 RR 22.5C8 TABLE 22-1A TABLE 22-1D	Pass Pass Pass Pass	Favorable
KUFLDN	E	322763500 / 122618416	12.5-12.75	1 - 19	1, 2	RR 22.5C4 RR 22.5C8	Pass Pass	Favorable

						TABLE 22-1A TABLE 22-1D TABLE 22-3	Pass Pass Pass	
--	--	--	--	--	--	--	----------------------	--

Notes:

1. Findings are promulgated as favorable when all applicable limits in Article 22 are met for given group of frequency assignments in all applicable scenarios.
2. The Result column can be either Pass or Fail (see Rec. ITU-R S.1503-2). N/A (Non Applicable) refers to the case when an applicable Article 22 limit is not examined in the current scenario.
3. Qualified Favorable is established due to continuous application of Resolution 85 (WRC-03) on request by the notifying administration.