7th SG13 Regional Workshop for Africa on "ITU-T Standardization Work on Future Networks: Towards a Better Future for Africa" (Abuja, Nigeria, 3-4 February 2020)

Achievements on AI/ML within ITU-T SG13, with focus on Q20/13 activities

Marco Carugi

Consultant, Huawei Research Contractor ITU-T SG13 Mentor and Q20/13 Associate Rapporteur marco.carugi@gmail.com

SG13 Questions and current involvement in AI/ML studies

WP	Title	Questions						
1	IMT- 2020 Networ ks & Systems	Q.6: Quality of service (QoS) aspects including IMT-2020 networks Currently involved in AI/ML studies from QoS perspective (achievements and ongoing work items: Y.qos-ml-arc "Architecture of machine learning based QoS assurance for the IMT-2020 network")						
		Q.20: IMT-2020: Network requirements and functional architecture Currently involved in AI/ML studies from use cases, requirements, network capabilities and architecture perspective (achievements and ongoing work items: see next slides)						
		Q.21: Software-defined networking, network slicing and orchestration Currently involved in AI/ML studies from Q21 studies perspective (achievements and ongoing work items: Y.IMT2020-mAI "Traffic typization IMT-2020 management based on an artificial intelligent approach", Y.IMT2020-NSAA-reqts "Requirements for network slicing with AI-assisted analysis in IMT-2020 networks")						
		Q.22: Upcoming network technologies for IMT-2020 and future networks No specific studies related to AI/ML at this time						
		Q.23: Fixed-mobile convergence including IMT-2020 No specific studies related to AI/ML at this time						
2	Cloud Comput ing & Big Data	Q.7: Big data driven networking (bDDN) and deep packet inspection (DPI) Currently involved in AI/ML studies from big data and deep packet inspection perspective (achievements and ongoing work items: Y.bDDN-MLMec "Mechanisms of machine learning for big data driven networking", Y.MecTA-ML "Mechanism of traffic awareness for application-descriptor-agnostic traffic based on machine learning", Y.MLN-Fr "Framework for man-like networking")						
		Q.17: Requirements, ecosystem, and general capabilities for cloud computing and big data Currently involved in AI/ML studies from XaaS and Big data perspective (achievements and ongoing work items: Y.Sup.aisr "Artificial Intelligence Standard Roadmap", Y.MLaaS-reqts "Cloud computing - Functional requirements for machine learning as a service")						
		Q.18: Functional architecture for cloud computing and big data No specific studies related to AI/ML at this time						
		Q.19: End-to-end cloud computing management and security No specific studies related to AI/ML at this time						
	Networ k Evolutio n &Trust	Q.1: Innovative services scenarios, deployment models and migration issues based on future networks No specific studies related to AI/ML at this time						
3		Q.2: Next-generation network (NGN) evolution with innovative technologies including software-defined networking (SDN) and network function virtualization (NFV) No specific studies related to AI/ML at this time						
		Q.5: Applying networks of future and innovation in developing countries No specific studies related to AI/ML at this time						
		Q.16: Knowledge-centric trustworthy networking and services No specific studies related to AI/ML at this time 2						

Q20/13 – Question text which includes AI/ML studies [TD231 (PLEN/13) of Oct 2019 SG13 meeting]

IMT-2020: Network requirements and functional architecture

Motivation

... This end-to-end flexibility will bring challenges to the architecture and functional design of IMT-2020 considering the diversity of service requirements. Challenges come in large part from the incorporation of network softwarization into every component. Well known techniques such as NFV and SDN will together allow unprecedented flexibility in the IMT-2020 systems. Such flexibility will enable many new capabilities including network slicing.

Considering also the complexity implied by such flexibility, the application of artificial intelligence including machine learning technologies will be also very beneficial for IMT-2020 systems in terms of network operations and application support capabilities.

This question focuses on the study of the requirements, capabilities, architecture and key technologies to realize IMT-2020 networks. And the ecosystem from business models and use cases should be promoted to build and realize the better cooperation with users. Open source projects should also be utilized and guide to meet the requirements of IMT-2020 networks.

Question

Study items to be considered include, but are not limited to:

What key technologies related to IMT-2020 are required to realize IMT-2020 networks? How to incorporate network intelligence into IMT-2020?

Tasks

Tasks include, but are not limited to:

Development of Recommendations and other relevant documents on overall requirements and functional architecture of IMT-2020 incorporating technologies including network softwarization, network slicing, orchestration, capability exposure, artificial intelligence including machine learning, etc.



Q20/13 achievements: Supplement 55 to Y.3170 series

"Machine learning in future networks including IMT-2020: use cases"

• Analysis of use cases for machine learning in future networks including IMT-2020, presented in a unified format.

Originally contributed as output of FG-ML5G

Use case categories

- Network slice and other network service related use cases (14)
- User plane-related use cases (3)
- Application-related use cases (3)
- Signalling or management related use cases (8)
- Security related use cases (2)

Each use case is illustrated with the basic set of possible related requirements

- Critical requirements
- Expected requirements
- Added value requirements



Q20/13 achievements: Y.3172 (THE foundational document)

"Architectural framework for ML in future networks incl. IMT-2020"

- A set of architectural requirements and specific architectural components (incl. ML pipeline, ML management and orchestration functionalities, ML sandbox) to satisfy requirements
- The integration of such components into the network
- Guidelines for applying framework in different technology-specific underlying networks

Originally contributed as output of FG-ML5G



High-level architecture

ML pipeline: set of logical nodes, each with specific functionalities, that can be combined to form a ML application in telecommunication network. It may be deployed on simulated or live **ML underlay networks. ML function orchestrator (MLFO)**: logical node with functionalities that manage and orchestrate the nodes of ML pipelines based on ML Intent and/or dynamic network conditions ML sandbox: isolated domain which allows the hosting of separate ML pipelines to train, test and evaluate them before deploying in live network. It can use data from simulated ML underlay networks and/or live networks.

Q20/13 achievements: Y.3173 (under AAP – AR step) "Framework for evaluating intelligence level of future networks incl. IMT-2020"

Framework for evaluating the intelligence of future networks, including:

- Method and architecture view for evaluating the intelligence levels of future networks
- Informative: relationship between the framework and work in other standards or industry bodies (SAE, GSMA, TM Forum, ETSI ISG ENI), and application of the method on representative use cases

Originally contributed as output of FG-ML5G

Motivation:

Al is promising technology to cope with increasing complexity and improve network performance. <u>As networks become more and more intelligent, it</u> is important to adopt a standard method for evaluating network intelligence levels. Values of a standard method for evaluating network intelligence levels:

- evaluation basis for measuring the intelligence levels of a network and of its components
- help industry to reach unified understanding of network intelligence concepts
- reference for industry supervisors to formulate network strategies and development planning
- decision support to network industry for planning network technology features & products' roadmaps

	Network intelligence level		Dimensions					
			Action Implemen tation	Data Collectio n	Analysis	Decision	Demand Mapping	
	LO	Manual network operation	Human	Human	Human	Human	Human	
	L1	Assisted network operation	Human & System	Human & System	Human	Human	Human	
	L2	Preliminar Y intelligenc e	System	Human & System	Human & System	Human	Human	
	L3	Intermedi ate intelligenc e	System	System	Human & System	Human & System	Human	
	L4	Advanced intelligenc e	System	System	System	System	Human & System	
	L5	Full intelligenc e	System	System	System	System	System	

The overall network intelligence level is determined by selecting the minimum per-dimension network intelligence level across all dimensions

Q20/13 achievements: Y.3174 (under AAP – AR step)

"Framework for data handling to enable machine learning in future networks including IMT-2020"

- Requirements for data collection and processing mechanisms in various usage scenarios for ML
- Requirements for applying ML output in the ML underlay network
- Framework for data handling and examples of its realization on specific underlying networks

Originally contributed as output of FG-ML5G



High-level architecture of the data handling framework

Challenges addressed by this study:

- diversity in network data sources makes challenging to implement Y.3172 framework
- increased flexibility and agility with richer configuration options make challenging to enable the use of ML mechanisms
- evolving sources of data together with a multiplicity of applicable network configuration parameters and policies make challenging to adapt to the changes while preserving the quality of data needed for ML applications

Reused high-level architectural components defined in [ITU-T Y. 3172] **plus some newly defined data architectural components**

The integration of the high level architectural components to a ML underlay network by interfacing with NFs, along with the placement of the ML functionalities, forms the data handling framework

Ongoing Q20/13 work items

Document	Title	Editors	Priority	Target date	Reference
ITU-T Y.ML- IMT2020- NA-RAFR /AAP	Architecture framework for AI-based network automation of resource adaptation and failure recovery for future networks including IMT-2020	Ved P. Kafle (kafle@nict.go.jp), Tatsuji Miyamoto (tt- miyamoto@kddi.com), Taro Ogawa (taro.ogawa.tg@hitachi.com), Takayuki Kuroda (t- kuroda@ax.jp.nec.com)	High	Q2-2020	TD476/WP1
ITU-T Y.ML- IMT2020- serv-prov /AAP	Architecture framework of AI-based user-oriented network service provisioning for future networks including IMT-2020	Ved P. Kafle (kafle@nict.go.jp), Taro Ogawa (taro.ogawa.tg@hitachi.com), Takayuki Kuroda (t- kuroda@ax.jp.nec.com), Tatsuji Miyamoto (tt- miyamoto@kddi.com)	High	Q2-2020	TD477/WP1
ITU-T Y.ML- IMT2020- MP /AAP	Machine learning marketplace integration in future networks including IMT-2020	Tengfei Liu(liutf24@chinaunicom.cn), Qi Sun(sunqiyjy@chinamobile.com), Yongsheng Liu(liuys170@chinaunicom.cn), Liya Yuan(yuan.liya@zte.com.cn)	High	Q2-2020	TD478/WP1 (update in Dec 2019 e- meeting: TD488/WP1)
ITU-T Y. IMT2020- AIICDN- arch /AAP	AI integrated cross-domain network architecture for future networks including IMT-2020	Qin Li(<u>liqinyjy@chinamobile.com</u>), Yushuang Hu(<u>huyushuang@chinamobile.com</u>), Liya Yuan(<u>yuan.liya@zte.com.cn</u>), Aipeng Guo(<u>guoap7@chinaunicom.cn</u>)	High	Q4-2021	TD481/WP1

More on the ongoing Q20/13 work items 1/4

"Machine learning marketplace integration in future networks incl. IMT-2020"

• Requirements for integration of ML marketplace in networks, derived from use cases Based on these requirements, architecture for the integration of ML marketplace

Originally contributed as output of FG-ML5G



Architecture for ML marketplace integration in network

Integration challenges-> needs for standardization

ML models may be hosted in varied types of ML marketplaces While designing the ML application, <u>network operators need interoperable</u> <u>mechanisms for identification of the ML marketplace</u> which may be used as source for ML models.

Evolution of ML models may happen independent of the technology evolution in future ML underlay networks. While choosing the ML models from the ML marketplace, <u>network operators need interoperable</u>, <u>automated mechanism to select the appropriate ML solutions</u>. Network operators should be able to follow the innovation curve in the ML marketplace without sacrificing their network KPIs Lack of standard mechanisms to exchange ML models and related metadata between the operators' network and the ML marketplace, limits the interoperability.

Composing complex ML models by chaining simpler ML models is an important need for network operators. But <u>selecting the appropriate ML</u> <u>models from disparate ML marketplaces, and chaining them, requires</u> <u>support for such mechanisms from ML marketplaces.</u>

Efficient use of testing methods requires <u>sharing of information between</u> <u>ML marketplaces and network operators</u>

Deployment of ML models in operator's network depends on the deployment environment used in the network: <u>ML models hosted in ML marketplace need to be amenable to such deployment environment.</u>

More on the ongoing Q20/13 work items 2/4

"Architecture framework for AI-based network automation of resource adaptation and failure recovery for future networks including IMT-2020"

• Architecture framework of AI-based network automation for resource adaptation, failure detection and recovery for the purpose of improving network efficiency and maintaining QoS

These goals are pursued by continuously monitoring the network and promptly deciding about appropriate actions for resource adaptation and failure recovery with the help of AI incl. ML

Major technical objective: <u>to utilize the available resources as optimally as possible while</u> maintaining the QoS of the services provided to the customers despite changing network conditions or <u>occurrences of failures</u>

Al-based techniques are leveraged: to process the huge volume of related data, infer or predict the system behaviour and make prompt and highly accurate decision for executing appropriate control operations

The scope of the Recommendation includes:

- Al-based network automation arch. framework for resource adaptation
- AI-based network automation arch. framework for failure detection and recovery
- Resource adaptation functions with AI incl. ML
- Failure detection and route cause analysis with AI incl. ML

More on the ongoing Q20/13 work items 3/4

"Architecture framework of AI-based user-oriented network service provisioning for future networks including IMT-2020"

 Architecture framework of user-oriented network service provisioning with AI-based generation of network requirements, configuration and provisioning workflow. It considers a network/user interaction where both sides are administered independently by utilizing AI including machine learning.

Motivation and major technical objective:

Application services in the future networks including IMT-2020 will be configured and operated on converged infrastructures consisting of diversified ICT infrastructure such as clouds, edges, and various types of networks.

There should be no gap between each application-service developer's requirements (the intents) and the ICT infrastructure capabilities (the specifications), which are traditionally aiming at mass optimization.

Some sort of interfaces between the intents and the specifications will be vital for effective and agile cooperation between application services and ICT infrastructure services.

There are multiple stakeholders, and <u>the interface specifications between the customers and the</u> providers have been addressed and evolving continuously in many SDOs. Al-supported interaction between them is a totally new issue.

AI-based techniques are leveraged:

<u>The interfaces are required to be configured and operated automatically or autonomously</u>, considering the complexity caused by the diversity both in appl. services and ICT infrastructure services. Al incl. ML techniques are helpful to bridge the gap.

More on the ongoing Q20/13 work items 4/4

"AI integrated cross-domain network architecture for future networks including IMT-2020"

• Design principles and architecture of AI (incl. ML) integrated cross-domain network for future networks including IMT-2020

Motivation and major technical objective:

The current network domains lack an architecture to coordinate and unify the intelligent analysis systems of the different domains.

It is needed to specify a cross-domain network architecture for a unified AI integrated cross-domain network.

Design principles of AI Integrated Cross-Domain Network are expected to include: Unified framework, Distribution, Collaborative Design, Modularity and Reusability, Data sharing, On-demand intelligent provisioning, Scalability.



Thank you very much for your attention



