



INTERNATIONAL TELECOMMUNICATION UNION

CCITT

THE INTERNATIONAL
TELEGRAPH AND TELEPHONE
CONSULTATIVE COMMITTEE

E.503

(11/1988)

SERIES E: OVERALL NETWORK OPERATION,
TELEPHONE SERVICE, SERVICE OPERATION AND
HUMAN FACTORS

Traffic engineering – Measurement and recording of traffic

TRAFFIC MEASUREMENT DATA ANALYSIS

Reedition of CCITT Recommendation E.503 published in
the Blue Book, Fascicle II.3 (1988)

NOTES

1 CCITT Recommendation E.503 was published in Fascicle II.3 of the *Blue Book*. This file is an extract from the *Blue Book*. While the presentation and layout of the text might be slightly different from the *Blue Book* version, the contents of the file are identical to the *Blue Book* version and copyright conditions remain unchanged (see below).

2 In this Recommendation, the expression “Administration” is used for conciseness to indicate both a telecommunication administration and a recognized operating agency.

Recommendation E.503

TRAFFIC MEASUREMENT DATA ANALYSIS

1 Introduction

The aim of traffic measurements is to provide data that can be used by an Administration for planning, engineering and managing its network. The resulting measured data can be used to support various activities as stated in Recommendation E.502. In order to reduce the amount of data transfer and off-line processing, the exchange or operations system can be used to make preliminary analyses for purposes of:

- eliminating unnecessary data values;
- replacing missing or wrong values in an appropriate way;
- performing simple calculations on the values of the basic measurement entities to derive characteristic parameter values of the traffic;
- storing some measured or calculated values, in particular, traffic data records;
- producing appropriate user friendly report printouts.

For each measurement object, there is a data record in which a certain number of traffic values are stored. Also, some calculated values, e.g. moving average, can be stored and updated in this data record area.

The internal functions of the analysis are not specified here. They depend on the requirements for the output results which are specified by the Administration. An acceptable method may be to collect and store the data in real time, either in a temporary data base file or directly in the traffic data record, and later perform the calculations and report printout during periods of low exchange processing activity. Alternatively, the records can be transferred to an off-line system for processing, to reduce the load on the exchange.

2 Potential applications

In order to provide bulk data for traffic and operational analysis, overall measurements can be performed on the totality of subscriber lines and/or circuits.

More specific information on traffic data relevant to the exchange and surrounding network performance can be provided by means of measurements on selected sets of circuit groups, subscriber line groups, common channel signalling links, auxiliary and control units.

Very detailed traffic data can be obtained by analysis of call records. These call records should be produced by the exchange, containing all the data (e.g. time of occurrence of signalling event, dialled digits, etc.) characterizing each individual call attempt.

The relationships between the above measurements and the potential applications are shown in Table 1/E.503. The basic measurement types are given in Recommendation E.502. Their applicability will depend on the function of the exchange (local, transit, international, etc.).


3 Traffic analysis model

Corresponding to a variety of measurements, there are a variety of analyses, some of which are typically running continuously from day to day. From the viewpoint of a particular measurement, there are one or more analyses for which the measured data are written in particular files which are included in the output device list of a measurement as logical devices. These files are input files from the viewpoint of a traffic analysis and the process can be regarded as a transformation of the measurement entities into desired output information to the traffic analyst to aid in making various decisions.

For example, various criteria for dimensioning and verification of the grade of service could be produced by one or more analyses. A schematic picture of the flow of information is presented in Figure 1/E.503 as an activity diagram.

TABLE 1/E.503

Potential applications	Exchange dimensioning, planning and administration	Network dimensioning, planning and administration	Exchange performance monitoring	Network performance monitoring	Support to maintenance	Network management	Tariff and marketing studies
Measurements basis							
Overall traffic	X	X	X	X	X	X	
Circuit groups	X	X	X	X	X	X	
Subscriber line groups	X		X				
Auxiliary units	X		X		X		
Control units	X		X		X	X	
Common channel signalling	X	X	X	X	X	X	
Call records	X	X	X	X	X	X	X



- a) The traffic values in the data record may have an effect on the internal functional steps.
- b) There is a traffic data record for each individual measurement object which is included in the analysis. The past traffic values, and also calculated values, are used as input when updating the contents of the record at the time of a new traffic value.

FIGURE 1 /E.503

Activity diagram of the information flows associated with traffic analysis

The following information is associated to each traffic analysis:

- identities of the related measurements;
- parameter values which are user-selectable to define the desired option or mode of the analysis;
- report dates of such report types for which the user must define the printout schedule;
- output devices for all report types.

4 Traffic analysis administration

4.1 In order to administer traffic analysis, the operator should perform a series of related activities and the system should support such activities by suitable system functions. Details are given below.

4.2 *List of tasks*

The following list of tasks is not intended to be complete; it aims to cover the operator's main activities in the area of traffic analysis administration:

- a) to define parameter values in the parameter list of the analysis and to modify old values;
- b) to define report dates for each type of report in a report date list as required and to modify it;
- c) to define output routing for each type of report by an output routing list, as required, and to modify the dates;
- d) to activate and/or deactivate the performance of the analysis;
- e) to retrieve different kinds of information related to the existing traffic analysis;
- f) to administer traffic data records of the measurement object which are included in the analysis.

4.3 *List of system functions*

The system should offer the following functions to support the jobs of the operator and the analysis itself:

- a) transfer of the measured data to the analysis;
- b) scheduling of various functions within the analysis, e.g. end-of-day calculation, report printout on report dates, etc.
- c) management of traffic data records;
- d) management of analysis description data;
- e) transfer of the identification and capacity information of the measurement object to the analysis, e.g. title of a circuit group and the number of circuits assigned to it¹⁾;
- f) management of the printout of reports;
- g) supervision control on the time delay of the various operations associated with the analysis.

4.4 *List of man-machine language (MML) functions*

Only a preliminary list of MML functions is presented below, and the complete specifications of such functions will appear in the Z-Series Recommendations:

- define analysis parameters;
- define a report date list;
- define an output routing list;
- administer traffic data records;
- activate a traffic analysis;
- deactivate a traffic analysis;
- interrogate a traffic analysis;
- interrogate a traffic analysis versus measurements;
- interrogate an output routing list;
- interrogate analysis parameters;
- interrogate a report date list.

¹⁾ All this information may or may not be available in the collection of the measured data.

ITU-T E-SERIES RECOMMENDATIONS
**OVERALL NETWORK OPERATION, TELEPHONE SERVICE,
 SERVICE OPERATION AND HUMAN FACTORS**

OPERATION, NUMBERING, ROUTING AND MOBILE SERVICES

INTERNATIONAL OPERATION

Definitions	E.100–E.103
General provisions concerning Administrations	E.104–E.119
General provisions concerning users	E.120–E.139
Operation of international telephone services	E.140–E.159
Numbering plan of the international telephone service	E.160–E.169
International routing plan	E.170–E.179
Tones in national signalling systems	E.180–E.189
Numbering plan of the international telephone service	E.190–E.199
Maritime mobile service and public land mobile service	E.200–E.229

OPERATIONAL PROVISIONS RELATING TO CHARGING AND ACCOUNTING IN THE INTERNATIONAL TELEPHONE SERVICE

Charging in the international telephone service	E.230–E.249
Measuring and recording call durations for accounting purposes	E.260–E.269

UTILIZATION OF THE INTERNATIONAL TELEPHONE NETWORK FOR NON-TELEPHONY APPLICATIONS

General	E.300–E.319
Phototelegraphy	E.320–E.329

ISDN PROVISIONS CONCERNING USERS

International routing plan	E.350–E.399
----------------------------	-------------

QUALITY OF SERVICE, NETWORK MANAGEMENT AND TRAFFIC ENGINEERING

NETWORK MANAGEMENT

International service statistics	E.400–E.409
International network management	E.410–E.419
Checking the quality of the international telephone service	E.420–E.489

TRAFFIC ENGINEERING

Measurement and recording of traffic E.490–E.505

Forecasting of traffic	E.506–E.509
Determination of the number of circuits in manual operation	E.510–E.519
Determination of the number of circuits in automatic and semi-automatic operation	E.520–E.539
Grade of service	E.540–E.599
Definitions	E.600–E.649
ISDN traffic engineering	E.700–E.749
Mobile network traffic engineering	E.750–E.799

QUALITY OF TELECOMMUNICATION SERVICES: CONCEPTS, MODELS, OBJECTIVES AND DEPENDABILITY PLANNING

Terms and definitions related to the quality of telecommunication services	E.800–E.809
Models for telecommunication services	E.810–E.844
Objectives for quality of service and related concepts of telecommunication services	E.845–E.859
Use of quality of service objectives for planning of telecommunication networks	E.860–E.879
Field data collection and evaluation on the performance of equipment, networks and services	E.880–E.899

ITU-T RECOMMENDATIONS SERIES

Series A	Organization of the work of the ITU-T
Series B	Means of expression: definitions, symbols, classification
Series C	General telecommunication statistics
Series D	General tariff principles
Series E	Overall network operation, telephone service, service operation and human factors
Series F	Non-telephone telecommunication services
Series G	Transmission systems and media, digital systems and networks
Series H	Audiovisual and multimedia systems
Series I	Integrated services digital network
Series J	Transmission of television, sound programme and other multimedia signals
Series K	Protection against interference
Series L	Construction, installation and protection of cables and other elements of outside plant
Series M	TMN and network maintenance: international transmission systems, telephone circuits, telegraphy, facsimile and leased circuits
Series N	Maintenance: international sound programme and television transmission circuits
Series O	Specifications of measuring equipment
Series P	Telephone transmission quality, telephone installations, local line networks
Series Q	Switching and signalling
Series R	Telegraph transmission
Series S	Telegraph services terminal equipment
Series T	Terminals for telematic services
Series U	Telegraph switching
Series V	Data communication over the telephone network
Series X	Data networks and open system communications
Series Y	Global information infrastructure and Internet protocol aspects
Series Z	Languages and general software aspects for telecommunication systems