International Telecommunication Union

ITU-T

TELECOMMUNICATION
STANDARDIZATION SECTOR
OF ITU

Series G

Supplement 40

(06/2010)

SERIES G: TRANSMISSION SYSTEMS AND MEDIA, DIGITAL SYSTEMS AND NETWORKS

Optical fibre and cable Recommendations and standards guideline

ITU-T G-series Recommendations – Supplement 40

ITU-T G-SERIES RECOMMENDATIONS

TRANSMISSION SYSTEMS AND MEDIA, DIGITAL SYSTEMS AND NETWORKS

INTERNATIONAL TELEPHONE CONNECTIONS AND CIRCUITS	G.100–G.199
GENERAL CHARACTERISTICS COMMON TO ALL ANALOGUE CARRIER-TRANSMISSION SYSTEMS	G.200–G.299
INDIVIDUAL CHARACTERISTICS OF INTERNATIONAL CARRIER TELEPHONE SYSTEMS ON METALLIC LINES	G.300–G.399
GENERAL CHARACTERISTICS OF INTERNATIONAL CARRIER TELEPHONE SYSTEMS ON RADIO-RELAY OR SATELLITE LINKS AND INTERCONNECTION WITH METALLIC LINES	G.400–G.449
COORDINATION OF RADIOTELEPHONY AND LINE TELEPHONY	G.450–G.499
TRANSMISSION MEDIA AND OPTICAL SYSTEMS CHARACTERISTICS	G.600–G.699
DIGITAL TERMINAL EQUIPMENTS	G.700–G.799
DIGITAL NETWORKS	G.800–G.899
DIGITAL SECTIONS AND DIGITAL LINE SYSTEM	G.900–G.999
MULTIMEDIA QUALITY OF SERVICE AND PERFORMANCE – GENERIC AND USER-RELATED ASPECTS	G.1000–G.1999
TRANSMISSION MEDIA CHARACTERISTICS	G.6000–G.6999
DATA OVER TRANSPORT – GENERIC ASPECTS	G.7000–G.7999
PACKET OVER TRANSPORT ASPECTS	G.8000–G.8999
ACCESS NETWORKS	G.9000–G.9999

For further details, please refer to the list of ITU-T Recommendations.

Supplement 40 to ITU-T G-series Recommendations

Optical fibre and cable Recommendations and standards guideline

Summary

Supplement 40 to the ITU-T G-series Recommendations provides information on the background and specifications used in the development of optical fibre and cable ITU-T Recommendations such as Recommendations ITU-T G.651.1, ITU-T G.652, ITU-T G.653, ITU-T G.654, ITU-T G.655, ITU-T G.656, ITU-T G.657 and L series Recommendations. It also contains information used in the development of test method Recommendations such as Recommendations ITU-T G.650.1, ITU-T G.650.2 and ITU-T G.650.3. Moreover, this Supplement maps ITU-T documents to optical fibre and cable standards developed under IEC.

History

Edition	Recommendation	Approval	Study Group
1.0	ITU-T G Suppl. 40	2004-04-30	15
2.0	ITU-T G Suppl. 40	2006-11-10	15
3.0	ITU-T G Suppl. 40	2010-06-11	15

FOREWORD

The International Telecommunication Union (ITU) is the United Nations specialized agency in the field of telecommunications, information and communication technologies (ICTs). The ITU Telecommunication Standardization Sector (ITU-T) is a permanent organ of ITU. ITU-T is responsible for studying technical, operating and tariff questions and issuing Recommendations on them with a view to standardizing telecommunications on a worldwide basis.

The World Telecommunication Standardization Assembly (WTSA), which meets every four years, establishes the topics for study by the ITU-T study groups which, in turn, produce Recommendations on these topics.

The approval of ITU-T Recommendations is covered by the procedure laid down in WTSA Resolution 1.

In some areas of information technology which fall within ITU-T's purview, the necessary standards are prepared on a collaborative basis with ISO and IEC.

NOTE

In this publication, the expression "Administration" is used for conciseness to indicate both a telecommunication administration and a recognized operating agency.

Compliance with this publication is voluntary. However, the publication may contain certain mandatory provisions (to ensure, e.g., interoperability or applicability) and compliance with the publication is achieved when all of these mandatory provisions are met. The words "shall" or some other obligatory language such as "must" and the negative equivalents are used to express requirements. The use of such words does not suggest that compliance with the publication is required of any party.

INTELLECTUAL PROPERTY RIGHTS

ITU draws attention to the possibility that the practice or implementation of this publication may involve the use of a claimed Intellectual Property Right. ITU takes no position concerning the evidence, validity or applicability of claimed Intellectual Property Rights, whether asserted by ITU members or others outside of the publication development process.

As of the date of approval of this publication, ITU had not received notice of intellectual property, protected by patents, which may be required to implement this publication. However, implementers are cautioned that this may not represent the latest information and are therefore strongly urged to consult the TSB patent database at http://www.itu.int/ITU-T/ipr/.

CONTENTS

Supplement 40 to ITU-T G-series Recommendations

Optical fibre and cable Recommendations and standards guideline

1 Scope

This fibre guideline aims at providing a road map with regard to the specifications of various kinds of fibres and their test methods, as well as the most important fibre optics hardware which will be very useful for engineers reading the ITU-T Recommendations and other documents to design an optical fibre network. This guideline should also make it easier for readers to correlate the specifications found in the fibre, terrestrial system interface, components, submarine systems and physical infrastructure Recommendations currently being developed in ITU-T. Moreover, this guideline provides important information for system designs and optical fibre cable installations in relation to, for example, high power limitations and reliability, which is available to optical fibre cable installation suppliers and system designers. This guideline contains:

– Definitions of fibre parameters not specified in current ITU-T fibre Recommendations but which are very important for practical use.

– Features of existing optical fibre categories and their application areas.

– The relationship between fibre parameters and interface parameters.

– Optical fibre properties for operation and maintenance.

In the appendices, the following items are described for reference:

– Standardization criteria for optical fibres in ITU-T Study Group 15.

– Optical fibre cable structures and constructions.

– Fibre optics hardware and passive components mostly used in the construction of an optical network.

– Comparison of ITU-T Recommendations and IEC documents related to optical fibre specifications and test methods.

In particular, this guideline is prepared concisely by quoting document numbers so as to avoid any overlap with existing ITU-T Recommendations and Handbooks or IEC documents. This guideline would be a very useful desk book for engineers dealing with optical transmission systems.

2 References

[ITU-T G.650.1] Recommendation ITU-T G.650.1 (2004), *Definitions and test methods for linear, deterministic attributes of single-mode fibre and cable*.

[ITU-T G.650.2] Recommendation ITU-T G.650.2 (2005), *Definitions and test methods for statistical and non-linear related attributes of single-mode fibre and cable*.

[ITU-T G.650.3] Recommendation ITU-T G.650.3 (2008), *Test methods for installed single-mode optical fibre cable links*.

[ITU-T G.651.1] Recommendation ITU-T G.651.1 (2007), *Characteristics of a 50/125 μm multimode graded index optical fibre cable for the optical access network*.

[ITU-T G.652] Recommendation ITU-T G.652 (2009), *Characteristics of a single-mode optical fibre and cable*.

[ITU-T G.653] Recommendation ITU-T G.653 (2006), *Characteristics of a dispersion-shifted single-mode optical fibre and cable*.

[ITU-T G.654] Recommendation ITU-T G.654 (2006), *Characteristics of a cut-off shifted single-mode optical fibre and cable*.

[ITU-T G.655] Recommendation ITU-T G.655 (2009), *Characteristics of a non-zero dispersion-shifted single-mode optical fibre and cable*.

[ITU-T G.656] Recommendation ITU-T G.656 (2006), *Characteristics of a fibre and cable with non-zero dispersion for wideband optical transport*.

[ITU-T G.657] Recommendation ITU-T G.657 (2009), *Characteristics of a bending-loss insensitive single-mode optical fibre and cable for the access network*.

[ITU-T G.663] Recommendation ITU-T G.663 (2000), *Application related aspects of optical amplifier devices and subsystems*.

[ITU-T G.664] Recommendation ITU-T G.664 (2006), *Optical safety procedures and requirements for optical transport systems*.

[ITU-T G.695] Recommendation ITU-T G.695 (2009), *Optical interfaces for coarse wavelength division multiplexing applications*.

[ITU-T G-Sup.39] ITU-T G-series Recommendations – Supplement 39 (2006), *Optical system design and engineering considerations*.

[ITU-T G-Sup.47] ITU-T G-series Recommendations – Supplement 47 (2009), *General aspects of optical fibre and cable*.

[ITU-T L.12] Recommendation ITU-T L.12 (2008), *Optical fibre splices*.

[ITU-T L.14] Recommendation ITU-T L.14 (1992), *Measurement method to determine the tensile performance of optical fibre cables under load*.

[ITU-T L.25] Recommendation ITU-T L.25 (1996), *Optical fibre cable network maintenance*.

[ITU-T L.27] Recommendation ITU-T L.27 (1996), *Method for estimating the concentration of hydrogen in optical fibre cables*.

[ITU-T L.29] Recommendation ITU-T L.29 (2002), *As-laid report and maintenance/repair log for marinized terrestrial cable installation*.

[ITU-T L.36] Recommendation ITU-T L.36 (2008), *Single-mode fibre optic connectors*.

[ITU-T L.40] Recommendation ITU-T L.40 (2000), *Optical fibre outside plant maintenance support, monitoring and testing system*.

[ITU-T L.41] Recommendation ITU-T L.41 (2000), *Maintenance wavelength on fibres carrying signals*.

[ITU-T L.45] Recommendation ITU-T L.45 (2000), *Minimizing the effect on the environment from the outside plant in telecommunication networks*.

[ITU-T L.46] Recommendation ITU-T L.46 (2000), *Protection of telecommunication cables and plant from biological attack*.

[ITU-T L.53] Recommendation ITU-T L.53 (2003), *Optical fibre maintenance criteria for access networks*.

[ITU-T L.64] Recommendation ITU-T L.64 (2007), *ID tag requirements for infrastructure and network elements management*.

[ITU-T L.66] Recommendation ITU-T L.66 (2007), *Optical fibre cable maintenance criteria for in-service fibre testing in access networks*.

[ITU-T L.68] Recommendation ITU-T L.68 (2007), *Optical fibre cable maintenance support, monitoring and testing system for optical fibre cable networks carrying high total optical power*.

[ITU-T L.74] Recommendation ITU-T L.74 (2008), *Maintenance of cable tunnels*.

[ITU-T L.87] Recommendation ITU-T L.87 (2010), *Optical fibre cables for drop applications*.

[IEC 60793-1-20] IEC 60793-1-20 (2001), *Optical fibres – Part 1-20: Measurement methods and test procedures – Fibre geometry*.

[IEC 60793-1-21] IEC 60793-1-21 (2001), *Optical fibres – Part 1-21: Measurement methods and test procedures – Coating geometry*.

[IEC 60793-1-22] IEC 60793-1-22 (2001), *Optical fibres – Part 1-22: Measurement methods and test procedures – Length measurement*.

[IEC 60793-1-30] IEC 60793-1-30 (2010), *Optical fibres – Part 1-30: Measurement methods and test procedures – Fibre proof test*.

[IEC 60793-1-31] IEC 60793-1-31 (2010), *Optical fibres – Part 1-31: Measurement methods and test procedures – Tensile strength*.

[IEC 60793-1-32] IEC 60793-1-32 (2010), *Optical fibres – Part 1-32: Measurement methods and test procedures – Coating strippability*.

[IEC 60793-1-33] IEC 60793-1-33 (2001), *Optical fibres – Part 1-33: Measurement methods and test procedures – Stress corrosion susceptibility*.

[IEC 60793-1-34] IEC 60793-1-34 (2006), *Optical fibres – Part 1-34: Measurement methods and test procedures – Fibre curl*.

[IEC 60793-1-40] IEC 60793-1-40 (2001), *Optical fibres – Part 1-40: Measurement methods and test procedures – Attenuation*.

[IEC 60793-1-41] IEC 60793-1-41 (2010), *Optical fibres – Part 1-41: Measurement methods and test procedures – Bandwidth*.

[IEC 60793-1-42] IEC 60793-1-42 (2007), *Optical fibres – Part 1-42: Measurement methods and test procedures – Chromatic dispersion*.

[IEC 60793-1-43] IEC 60793-1-43 (2001), *Optical fibres – Part 1-43: Measurement methods and test procedures – Numerical aperture*.

[IEC 60793-1-44] IEC 60793-1-44 (2001), *Optical fibres – Part 1-44: Measurement methods and test procedures – Cut-off wavelength*.

[IEC 60793-1-45] IEC 60793-1-45 (2001), *Optical fibres – Part 1-45: Measurement methods and test procedures – Mode field diameter*.

[IEC 60793-1-47] IEC 60793-1-47 (2009), *Optical fibres – Part 1-47: Measurement methods and test procedures – Macrobending loss*.

[IEC 60793-1-48] IEC 60793-1-48 (2007), *Optical fibres – Part 1-48: Measurement methods and test procedures – Polarization mode dispersion*.

[IEC 60793-1-49] IEC 60793-1-49 (2006), *Optical fibres – Part 1-49: Measurement methods and test procedures – Differential mode delay*.

[IEC 60793-1-50] IEC 60793-1-50 (2001), *Optical fibres – Part 1-50: Measurement methods and test procedures – Damp heat (steady state)*.

[IEC 60793-1-51] IEC 60793-1-51 (2001), *Optical fibres – Part 1-51: Measurement methods and test procedures – Dry heat*.

[IEC 60793-1-52] IEC 60793-1-52 (2001), *Optical fibres – Part 1-52: Measurement methods and test procedures – Change of temperature*.

[IEC 60793-1-53] IEC 60793-1-53 (2001), *Optical fibres – Part 1-53: Measurement methods and test procedures – Water immersion*.

[IEC 60793-1-54] IEC 60793-1-54 (2003), *Optical fibres – Part 1-54: Measurement methods and test procedures – Gamma irradiation*.

[IEC 60793-2-10] IEC 60793-2-10 (2007), *Optical fibres – Part 2-10: Product specifications – Sectional specification for category A1 multimode fibres*.

[IEC 60793-2-50] IEC 60793-2-50 (2008), *Optical fibres – Part 2-50: Product specifications – Sectional specification for class B single-mode fibres*.

[IEC 60794.x] IEC 60794.x (in force), *Optical fibre cables*.

[IEC 60825-2] IEC 60825-2 (2007), *Safety of laser products – Part 2: Safety of optical fibre communication systems (OFCS)*.

[IEC/TR 61282-3] IEC/TR 61282-3 (2006), *Fibre optic communication system design guides – Part 3: Calculation of link polarization mode dispersion*.

[IEC/TR 61282-7] IEC/TR 61282-7 (2003), *Fibre optic communication system design guides – Part 7: Statistical calculation of chromatic dispersion*.

[IEC/TR 61292-4] IEC/TR 61292-4 (2010), *Optical amplifiers – Part 4: Maximum permissible optical power for the damage-free and safe use of optical amplifiers, including Raman amplifiers*.

[IEC/TR 62000] IEC/TR 62000 (2005), *Single-mode fibre compatibility guidelines*.

[IEC/TR 62048] IEC/TR 62048 (2002), *Optical fibres – Reliability – Power law theory*.

[IEC/TR 62221] IEC/TR 62221 (2001), *Optical fibres – Measurement methods – Microbending sensitivity*.

[IEC/TR 62283] IEC/TR 62283 (2010), *Optical fibres – Guidance for nuclear radiation tests*.

[IEC/TR 62284] IEC/TR 62284 (2003), *Effective area measurements of single-mode optical fibres – Guidance*.

[IEC/TR 62285] IEC/TR 62285 (2005), *Application guide for non-linear coefficient measuring methods*.

[IEC/TR 62316] IEC/TR 62316 (2007), *Guidance for the interpretation of OTDR backscattering traces*.

[IEC/TR 62324] IEC/TR 62324 (2007), *Single-mode optical fibres – Raman gain efficiency measurement using continuous wave method – Guidance*.

[IEC/TR 62349] IEC/TR 62349 (2005), *Guidance for polarization crosstalk measurement of optical fibre*.

[IEC/TR 62547] IEC/TR 62547 (2009), *Guidelines for the measurement of high-power damage sensitivity of single-mode fibres to bends – Guidance for the interpretation of results*.

[IEC/TS 62033] IEC/TS 62033 (2000), *Attenuation uniformity in optical fibres*.

Furthermore, ITU-T L-series Recommendations and IEC documents concerning optical fibre cables and test methods are quoted in Appendix VI. The detailed information is omitted in this clause.

3 Definitions

For the purposes of this supplement, the definitions given in [ITU-T G.650.1] and [ITU-T G.650.2] are used.

4 Abbreviations and acronyms

This supplement uses the following abbreviations and acronyms:

ATM Alternative Test Method

DGD Differential Group Delay

PMD Polarization Mode Dispersion

PMD_Q statistical parameter for link PMD

RTM Reference Test Method

SBS Stimulated Brillouin Scattering

5 Conventions

None.

6 ITU-T G.65x-series Recommendations

Relationships among the various Recommendations and supplements pertaining to optical fibres and cables are shown in Figure 1.

Definitions and test methods of single-mode fibre and cable are described in ITU-T G.650.x series Recommendations. [ITU-T G.650.1] covers definitions and test methods for linear and deterministic parameters. Definitions and test methods for statistical and non-linear related parameters are described in [ITU-T G.650.2]. [ITU-T G.650.3] contains test methods relevant to an installed single-mode fibre cable link.

Characteristics of optical fibres and cables are specified in the ITU-T G.65x-series Recommendations. [ITU-T G.651.1] covers a 50/125 μm multimode fibre and cable for the optical access network. [ITU-T G.652], [ITU-T G.653], [ITU-T G.654], [ITU-T G.655], [ITU-T G.656] and [ITU-T G.657] specify the various types of single-mode fibre and cable.

NOTE – Test methods of multimode fibre were described in Recommendation ITU-T G.651, but ITU-T G.651 was deleted in 2008. Test methods of multimode fibre are found in existing IEC documents. See also clause VI.2.



Figure 1 – Relationships amongst Recommendations and supplements related to optical fibres and cables

7 Features of existing optical fibre categories and their application areas

7.1 Attenuation properties

Typical attenuation spectrum of ITU-T G.652 fibre with and without OH absorption loss is given in Appendix I of [ITU-T G.695]. Attenuation uniformity is given in [IEC/TS 62033]. General information on an optical loss related to the fibre material is found in Appendix I of [ITU-T G-Sup.47].

7.2 Dispersion properties

The chromatic dispersion properties of ITU-T G.65x fibres are presented in respective Recommendations. The dispersion properties of ITU-T G.652 and ITU-T G.655 fibres are given in clause 10.3 of [ITU-T G-Sup.39]. Statistical calculation of chromatic dispersion is given in [IEC/TR 61282-7]. Material dispersion characteristic is given in Appendix I of [ITU-T G-Sup.47].

7.3 Bending properties

The macrobending loss properties of ITU-T G.65x fibres are presented in the respective Recommendations. The macrobending loss property of ITU-T G.657 fibre is shown in Tables 7-1 and 7-2 of [ITU-T G.657]. An effective bending radius of optical drop cable is described in clause 6.2.1 of [ITU-T L.87]. General aspects on the mechanical reliability of the fibre under bending condition is found in [IEC/TR 62048].

8 Relationship between fibre parameters and interface parameters

8.1 Relationship between PMD and DGD

Relationship between PMD_Q and DGD_{max} is given in Appendix I of [ITU-T G.652], [ITU-T G.653], [ITU-T G.654], [ITU-T G.655] and [ITU-T G.656]. The definition of PMD_Q and the calculations of PMD_Q and DGD_{max} are given in Appendix IV of [ITU-T G.650.2]. Relationship between PMD and DGD is given in [IEC/TR 61282-3].

8.2 Transmission limitation due to dispersion properties

"Worst-case" and "statistical" transmission limitation due to chromatic dispersion properties is given in clauses 9.2 and 10.3 of [ITU-T G-Sup.39], respectively.

"Worst-case" and "statistical" transmission limitation due to PMD is given in clauses 9.3 and 10.4 of [ITU-T G-Sup.39], respectively.

9 Unspecified fibre parameters and their test methods

The unspecified fibre parameters are defined in Appendix II of [ITU-T G.650.2] and Appendix II of [ITU-T G.663].

9.1 Non-linear coefficient

Information about non-linear coefficient is given in Appendix II of [ITU-T G.650.2] and [IEC/TR 62285].

The characteristics of non-linear refractive index related to fibre material are described in Appendix I of [ITU-T G-Sup.47].

9.2 Effective area A_{eff}

Information on effective area is given in Appendix III of [ITU-T G.650.2] and [IEC/TR 62284].

9.3 Stimulated Brillouin scattering (SBS) power rating

Information on SBS power rating is given in Appendix II of [ITU-T G.650.2] and Appendix II of [ITU-T G.663].

Fibre length dependence of SBS power rating is informed in clause 6.2 of [ITU-T G-Sup.47].

9.4 Raman gain coefficient

Information on Raman gain coefficient is given in Appendix II of [ITU-T G.663] and [IEC/TR 62324].

The Raman gain coefficient related to fibre material is described in Appendix I of [ITU-T G-Sup.47].

9.5 Microbending loss

Measurement methods of microbending loss are given in [IEC/TR 62221].

10 Optical fibre properties for operation and maintenance

See [IEC/TR 62000].

10.1 Properties of cut-off wavelength under the deployment conditions

The length dependence of cut-off wavelength is given in clause 6.1 of [ITU-T G-Sup.47].

10.2 Properties of chromatic dispersion and PMD

General aspect on temperature dependence of chromatic dispersion is found in clause 5.1 of [ITU-T G-Sup.47].

General aspect on temperature dependence of PMD is found in clause 5.2 of [ITU-T G-Sup.47].

10.3 Splice loss

Information on splice loss is given in [ITU-T L.36] and [ITU-T L.12].

10.4 Input power limitation and safety aspects

[ITU-T G.664], [ITU-T L.68], [IEC/TR 61292-4], [IEC 60825-2] and [IEC/TR 62547] describe input power limitation and safety aspects.

10.5 Reliability of optical fibre cable

Reliability issues of optical fibre cable are given in [ITU-T L.14], [ITU-T L.45], [ITU-T L.46] and [IEC/TR 62048].

10.6 Optical loss properties due to hydrogen

Information on optical loss properties due to hydrogen is given in [ITU-T L.27] and [IEC 60793-2-50].

10.7 Environmental test conditions for fibres

[IEC 60793-1-50], [IEC 60793-1-51], [IEC 60793-1-52], [IEC 60793-1-53] and [IEC 60793-1-54] describe the environmental test conditions for fibres.

10.8 Optical fibre cable network maintenance

[ITU-T L.25], [ITU-T L.29], [ITU-T L.40], [ITU-T L.41], [ITU-T L.53], [ITU-T L.64], [ITU-T L.66] and [ITU-T L.74] describe the optical fibre cable network maintenance.

Appendix I

Standardized criteria

I.1 Criteria for revising optical fibre Recommendations

A Recommendation covers a group of fibres which are approximately the same in both of the following respects:

1) Primary wavelength region of intended operation.

2) Chromatic dispersion value in the primary wavelength region of intended operation.

Within each Recommendation, the base category should be described in Table 1, while other categories may be described in subsequent tables, including at least two attribute types (fibre and cable) for each table. A third attribute type (links) remains under study.

The fibre Recommendation may include the main parameters of mode field diameter, cut-off wavelength, and chromatic dispersion. The values of these parameters must be broad enough to encompass all of the fibre categories in the Recommendation.

The base category (for which the Recommendation was originally created, and which serves as the default category) is described in Table 1. Minor changes in the parameter values of Table 1 may be made from time to time to keep Table 1 aligned with current industry practice.

Further categories, typically based on new fibre parameters, may be created, providing they distinguish implementation variations that support different transmission strategies. The categories shall be designated in the order of their adoption. Several examples, which differ in one or more parameter values, may be given to illustrate each category of fibre. It is expected that there will be a few fibre Recommendations, each containing at most a few categories, with a few examples within each category, all arrived at by consensus on the part of the experts. A brief descriptor must be provided for each category and example, as well as the history of the modification of specification values and revised dates.

I.2 Guideline for conducting measurement round robins in Question 5 of ITU-T Study Group 15 (Q.5/15)

a) **Objectives**: ITU-T Q.5/15 round robins should be carried out for completing the content of the test method or fibre parameters described in the ITU-T G.65x-series of Recommendations. For example, when determining the RTM and ATM for test methods of a parameter, or when a parameter value is specified in the Recommendation, the round robin is needed. This round robin activity is different from an academic one.

b) **Coordinators**: In principle, the editor of each Recommendation should coordinate the round robin activity. The responsible editor may appoint a substitute coordinator from ITU-T Q.5/15 members.

c) **Participants**: The round robin participants are fundamentally limited to only ITU-T members. Non ITU-T members may participate only when ITU-T Q.5/15 members accept the necessity of their participation.

d) **Round robin results handling**: Round robin results should be utilized for revising the Recommendation. The coordinator can present the round robin results only when all ITU-T Q.5/15 members, or all participants in the round robin, accept the necessity of disclosure of the round robin results.

Appendix II

Optical fibre cable structures

The following ITU-T Recommendations describe the optical fibre cable structures.

Recommendation ITU-T G.978, *Characteristics of optical fibre submarine cables.*

Recommendation ITU-T L.10, *Optical fibre cables for duct and tunnel application.*

Recommendation ITU-T L.26, *Optical fibre cables for aerial application.*

Recommendation ITU-T L.28, *External additional protection for marinized terrestrial cables*.

Recommendation ITU-T L.43, *Optical fibre cables for buried application.*

Recommendation ITU-T L.58, *Optical fibre cables: Special needs for access network.*

Recommendation ITU-T L.59, *Optical fibre cables for indoor applications.*

Recommendation ITU-T L.60, *Construction of optical/metallic hybrid cables.*

Recommendation ITU-T L.67, *Small count optical fibre cables for indoor applications.*

Recommendation ITU-T L.87, *Optical fibre cables for drop applications*.

Appendix III

Fibre optics hardware and passive components

The following ITU-T Recommendations are related to fibre optics hardware and passive components.

Recommendation ITU-T G.671, *Transmission characteristics of optical components and subsystems*.

Recommendation ITU-T L.13, *Performance requirements for passive optical nodes: Sealed closures for outdoor environments*.

Recommendation ITU-T L.30, *Markers on marinized terrestrial cables*.

Recommendation ITU-T L.31, *Optical fibre attenuators.*

Recommendation ITU-T L.36, *Single mode fibre optic connectors*.

Recommendation ITU-T L.37, *Optical branching components (non-wavelength selective).*

Recommendation ITU-T L.50, *Requirements for passive optical nodes: Optical distribution frames for central office environments.*

Recommendation ITU-T L.51, *Passive node elements for fibre optic networks – General principles and definitions for characterization and performance evaluation.*

Recommendation ITU-T L.54, *Splice closure for marinized terrestrial cables (MTC).*

Appendix IV

Construction and installation practices

The construction issues are given in ITU-T Handbooks entitled "Construction, Installation, Jointing and Protection of Optical Fibre Cables" and "Marinized terrestrial cables". The following ITU-T Recommendations are related to construction and installation practices.

Recommendation ITU-T L.38, *Use of trenchless techniques for the construction of underground infrastructures for telecommunication cable installation.*

Recommendation ITU-T L.48, *Mini-trench installation technique*.

Recommendation ITU-T L.49, *Micro-trench installation technique.*

Recommendation ITU-T L.52, *Deployment of Passive Optical Networks (PON).*

Recommendation ITU-T L.56, *Installation of optical fibre cables along railways.*

Recommendation ITU-T L.57, *Air-assisted installation of optical fibre cables*.

Recommendation ITU-T L.61, *Optical fibre cable installation by floating technique*.

Recommendation ITU-T L.63, *Safety procedures for outdoor installations*.

Recommendation ITU-T L.77, *Installation of optical fibre cables inside sewer ducts.*

Recommendation ITU-T L.78, *Optical fibre cable construction for sewer duct applications.*

Recommendation ITU-T L.79, *Optical fibre cable elements for microduct blowing-installation application.*

Appendix V

Status of optical fibre and cable specifications in ITU-T and IEC

V.1 Fibre specifications

The status of optical fibre specifications in ITU-T and IEC is listed in Table V.1

Table V.1 – Status of optical fibre specifications in ITU-T and IEC

Optical fibre specification			
ITU-T		**IEC**	
Fibre category	**Recommendation**	**Fibre category**	**Document**
50/125 µm multimode graded index optical fibre	[ITU-T G.651.1]	A1a multimode fibre	[IEC 60793-2-10]
Single-mode optical fibre	[ITU-T G.652]	B1.1 single-mode fibre B1.3 single-mode fibre	[IEC 60793-2-50]
Dispersion-shifted single-mode optical fibre	[ITU-T G.653]	B2 single-mode fibre	
Cut-off shifted single-mode optical fibre	[ITU-T G.654]	B1.2 single-mode fibre	
Non-zero dispersion shifted single-mode optical fibre	[ITU-T G.655]	B4 single-mode fibre	
Characteristics of a fibre and cable with non-zero dispersion for wideband optical transport	[ITU-T G.656]	B5 single-mode fibre	
Characteristics of a bending loss insensitive single-mode optical fibre and cable for the access network	[ITU-T G.657]	B6 single-mode fibre	

V.2 Fibre cable specifications

The status of [IEC 60794.x] regarding optical cables is shown in Figure V.1.



Figure V.1 – Status of [IEC 60794.x] regarding optical cables

Appendix VI

Comparison of ITU-T Recommendations and IEC documents concerning test methods

VI.1 Test methods for single-mode fibres

ITU-T Recs	Test methods		IEC documents	Test methods
[ITU-T G.650.1]			IEC 60793	
5.1	Test methods for the mode field diameter	⟺	[IEC 60793-1-45]	Optical fibres – Part 1-45: Measurement methods and test procedures – Mode field diameter
5.1.1	Reference test method: The far-field scan		Annex A	Far field scan
5.1.2	First alternative test method: The variable aperture technique		Annex B	Variable aperture
5.1.3	Second alternative test method: The near-field scan		Annex C	Near-field scan
5.1.4	Third alternative test method: Bidirectional backscatter difference		Annex D	Bidirectional backscatter difference
[ITU-T G.650.1]			IEC 60793	
5.2	Test methods for the cladding diameter, core concentricity error and cladding non-circularity	⟺	[IEC 60793-1-20]	Optical fibres – Part 1-20: Measurement methods and test procedures – Fibre geometry
5.2.1	Reference test method: The near-field image technique		Annex C	Near-field light (Gray-scale technique)
5.2.2	First alternative test method: The refracted near-field technique		Annex A	Refracted near-field
5.2.3	Second alternative test method: The side-view technique		None	
5.2.4	Third alternative test method: The transmitted near-field technique		Annex C	Near-field light (Single near-field scan technique)

ITU-T Recs	Test methods		IEC documents	Test methods
[ITU-T G.650.1]			IEC 60793	
5.3	Test methods for the cut-off wavelength	⟺	[IEC 60793-1-44]	Optical fibres – Part 1-44: Measurement methods and test procedures – Cut-off wavelength
5.3.1	Reference test method for the cut-off wavelength (λ_c) of the primary coated fibre and reference test method for the cut-off wavelength (λ_{cj}) of jumper cables: The transmitted power technique		Annex C	Fibre cut-off wavelength λ_c
5.3.2	Alternative test method for λ_c: The split-mandrel technique		Annex C	Fibre cut-off wavelength λ_c
5.3.3	Reference test method for the cut-off wavelength (λ_{cc}) of the cabled fibre: The transmitted power technique		Annex B	Cabled cut-off wavelength, λ_{cc}, using cabled fibre
5.3.4	Alternative test method for the cut-off wavelength (λ_{cc}) of the cabled fibre		Annex A	Cabled cut-off wavelength, λ_{cc}, using uncabled fibre
[ITU-T G.650.1]			IEC 60793	
5.4	Test methods for the attenuation	⟺	[IEC 60793-1-40]	Optical fibres – Part 1-40: Measurement methods and test procedures – Attenuation
5.4.1	Reference test method: The cut-back technique		Annex A	Cut-back
5.4.2	First alternative test method: The backscattering technique		Annex C	Backscattering
5.4.3	Second alternative test method: The insertion loss technique		Annex B	Insertion loss
[ITU-T G.650.1]			IEC 60793	
5.5	Test methods for the chromatic dispersion	⟺	[IEC 60793-1-42]	Optical fibres – Part 1-42: Measurement methods and test procedures – Chromatic dispersion
5.5.1	Reference test method: The phase-shift technique		Annex A	Phase shift (Annex C: Differential phase shift)
5.5.2	First alternative test method: The interferometric technique		Annex D	Interferometry

ITU-T Recs	Test methods		IEC documents	Test methods
5.5.3	Second alternative test method: The pulse delay technique		Annex B	Spectral group delay in time domain
[ITU-T G.650.1]			IEC 60793	
5.6	Test methods for prooftesting	⇔	[IEC 60793-1-30]	Optical fibres – Part 1-30: Measurement methods and test procedures – Fibre prooftest
5.6.1	Reference test method: Longitudinal tension			Fibre prooftest
[ITU-T G.650.1]				
Appendix II	Test method for measuring chromatic dispersion uniformity based on the backscattering technique	⇔	None	
[ITU-T G.650.2]			IEC 60793	
5.1	Test methods for polarization mode dispersion	⇔	[IEC 60793-1-48]	Optical fibres – Part 1-48: Measurement methods and test procedures – Polarization mode dispersion
5.1.1	Reference test method: The Stokes parameter evaluation technique		Annex B	Stokes evaluation method Jones matrix eigenanalysis (JME) Poincare's sphere analysis (PSA)
5.1.2	First alternative test method: State of polarization (SOP) method		Annex B	State of polarization (SOP)
5.1.3	Second alternative test method: Interferometric method		Annex C	Interferometric method Weak mode coupling Strong mode coupling
5.1.4	The fixed analyser technique		Annex A	Fixed analyser measurement method Extrema counting (EC) Fourier transform (FT)

ITU-T Recs	Test methods		IEC documents	Test methods
[ITU-T G.650.2]			[IEC/TR 62284]	
Appendix III	Test methods for effective area (A_{eff})	⟺	[IEC/TR 62284]	Effective area measurements of single-mode optical fibres – Guidance
III.1	The far-field scan (FFS) technique		Annex A	Direct far-field method measurement specifics
III.2	The variable aperture (VA) technique		Annex B	Variable aperture in the far-field method measurement specifics
III.3	The near-field scan (NFS) technique		Annex C	Near-field method measurement specifics

VI.2 Test methods for multimode fibres

ITU-T Recs	Test methods		IEC documents	Test methods
ITU-T G.651			IEC 60793	
6.1	Reference test method and alternative test method for geometrical and optical parameters measurements	⟺	[IEC 60793-1-20]	Optical fibres – Part 1-20: Measurement methods and test procedures – Fibre geometry
6.2	Reference test method for geometrical and alternative test method for numerical aperture: The refracted near-field technique		Annex A	Refracted near-field
6.3	Alternative test method for geometrical parameters: The near-field technique		Annex C	Near-field light distribution (Single near-field scan technique)
ITU-T G.651				
6.4	Reference test method for the numerical aperture: Far-field light distribution	⟺	[IEC 60793-1-43]	Optical fibres – Part 1-43: Measurement methods and test procedures – Numerical aperture

ITU-T Recs	Test methods		IEC documents	Test methods
ITU-T G.651				
6.5	Reference test method and alternative test methods for attenuation measurements	⟺	[IEC 60793-1-40]	Optical fibres – Part 1-40: Measurement methods and test procedures – Attenuation
6.6	The reference test method: The cutback technique		Annex A	Cut-back
6.7	First alternative test method: The insertion loss technique		Annex B	Insertion loss
6.8	Second alternative test method: The backscattering technique		Annex C	Backscattering
ITU-T G.651				
6.9	Reference test method for baseband response measurements	⟺	[IEC 60793-1-41]	Optical fibres – Part 1-41: Measurement methods and test procedures – Bandwidth
6.10	Reference test method		Annex A	Impulse response
			Annex B	Frequency response

NOTE – Rec. ITU-T G.651 was deleted in 2008. Existing [ITU-T G.651.1] references the above IEC documents.

VI.3 Recommendation available only in ITU-T and not in IEC

[ITU-T G.650.3]	Test methods for installed single-mode optical fibre cable links

VI.4 Documents available only in IEC and not in ITU-T

[IEC 60793-1-20]	Optical fibres – Part 1-20: Measurement methods and test procedures – Fibre geometry
[IEC 60793-1-21]	Optical fibres – Part 1-21: Measurement methods and test procedures – Coating geometry
[IEC 60793-1-22]	Optical fibres – Part 1-22: Measurement methods and test procedures – Length measurement
[IEC 60793-1-31]	Optical fibres – Part 1-31: Measurement methods and test procedures – Tensile strength
[IEC 60793-1-32]	Optical fibres – Part 1-32: Measurement methods and test procedures – Coating strippability
[IEC 60793-1-33]	Optical fibres – Part 1-33: Measurement methods and test procedures – Stress corrosion susceptibility
[IEC 60793-1-34]	Optical fibres – Part 1-34: Measurement methods and test procedures – Fibre curl

[IEC 60793-1-40]	Optical fibres – Part 1-40: Measurement methods and test procedures – Attenuation
[IEC 60793-1-41]	Optical fibres – Part 1-41: Measurement methods and test procedures – Bandwidth
[IEC 60793-1-43]	Optical fibres – Part 1-43: Measurement methods and test procedures – Numerical aperture
[IEC 60793-1-47]	Optical fibres – Part 1-47: Measurement methods and test procedures – Macrobending loss
[IEC 60793-1-49]	Optical fibres – Part 1-49: Measurement methods and test procedures – Differential mode delay
[IEC 60793-1-50]	Optical fibres – Part 1-50: Measurement methods and test procedures – Damp heat (steady state)
[IEC 60793-1-51]	Optical fibres – Part 1-51: Measurement methods and test procedures – Dry heat
[IEC 60793-1-52]	Optical fibres – Part 1-52: Measurement methods and test procedures – Change of temperature
[IEC 60793-1-53]	Optical fibres – Part 1-53: Measurement methods and test procedures – Water immersion
[IEC 60793-1-54]	Optical fibres – Part 1-54: Measurement methods and test procedures – Gamma irradiation
[IEC 60794-1-2]	Optical fibre cables – Part 1-2: Generic specification – Basic optical cable test procedures
[IEC/TR 62000]	Single-mode fibre compatibility guidelines
[IEC/TR 62221]	Optical fibres – Measurement methods – Microbending sensitivity
[IEC/TR 62283]	Optical fibres – Guidance for nuclear radiation tests
[IEC/TR 62284]	Effective area measurements of single-mode optical fibres – Guidance
[IEC/TR 62285]	Application guide for non-linear coefficient measuring methods
[IEC/TR 62316]	Guidance for the integration of OTDR backscattering traces
[IEC/TR 62324]	Single-mode optical fibres – Raman gain efficiency measurement using continuous wave method – Guidance
[IEC/TR 62349]	Guidance for polarization crosstalk measurement of optical fibre
[IEC/TS 62033]	Attenuation uniformity in optical fibres

SERIES OF ITU-T RECOMMENDATIONS

Series A	Organization of the work of ITU-T
Series D	General tariff principles
Series E	Overall network operation, telephone service, service operation and human factors
Series F	Non-telephone telecommunication services
Series G	**Transmission systems and media, digital systems and networks**
Series H	Audiovisual and multimedia systems
Series I	Integrated services digital network
Series J	Cable networks and transmission of television, sound programme and other multimedia signals
Series K	Protection against interference
Series L	Construction, installation and protection of cables and other elements of outside plant
Series M	Telecommunication management, including TMN and network maintenance
Series N	Maintenance: international sound programme and television transmission circuits
Series O	Specifications of measuring equipment
Series P	Terminals and subjective and objective assessment methods
Series Q	Switching and signalling
Series R	Telegraph transmission
Series S	Telegraph services terminal equipment
Series T	Terminals for telematic services
Series U	Telegraph switching
Series V	Data communication over the telephone network
Series X	Data networks, open system communications and security
Series Y	Global information infrastructure, Internet protocol aspects and next-generation networks
Series Z	Languages and general software aspects for telecommunication systems

Printed in Switzerland
Geneva, 2010