

International Telecommunication Union

ITU-T

TELECOMMUNICATION
STANDARDIZATION SECTOR
OF ITU

H.812.3

(07/2016)

SERIES H: AUDIOVISUAL AND MULTIMEDIA SYSTEMS

E-health multimedia services and applications – Personal
health systems

**Interoperability design guidelines for personal
health systems: Services interface: Capability
exchange certified capability class**

Recommendation ITU-T H.812.3



ITU-T H-SERIES RECOMMENDATIONS
AUDIOVISUAL AND MULTIMEDIA SYSTEMS

CHARACTERISTICS OF VISUAL TELEPHONE SYSTEMS	H.100–H.199
INFRASTRUCTURE OF AUDIOVISUAL SERVICES	
General	H.200–H.219
Transmission multiplexing and synchronization	H.220–H.229
Systems aspects	H.230–H.239
Communication procedures	H.240–H.259
Coding of moving video	H.260–H.279
Related systems aspects	H.280–H.299
Systems and terminal equipment for audiovisual services	H.300–H.349
Directory services architecture for audiovisual and multimedia services	H.350–H.359
Quality of service architecture for audiovisual and multimedia services	H.360–H.369
Telepresence	H.420–H.429
Supplementary services for multimedia	H.450–H.499
MOBILITY AND COLLABORATION PROCEDURES	
Overview of Mobility and Collaboration, definitions, protocols and procedures	H.500–H.509
Mobility for H-Series multimedia systems and services	H.510–H.519
Mobile multimedia collaboration applications and services	H.520–H.529
Security for mobile multimedia systems and services	H.530–H.539
Security for mobile multimedia collaboration applications and services	H.540–H.549
Mobility interworking procedures	H.550–H.559
Mobile multimedia collaboration inter-working procedures	H.560–H.569
BROADBAND, TRIPLE-PLAY AND ADVANCED MULTIMEDIA SERVICES	
Broadband multimedia services over VDSL	H.610–H.619
Advanced multimedia services and applications	H.620–H.629
Ubiquitous sensor network applications and Internet of Things	H.640–H.649
IPTV MULTIMEDIA SERVICES AND APPLICATIONS FOR IPTV	
General aspects	H.700–H.719
IPTV terminal devices	H.720–H.729
IPTV middleware	H.730–H.739
IPTV application event handling	H.740–H.749
IPTV metadata	H.750–H.759
IPTV multimedia application frameworks	H.760–H.769
IPTV service discovery up to consumption	H.770–H.779
Digital Signage	H.780–H.789
E-HEALTH MULTIMEDIA SERVICES AND APPLICATIONS	
Personal health systems	H.810–H.819
Interoperability compliance testing of personal health systems (HRN, PAN, LAN, TAN and WAN)	H.820–H.859
Multimedia e-health data exchange services	H.860–H.869

For further details, please refer to the list of ITU-T Recommendations.

Recommendation ITU-T H.812.3

Interoperability design guidelines for personal health systems: Services interface: Capability exchange certified capability class

Summary

The Continua Design Guidelines (CDG) defines a framework of underlying standards and criteria that ensure the interoperability of devices and data used for personal connected health services. It also contains design guidelines (DGs) that further clarify the underlying standards or specifications by reducing options or by adding missing features to improve interoperability.

Recommendation ITU-T H.812.3 defines the additional design guidelines for the Capability Exchange-enabled PHG and health and fitness services certified capability class (CCC). The purpose of the Capability Exchange is to reduce the amount of information that must be pre-configured on a device in order to obtain plug and play interoperability. Specifically, Capability Exchange enables application hosting devices, such as a personal health gateway (PHG) to know what types of messages it can send to the health and fitness services, by identifying its Continua CCCs. Likewise, Capability Exchange provides a mechanism for the PHG to inform the health and fitness services of its capabilities. This enables the health and fitness services to tailor its communication with the PHG. Capability Exchange is mandatory for all health and fitness services while it is optional for PHGs.

It is assumed that the PHG is pre-provisioned with a URL, or a set of URLs, denoting the service endpoint of one or more health and fitness services. The Capability Exchange process takes place when the PHG first contacts the health and fitness services. It may also take place intermittently, to update the information received in the first Capability Exchange. In most cases, the set of Continua CCCs implemented at the health and fitness services changes slowly, if at all. Therefore, it is expected that the PHG can store the information about services capabilities and optionally, implement a policy for periodically updating that cache. A PHG might identify several health and fitness services in this way and communicate with one or more of these for different purposes.

The health and fitness service describes the information about its supported CCCs in a file called "root file". The root file is a special resource that describes the properties of CCCs and how a PHG can start information exchange with these CCCs. The root file and other features of the exchange come from an HL7 standard called hData. hData not only defines the root file format, but also defines the operations for exchanging root files, using HTTP using GET and POST operations, often referred to as "REST" (for representational state transfer).

Each Continua CCC (in addition to Capability Exchange) will use the root file to document information relevant to that capability, including the capability name, the information that can be exchanged under the capability and its format and URLs for REST operations, if supported by that capability. Details are given in the documentation for the respective Continua CCCs.

Recommendation ITU-T H.812.3 is part of the "ITU-T H.810 interoperability design guidelines for personal connected health systems" subseries that covers the following areas:

- ITU-T H.810 – Interoperability design guidelines for personal connected health systems:
System overview
- ITU-T H.811 – Interoperability design guidelines for personal connected health systems:
Personal health devices interface design guidelines
- ITU-T H.812 – Interoperability design guidelines for personal connected health systems:
Services interface design guidelines
- ITU-T H.812.1 – Interoperability design guidelines for personal connected health systems:
Services interface: Observation upload capability

- ITU-T H.812.2 – Interoperability design guidelines for personal connected health systems:
Services interface: Questionnaires capability
- ITU-T H.812.3 – Interoperability design guidelines for personal connected health systems:
Services interface: Capability Exchange capability
- ITU-T H.812.4 – Interoperability design guidelines for personal connected health systems:
Services interface: Authenticated persistent session capability
- ITU-T H.813 – Interoperability design guidelines for personal connected health systems:
Healthcare information system interface design guidelines

History

Edition	Recommendation	Approval	Study Group	Unique ID*
1.0	ITU-T H.812.3	2015-11-29	16	11.1002/1000/12656
2.0	ITU-T H.812.3	2016-07-14	16	11.1002/1000/12916

* To access the Recommendation, type the URL <http://handle.itu.int/> in the address field of your web browser, followed by the Recommendation's unique ID. For example, <http://handle.itu.int/11.1002/1000/11830-en>.

FOREWORD

The International Telecommunication Union (ITU) is the United Nations specialized agency in the field of telecommunications, information and communication technologies (ICTs). The ITU Telecommunication Standardization Sector (ITU-T) is a permanent organ of ITU. ITU-T is responsible for studying technical, operating and tariff questions and issuing Recommendations on them with a view to standardizing telecommunications on a worldwide basis.

The World Telecommunication Standardization Assembly (WTSA), which meets every four years, establishes the topics for study by the ITU-T study groups which, in turn, produce Recommendations on these topics.

The approval of ITU-T Recommendations is covered by the procedure laid down in WTSA Resolution 1.

In some areas of information technology which fall within ITU-T's purview, the necessary standards are prepared on a collaborative basis with ISO and IEC.

NOTE

In this Recommendation, the expression "Administration" is used for conciseness to indicate both a telecommunication administration and a recognized operating agency.

Compliance with this Recommendation is voluntary. However, the Recommendation may contain certain mandatory provisions (to ensure, e.g., interoperability or applicability) and compliance with the Recommendation is achieved when all of these mandatory provisions are met. The words "shall" or some other obligatory language such as "must" and the negative equivalents are used to express requirements. The use of such words does not suggest that compliance with the Recommendation is required of any party.

INTELLECTUAL PROPERTY RIGHTS

ITU draws attention to the possibility that the practice or implementation of this Recommendation may involve the use of a claimed Intellectual Property Right. ITU takes no position concerning the evidence, validity or applicability of claimed Intellectual Property Rights, whether asserted by ITU members or others outside of the Recommendation development process.

As of the date of approval of this Recommendation, ITU had not received notice of intellectual property, protected by patents, which may be required to implement this Recommendation. However, implementers are cautioned that this may not represent the latest information and are therefore strongly urged to consult the TSB patent database at <http://www.itu.int/ITU-T/ipr/>.

© ITU 2017

All rights reserved. No part of this publication may be reproduced, by any means whatsoever, without the prior written permission of ITU.

Table of Contents

	Page
0	Introduction..... vi
0.1	Organization vi
0.2	Guideline releases and versioning vii
0.3	What's new..... vii
1	Scope..... 1
2	References..... 1
3	Definitions 1
4	Abbreviations and acronyms 1
5	Conventions 1
6	Use cases..... 1
6.1	PHG obtains health and fitness services information..... 1
6.2	Health and fitness services receive PHG information..... 2
7	Behavioural models 2
8	Implementation 3
8.1	Overview 3
8.2	Root file exchange 3
8.3	Contents of the root file 4
8.4	Optional JSON version of root file..... 5
	Annex A Normative guidelines..... 6
	Appendix I Root file inclusions for capability exchange..... 10
	I.1 Required root file inclusions for health and fitness services 10
	I.2 Schema for the root.xml 10
	I.3 Required root file inclusions for PHG..... 12
	Appendix II hData..... 13
	Bibliography..... 16

List of Tables

	Page
Table A.1 – Normative guidelines for health and fitness services.....	6
Table A.2 – Normative guidelines for PHG device	9
Table II.1 – Types of operations	14

List of Figures

	Page
Figure 7-1 – Transactions between PHG and health and fitness services related to root file exchange for determining the capabilities of the health and fitness service and the PHG.	2
Figure II.1 – hData interoperability framework.....	15

0 Introduction

The Continua Design Guidelines (CDG) defines a framework of underlying standards and criteria that ensure the interoperability of devices and data used for personal connected health services. It also contains additional design guidelines (DGs) that further clarify the underlying standards or specifications by reducing options or by adding missing features to improve interoperability.

This Recommendation defines the additional design guidelines for the Capability Exchange-enabled personal health gateway (PHG) and health and fitness service certified capability class (CCC). The purpose of the Capability Exchange is to reduce the amount of information that must be pre-configured on a device in order to obtain plug and play interoperability. Specifically, Capability Exchange enables a personal health gateway (PHG) to know what types of messages it can send to the health and fitness service, by identifying its Continua CCCs. Likewise, Capability Exchange provides a mechanism for the PHG to inform the health and fitness service of its capabilities. This enables the health and fitness service to tailor its communication with the PHG. Capability Exchange is mandatory for all health and fitness services while it is optional for PHGs.

It is assumed that the PHG is pre-provisioned with a URL, or a set of URLs, denoting the service endpoint of one or more health and fitness services. The Capability Exchange process takes place when the PHG first contacts the health and fitness services. It may also take place intermittently, to update the information received in the first Capability Exchange. In most cases, the set of Continua CCCs implemented at a health and fitness service changes slowly, if at all. Therefore, it is expected that the PHG can store the information about services capabilities and optionally, implement a policy for periodically updating that cache. A PHG might identify several health and fitness services in this way and communicate with one or more for different purposes.

The health and fitness services describes the information about its supported CCCs in a file called "root file". The root file is a special resource that describes the properties of CCCs and how a PHG can start information exchange with those CCCs. The root file and other features of the exchange come from an HL7 standard called hData [HL7 V3 HRF], [OMG/hData RESTful Trans]. hData not only defines the root file format, but also defines the operations for exchanging root files, using HTTP using GET and POST operations, often referred to as "REST" (for representational state transfer).

Each Continua CCC (in addition to Capability Exchange) will use the root file to document information relevant to that capability, including the capability name, the information that can be exchanged under the capability and its format and URLs for REST operations, if supported by that capability. Details are given in the documentation for the respective Continua CCCs.

This Recommendation is part of the "H.810 Interoperability design guidelines for personal health systems" subseries. See [ITU-T H.810] for more details.

0.1 Organization

This CCC guideline is organized in the following manner:

Clauses 0 to 5: Introduction and terminology – These clauses provide useful background information to help understand the structure of the design specifications.

Clause 6: Use cases – This clause provides practical examples.

Clause 7: Behavioural model – This clause is an overview of sequences of interactions and summarizes typical iterations, constraints and exceptions.

Clause 8: Implementation guidance – This clause provides an informative description of the implementation of the Capability Exchange CCC.

Annex A: Normative guidelines – This clause specifies the normative requirements that must be followed by the Capability Exchange CCC.

0.2 Guideline releases and versioning

See clause 0.2 of [ITU-T H.810] for release and versioning information.

0.3 What's new

To see what is new in this release of the design guidelines refer to clause 0.3 of [ITU-T H.810].

Recommendation ITU-T H.812.3

Interoperability design guidelines for personal health systems: Services interface: Capability exchange certified capability class

1 Scope

This Recommendation specifies design guidelines for the Capability Exchange-enabled PHG and Capability Exchange-enabled services CCCs. The design guidelines specify the testable requirements that must be implemented by the PHG in order to classify it as a Capability Exchange-enabled PHG. The Capability Exchange-enabled PHG shall be able to retrieve a root file from the health and fitness services and be able to validate that the root file conforms to the HL7 hData hRF document. In addition, the design guidelines specify testable requirements for health and fitness services which detail how Capability Exchange-enabled health and fitness services shall respond to the requests from a Capability Exchange-enabled PHG and shall be able to validate that the root document conforms to the HL7 hData hRF document.

2 References

The following ITU-T Recommendations and other references contain provisions which, through reference in this text, constitute provisions of this Recommendation. At the time of publication, the editions indicated were valid. All Recommendations and other references are subject to revision; users of this Recommendation are therefore encouraged to investigate the possibility of applying the most recent edition of the Recommendations and other references listed below. A list of the currently valid ITU-T Recommendations is regularly published. The reference to a document within this Recommendation does not give it, as a stand-alone document, the status of a Recommendation.

[ITU-T H.810] Recommendation ITU-T H.810 (2016), *Interoperability design guidelines for personal health systems*.

All other referenced documents can be found in clause 2 of [ITU-T H.810].

3 Definitions

This Recommendation uses terms defined in [ITU-T H.810].

4 Abbreviations and acronyms

This Recommendation uses abbreviations and acronyms defined in [ITU-T H.810].

5 Conventions

This Recommendation follows the conventions defined in [ITU-T H.810].

6 Use cases

The use cases below are focused on the needs identified for Capability Exchange.

6.1 PHG obtains health and fitness services information

Outpatient Adam Everyman is provided with health measurement devices that interact wirelessly with a smart phone application (the PHG). Adam's health practitioner provides a URL in the form of a QR Code (for example) that can be scanned by the smart phone application during the configuration process, directing the PHG to the disease management organization (DMO), a remote monitoring site. The DMO remotely monitors patients at home and collects health information from health measurement devices installed at Adam's home. During configuration, the smart phone application contacts the URL and downloads an XML file (the "root file") containing information

about the DMO's services. By parsing the root file, the PHG determines the Continua certified capability classes (CCCs) supported by the DMO. In this case, the DMO can receive observation uploads and questionnaires using RESTful HTTP and can participate in authenticated persistent sessions.

6.2 Health and fitness services receive PHG information

Having discovered that the DMO can support authenticated persistent sessions, the smart phone application now wants to inform the DMO that it also has the capability of supporting authenticated persistent sessions. To do so, the PHG must first authenticate with the DMO. After authentication, the PHG may use an HTTP POST operation to send its root file (which is different to the DMO root file) to the DMO, using the designated URL supplied in the DMO's root file. The PHG's root file contains information on the PHG's capabilities, including the fact that the PHG can support authenticated persistent sessions. If the PHG subsequently initiates an authenticated persistent session with the health and fitness services, the health and fitness services will use the information in the PHG's root file to send unsolicited commands to the PHG.

7 Behavioural models

The following exchange mechanisms are specified for the Capability Exchange service:

- PHG retrieves the health and fitness service root file from the health and fitness service;
- the PHG sends its root file to the health and fitness service.

Figure 7-1 illustrates transactions related to the Capability Exchange use cases described in clause 6.




Figure 7-1 – Transactions between PHG and health and fitness services related to root file exchange for determining the capabilities of the health and fitness service and the PHG

8 Implementation

8.1 Overview

A PHG supporting Capability Exchange obtains information from the health and fitness services and vice versa, in the form of a document called the "root file". The "root file" is so named because it exists at the top of the hData hierarchy [HL7 V3 HRF]. The format of the root file is defined in the hData Record Format specification [HL7 V3 HRF]. Health and fitness services (except SOAP based health and fitness services) must have the capability to provide the root file in XML format and can optionally provide it in JSON format. Similarly, the PHG must be able to process the root.xml file it receives from the services interface (Services-IF) and optionally, can also process the JSON equivalent.

The health and fitness services root file contains several different types of information useful to the PHG:

- a list of the Continua certified capability classes that the health and fitness services supports,
- a list of the resource types that may be exchanged with the health and fitness services in one or both directions,
- information about the available representations of exchangeable resources,
- the location of the resources in terms of partial URLs,
- any additional information required by a CCC listed in the root file.

In the above description, the term "resource" is used in the REST sense: a logical entity that may have multiple representations.

Once the health and fitness Services root file has been obtained, the PHG may optionally communicate information back to the health and fitness services in the form of another root file. The root file sent from the PHG to the health and fitness services represents the PHG's capabilities, resource types, representations and other parameters defined by specific CCCs. This step of sending the PHG root file to the services interface requires authentication, so the services interface can positively identify the PHG that is the source of the root file. The authentication process is not discussed here. Because this step is optional, the PHG root file is not required.

Once capability information has been exchanged, the devices are able to invoke the appropriate protocols in an interoperable fashion. Capability Exchange reduces the amount of information that must be pre-configured on a device in order to obtain plug and play interoperability.

8.2 Root file exchange

The root file is exchanged using the following REST mechanism:

- The PHG performs an HTTP GET using a TLS v1.1 secure channel, OAuth v2.0 authorization token of type bearer (use of OAuth is optional in the case where an PHG implements only SOAP based observation upload or consent enabled-PHG CCCs) and a pre-configured URL (the "base URL") to obtain the root.xml file from the health and fitness services. The PHG is expected to be able to parse the root file and determine the capabilities of the health and fitness services.
- Optionally, the PHG performs an HTTP POST of its root file to the health and fitness services, using TLS v1.1 secure channel, OAuth v2.0 authorization token of type bearer (use of OAuth is optional in the case where a health and fitness services implements only SOAP based observation upload or consent enabled services CCCs) and the relative URL indicated by the health and fitness services root file. (The PHG is not assumed to support HTTP server capability, so an HTTP POST is used, rather than a health and fitness services HTTP GET operation.)

More information about root files and REST methods are available in the hData specifications.

8.3 Contents of the root file

The root file format is described in the HL7 hData Record Format Version 1 Specification [HL7 V3 HRF]. The root files of the health and fitness services and the PHG will conform to HRF version 1 and validate with the XSD provided with that specification. In this clause, the elements of the root.xml file are profiled. Elements not specifically mentioned in this profile follow the element definitions in the HRF standard. The root file contains the following sub-elements under the top-level <root> element:

- version (xs:integer, 1..1) – The version of the hData Record Format used within the root file. The version number for root files complying with this version of the specification is 1.
- profile (0..*) – This element represents a CCC supported by the health and fitness services or PHG application that owns the root file. Each CCC is described by one <profile> element using the following sub-elements:
 - id (xs:string, 1..1) – The id is the formal name of the CCC represented by the profile element. For Capability Exchange, the formal name is "CapabilityExchange". For other device classes, the version-specific formal name will be given in the Continua documentation for that CCC.
 - reference(xs:string, 1..1) – A reference to the Continua documentation for the CCC represented by this profile element. The reference string is composed of the URL to the Continua Guidelines repository, along with a string that identifies the name of the document. For Capability Exchange, the reference string is <http://handle.itu.int/11.1002/3000/hData/CX/2016/01/CapabilityExchange.xsd>.
- resourceType (1..*) – This element represents a resource type associated with one or more of the profiles listed in the root file. A specific resource type can be used in one or more CCC. A resource type is represented by the following sub-elements:
 - id (xs:string,1..1) – This attribute contains the name for the resourceType. For Capability Exchange, the only resourceType is "root". For other CCCs, the resource id(s) are given in the CCC documentation.
 - reference(xs:string, 1..1) – A version-specific reference to the semantic definition of the resource type. For the root resource type used by Capability Exchange, the reference is "http://www.hl7.org/implement/standards/product-brief.cfm?product-id=261".
 - representation (0..*) – This element represents each serialization format of the resource available for "on the wire" communication.
 - mediaType (xs:string, 1..1) – Contains the media type of the resource. For Capability Exchange, the required media type is "application/xml". An optional second representation is "application/json".
 - validator(xs:string, 0..*) – An optional reference to a validator for this representation, such as an XML schema definition (XSD) or schematron.
- section (1..*) – A section represents a "virtual file folder" where instances of a certain resource type are found. A section is identified by partial URL, relative to the base URL. Each CCC may define one or more sections. For Capability Exchange, there is one required section in the health and fitness services root file.
 - path (xs:string, 1..1) – This text attribute is a path segment, used to construct the full path to the section. For Capability Exchange, the path is "roots".
 - profileID(xs:string, 0..*) – The <id> of the CCC defining this section. The value of this element MUST be equal to the id attribute of a <profile> element.

- resourcePrefix(xs:boolean, 0..1) – This element is omitted.
- resourceTypeID (xs:string, 0..1) – The value of this element MUST be equal to the id attribute of a <resourceType> element. Only resources whose type matches the resourceTypeID element can appear in the section. If no resourceTypeID is given, the section may not contain resources, only other sections.
- metadataSupport(xs:boolean, 0..1) – This element is omitted.
- section (section, 0..*) – The subsections belonging to the current section, if any.

In addition to these elements, each CCC may define extensions to the root file. The required extension elements, if any, will be present when the corresponding CCC is declared in the <profile> element.

8.4 Optional JSON version of root file

The Services-IF may optionally support a JavaScript object notation (JSON) version of the root.xml file. If the PHG requests "application/json" in the HTTP accept header and the Services-IF supports the JSON, the Services-IF should return the JSON version of the root file.

The JSON version of the root file contains the same information as the XML version. The transform from XML to JSON and the JSON root file format is discussed in [HL7 V3 HRF].

Annex A

Normative guidelines

(This annex forms an integral part of this Recommendation.)

Table A.1 shows normative guidelines for health and fitness services.

Table A.1 – Normative guidelines for health and fitness services

Name	Description	Comments
CapX-HFS-Root-Standard	Root file of the health and fitness services shall comply with [HL7 V3 HRF].	
CapX-HFS-Root-Security	Health and fitness services shall support TLS v1.1 as defined in [ITU-T H.812]. All hData based health and fitness services shall support OAuth authorization token of type bearer as defined in [ITU-T H.812].	A health and fitness services that implements only SOAP based observation upload or consent enabled- HFS CCCs is not required to support the Capability Exchange-HFS CCC.
CapX-HFS-Root-Profile	The root file of the health and fitness services shall contain a profile element for each CCC it supports.	
CapX-HFS-Root-XML-Version	The health and fitness services shall support an XML version of its root file.	
CapX-HFS-Root-JSON-Version	The health and fitness services may support a JSON version of its root file.	Note that the [HL7 V3 HRF] specification document does not specify a schema for validating JSON formatted root file.
CapX-HFS-Root-Validation	The XML root file of the health and fitness service shall validate against the hData Version 1 root.xsd	
CapX-HFS-Root-CCC-Conformance	A health and fitness services listing a particular CCC in its root file shall conform to the normative guidelines for that CCC.	
CapX-HFS-Root-Version	The version number in the health and fitness services root file conforming to this specification shall be 1	
CapX-HFS-Root-Profile-Element	The health and fitness service root file shall contain a profile element with the id "CapabilityExchange" and reference http://handle.itu.int/11.1002/3000/hData/CX/2016/01/H.812.3.pdf	
CapX-HFS-Root-ResourceType-Element	The health and fitness services root file shall contains a resourceType with id "root" and reference http://www.hl7.org/implement/standards/product-brief.cfm?product-id=261	

Table A.1 – Normative guidelines for health and fitness services

Name	Description	Comments
CapX-HFS-Root-MediaType-XML	The health and fitness services root file shall have a representation element under the "root" resourceType with mediaType "application/xml".	
CapX-HFS-Root-MediaType-JSON	The health and fitness services root file may have a representation element under the "root" resourceType with mediaType "application/json"	
CapX-HFS-Root-Section-Element-Inclusions	The health and fitness services root file shall have a section element with the path "roots", the profileID "CapabilityExchange", the resourceTypeID of "root", and shall not specify the resourcePrefix or metadataSupport elements.	
CapX-HFS-Root-Section-Element-Exclusions	The health and fitness services root file section element with the path "roots" shall not specify the resourcePrefix or metadataSupport elements.	
CapX-HFS-REST-Standard	The Services-IF responses to HTTP method calls shall comply to OMG hData REST Binding for RLUS [OMG/hData RESTful Trans].	
CapX-HFS-REST-GET-XML-Response	By default, the health and fitness services shall respond to a root file GET request (i.e., an HTTP GET on [baseURL]/root) by returning the XML version of the health and fitness services' root file.	
CapX-HFS-REST-GET-JSON-Response	A health and fitness services which has an "application/json" representation element under the "root" resource type in its root file shall return the JSON version of its root file in response to a PHG's GET request that specifies "application/json" in the HTTP accept header. If the health and fitness services does not have the JSON version then it shall return HTTP status code 501 Not Implemented.	
CapX-HFS-REST-POST-Response	The health and fitness services shall accept a HTTP POST at the URL (baseURL)/roots only if the sending PHG has a valid authorization token of type bearer as defined in [ITU-T H.812].	
CapX-HFS-REST-POST-Unauthenticated-Sender	If any content is posted to the health and fitness services by an unauthorized sender, then the health and fitness services shall respond with a HTTP 401 Unauthorized error.	

Table A.1 – Normative guidelines for health and fitness services

Name	Description	Comments
CapX-HFS-REST-POST-XML-Validation	When an XML file is POSTed to the URL [baseURL]/roots, the health and fitness services shall validate the file against the hData Version 1 root.xsd and return HTTP 201 if the file is validated, and in case of validation failure, return HTTP 422 Unprocessable Entity.	
CapX-HFS-REST-POST-JSON-Validation	When a JSON file is POSTed to the URL [baseURL]/roots, the health and fitness services shall return HTTP 422 Unprocessable Entity if the JSON does not conform to the hData root file specification and otherwise return HTTP 201.	Note that the [HL7 V3 HRF] specification document does not specify schema for validating JSON formatted root file.
CapX-HFS-REST-POST-Response	In response to a successful POST of the PHG root file to [baseURL]/roots, the health and fitness services shall return the unique URL of the newly-created root resource.	

Table A.2 shows normative guidelines for PHG device.

Table A.2 – Normative guidelines for PHG device

Name	Description	Comments
CapX-PHG-REST-XML-Request	Given the URL of a health and fitness services complying with Capability Exchange ("baseURL"), the PHG device may obtain the root file of the health and fitness services using an HTTP GET operation.	
CapX-PHG-REST-Services-Root-security	PHG shall obtain root file of the health and fitness services using TLS v1.1 secure channel as defined in [ITU-T H.812]. All hData based PHGs shall support OAuth authorization token of type bearer as defined in [ITU-T H.812].	A PHG that implements only SOAP based observation upload or consent enabled-PHG CCCs is not required to support the Capability Exchange-PHG CCC.
CapX-PHG-REST-XML-Request	The PHG device shall be able to request the health and fitness services root file in XML format by specifying "application/xml" in the HTTP accept header.	
CapX-PHG-REST-JSON-Request	The PHG device may request the health and fitness services root file in JSON format by specifying "application/JSON" in the HTTP accept header.	Note that the HL7 hRF specification document does not specify schema for validating JSON formatted root file.
CapX-PHG-Root-POST	PHG may do an HTTP POST of its root file at the URL [baseURL]/roots using TLS v1.1 secure channel as defined in [ITU-T H.812] and a valid authorization token of the type bearer as defined in [ITU-T H.812]. The authorization token shall be obtained according to the guidelines described in [ITU-T H.812].	
CapX-PHG-Root-Standards	Root file of the PHG shall comply with [HL7 V3 HRF].	
CapX-PHG-Root-Profile	The root file of the health and fitness services shall contain a profile element for each CCC it supports.	
CapX-PHG-Root-CCC-Conformance	A PHG listing a particular CCC in its root file shall conform to the normative guidelines for that CCC.	For example profile and section info in the root file for a CCC are defined by that specific CCC.

Appendix I

Root file inclusions for Capability Exchange

(This appendix does not form an integral part of this Recommendation.)

I.1 Required root file inclusions for health and fitness services

```
<profile>
  <id> CapabilityExchange</id>
  <reference>http://handle.itu.int/11.1002/3000/hData/CX/2016/01/H.812.3.pdf

  </reference>
</profile>

<section>
  <path>roots</path>
  <profileID> CapabilityExchange</profileID>
  <resourceTypeID>root</resourceTypeID>
</section>

<resourceType>
  <id>root</id>
  <reference>      http://www.hl7.org/implement/standards/product-brief.cfm?product-
id=261
  </reference>
  <representation>
    <mediaType>application/xml</mediaType>
  </representation>
  <representation> <!-- optional -->
    <mediaType>application/json</mediaType>
  </representation>
</resourceType>
```

I.2 Schema for the root.xml

```
<xs:schema attributeFormDefault="unqualified" elementFormDefault="qualified"
targetNamespace="http://hl7.org/schemas/hdata/2013/08/hrf"
xmlns:xs="http://www.w3.org/2001/XMLSchema"
xmlns:hrf="http://hl7.org/schemas/hdata/2013/08/hrf">
  <xs:element type="xs:string" name="id"/>
  <xs:element type="xs:float" name="version"/>
  <xs:element type="xs:dateTime" name="created"/>
  <xs:element type="xs:dateTime" name="lastModified"/>
  <xs:element type="xs:string" name="name"/>
  <xs:element type="xs:anyURI" name="uri"/>
  <xs:element type="xs:string" name="email"/>
  <xs:element type="xs:string" name="reference"/>
  <xs:element type="xs:string" name="path"/>
  <xs:element type="xs:string" name="profileID"/>
  <xs:element type="xs:boolean" name="resourcePrefix"/>
  <xs:element type="xs:string" name="resourceTypeID"/>
  <xs:element type="xs:boolean" name="metadataSupport"/>
  <xs:element type="xs:string" name="mediaType"/>
  <xs:element type="xs:string" name="validator"/>
```

```

<xs:group name="extensionElement">
  <xs:sequence>
    <xs:any namespace="##other" processContents="lax" minOccurs="0"
maxOccurs="unbounded"/>
    <xs:any namespace="##local" processContents="lax" minOccurs="0"
maxOccurs="unbounded"/>
  </xs:sequence>
</xs:group>

<xs:element name="author">
  <xs:complexType>
    <xs:sequence>
      <xs:element ref="hrf:name"/>
      <xs:element ref="hrf:uri" minOccurs="0"/>
      <xs:element ref="hrf:email" minOccurs="0"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>

<xs:element name="profile">
  <xs:complexType>
    <xs:sequence>
      <xs:element ref="hrf:id"/>
      <xs:element ref="hrf:reference"/>
      <xs:group ref="hrf:extensionElement" minOccurs="0" maxOccurs="unbounded"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>

<xs:element name="section">
  <xs:complexType>
    <xs:sequence>
      <xs:element ref="hrf:path"/>
      <xs:element ref="hrf:profileID" minOccurs="0" maxOccurs="unbounded"/>
      <xs:element ref="hrf:resourcePrefix" minOccurs="0"/>
      <xs:element ref="hrf:resourceTypeID" minOccurs="0"/>
      <xs:element ref="hrf:metadataSupport" minOccurs="0"/>
      <xs:group ref="hrf:extensionElement" minOccurs="0" maxOccurs="unbounded"/>
      <xs:element ref="hrf:section" minOccurs="0" maxOccurs="unbounded"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>

<xs:element name="representation">
  <xs:complexType>
    <xs:sequence>
      <xs:element ref="hrf:mediaType"/>
      <xs:element ref="hrf:validator" minOccurs="0" maxOccurs="unbounded"/>
      <xs:group ref="hrf:extensionElement" minOccurs="0" maxOccurs="unbounded"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>

<xs:element name="resourceType">
  <xs:complexType>
    <xs:sequence>
      <xs:element ref="hrf:id"/>
      <xs:element ref="hrf:reference"/>
      <xs:element ref="hrf:representation" minOccurs="0" maxOccurs="unbounded"/>
      <xs:group ref="hrf:extensionElement" minOccurs="0" maxOccurs="unbounded"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>

```

```

<xs:element name="root">
  <xs:complexType>
    <xs:sequence>
      <xs:element ref="hrf:id"/>
      <xs:element ref="hrf:version"/>
      <xs:element ref="hrf:created"/>
      <xs:element ref="hrf:lastModified"/>
      <xs:element ref="hrf:profile" minOccurs="0" maxOccurs="unbounded"/>
      <xs:element ref="hrf:section" maxOccurs="unbounded"/>
      <xs:element ref="hrf:resourceType" minOccurs="0" maxOccurs="unbounded"/>
      <xs:group ref="hrf:extensionElement" minOccurs="0" maxOccurs="unbounded"/>
    </xs:sequence>
  </xs:complexType>
  <xs:key name="PKResourceType">
    <xs:selector xpath="hrf:resourceType/hrf:id"/>
    <xs:field xpath="."/>
  </xs:key>
  <xs:keyref name="FKSectionToResourceType" refer="hrf:PKResourceType">
    <xs:selector xpath="hrf:section/hrf:resourceTypeID"/>
    <xs:field xpath="."/>
  </xs:keyref>
  <xs:key name="PKProfile">
    <xs:selector xpath="hrf:profile/hrf:id"/>
    <xs:field xpath="."/>
  </xs:key>
  <xs:keyref name="FKSectionToProfile" refer="hrf:PKProfile">
    <xs:selector xpath="hrf:section/hrf:profileID"/>
    <xs:field xpath="."/>
  </xs:keyref>
</xs:element>
</xs:schema>

```

I.3 Required root file inclusions for PHG

There are no required root file inclusions, however a PHG device listing a particular CCC in its root file (as a profile element) **shall** conform to the normative guidelines for that CCC.

Appendix II

hData

(This appendix does not form an integral part of this Recommendation.)

hData is a lightweight, web-based specification for exchanging electronic health data. Created in 2009 by US non-profit MITRE Corporation and evolved in cooperation with leaders in the health care industry, hData is the first RESTful standard for health data exchange. The hData specifications have been approved by Health Layer 7 (HL7) and the Object Management Group (OMG).

hData uses representational state transfer (REST) over HTTP in a way that separates content, transport and security. REST is a design pattern that is simple, scalable and widely adopted.

hData is used in all Continua certified capability classes, either as the only mechanism, or as an alternative to SOAP based exchange.

Resources are a central concept in REST and in hData. A resource can be any piece of information: data about a patient, a device, a prescription, a plan of care, an imaging study, a problem or condition, or a complete medical document such as a Consolidated CDA [b-HL7 CDA IHE HSC]. For purposes of information exchange, resources can have multiple representations, such as XML or JSON.

Sections represent a virtual arrangement of resources in hData. Sections are analogous to directories in a hierarchical file system, and are defined by paths consisting of one or more forward-slash delimited sub-levels. Each section is associated with a specific type of resource (called *resourceTypes* in hData). For example, resources that represent a person's allergies may be found in a section called *allergy*. The allergy section may contain zero or more instances of an allergy resource. The arrangement of sections forms a tree structure, called the hData Hierarchy (HDH).

URLs uniquely identify each resource. The URL of a resource is a combination of a base URL, a section path and a resource ID, as follows:

```
resource URL = (baseURL)/(sectionPath)/(resourceID)
```

The baseURL is the location of the hData service endpoint, and consists of the protocol (in this case, HTTP or HTTPS), a host identifier (IP address or domain name), and optionally a port. The resourceID is defined arbitrarily by the resource owner, subject to the constraint that the resource URL is unique.

Root files are provided by hData service endpoints to advertise the resource types (extensions) and the section paths (sections) provided by that service. The format of the root file is described in [HL7 V3 HRF]. The root file is accessed by a HTTP GET operation on the following URL:

```
root file URL = (baseURL)/root
```

Content profiles are the means to achieve interoperability between hData service endpoints. Content profiles are implementation guides that describe an application of hData that promote information interoperability. If every hData service endpoint were to arbitrarily define its own resource types and hData hierarchy, the result would be an ecosystem with no predictability or consistency, with naming conflicts and incompatible resource schemas. To counteract this potentially chaotic situation, hData calls for the creation of content profiles which provide standard section naming and resource schemas for a specific business need or technical capability. For example, pharmacy domain experts have provided a Content Profile for Medication Statements

[b-HL7 V3IG MSSP]. Conforming to this content profile assures interoperability of medication statements among providers and consumers of this type of information.


Each certified capability class (CCC) defines one or more resource types and associated section paths in an hData content profile. If an hData service endpoint supports more than one CCC, then its root file will effectively be a union of those extensions and section paths. To create a root file from multiple HCPs, the implementer should copy and combine the information in the example root files from each HCP to create a single root file, creating a combined list of profiles, sections, and resourceTypes. The result is an HDH that combines multiple CCCs.

REST operations, summarized in Table II.1, are at the heart of hData. There are three types of operations: resource operations, section operations and base operations, corresponding to the target being a resource (baseURL/sectionPath/resourceID), a section (baseURL/sectionPath), or the base (baseURL), respectively. hData represents a REST binding of a retrieve, location and updating service (RLUS). For details, including information on required and optional behaviours and parameters, and return arguments, see [OMG/hData RESTful Trans] the hData RESTful transport specification.

Table II.1 – Types of operations

Operation	Operation description	HTTP implementation	Requirement
Read	Get the current version of the resource	GET (<i>resourceURL</i>)	Required
Version Read	Get a specific version of the resource	GET (<i>resourceURL</i>)/history/(<i>versionId</i>)	Optional
Update	Update an existing resource	PUT (<i>resourceURL</i>)	Optional
Delete	Delete a resource	DELETE (<i>resourceURL</i>)	Optional
List	Gets a list of subsections and resources in the section as an ATOM feed	GET (<i>baseURL or sectionURL</i>)	Required
Create	Create a new resource or subsection in a section	POST (<i>baseURL or sectionURL</i>)	Optional
Batch Create/Update	Create or update multiple resources in a section	POST (<i>baseURL or sectionURL</i>) using Atom feed	Optional
Search	Gets a list of section resources matching the query parameters	GET (<i>baseURL or sectionURL</i>)/?search(<i>queryString</i>)	Optional
Validate	Validate a proposed creation action, prior to commit	POST (<i>sectionURL</i>)/validate	Optional
Capability Read	Gets root file for Capability Exchange	GET (<i>baseURL</i>)/root	Required
Metadata	Gets service metadata; returns security mechanisms available and a list of supported hData content profiles	GET (<i>baseURL</i>)/metadata, optionally OPTIONS (<i>baseURL</i>)	Required without prior authentication or authorization
Update Metadata	Replaces metadata on document	POST (<i>resourceURL</i>)	Optional

The hData interoperability framework is depicted in Figure II.1.



H.812.3(16)_Fil.1

Figure II.1 – hData interoperability framework

(NOTE – The PHG application and health and fitness services application root.xml files are **not** the same.)

Bibliography

For a list of non-normative references and publications that contain further background information, see [ITU-T H.810].

SERIES OF ITU-T RECOMMENDATIONS

Series A	Organization of the work of ITU-T
Series D	Tariff and accounting principles and international telecommunication/ICT economic and policy issues
Series E	Overall network operation, telephone service, service operation and human factors
Series F	Non-telephone telecommunication services
Series G	Transmission systems and media, digital systems and networks
Series H	Audiovisual and multimedia systems
Series I	Integrated services digital network
Series J	Cable networks and transmission of television, sound programme and other multimedia signals
Series K	Protection against interference
Series L	Environment and ICTs, climate change, e-waste, energy efficiency; construction, installation and protection of cables and other elements of outside plant
Series M	Telecommunication management, including TMN and network maintenance
Series N	Maintenance: international sound programme and television transmission circuits
Series O	Specifications of measuring equipment
Series P	Telephone transmission quality, telephone installations, local line networks
Series Q	Switching and signalling, and associated measurements and tests
Series R	Telegraph transmission
Series S	Telegraph services terminal equipment
Series T	Terminals for telematic services
Series U	Telegraph switching
Series V	Data communication over the telephone network
Series X	Data networks, open system communications and security
Series Y	Global information infrastructure, Internet protocol aspects, next-generation networks, Internet of Things and smart cities
Series Z	Languages and general software aspects for telecommunication systems