

International Telecommunication Union

ITU-T

TELECOMMUNICATION
STANDARDIZATION SECTOR
OF ITU

K.75

(06/2016)

SERIES K: PROTECTION AGAINST INTERFERENCE

**Classification of interface for application of
standards on resistibility and safety of
telecommunication equipment**

Recommendation ITU-T K.75

ITU-T



Recommendation ITU-T K.75

Classification of interface for application of standards on resistibility and safety of telecommunication equipment

Summary

Recommendation ITU-T K.75 provides guidance to manufacturers, network operators and test houses on the classification of the type of interface, i.e., external [subject to alternating current (a.c.) surges or conducted lightning surges] or internal (subject to short fall-time transients induced in building cabling).

This Recommendation defines telecommunication overvoltage categories as a function of the inherent resistibility voltage of the equipment port or interface. For each category, the impulse withstand voltages between the telecommunication interface and the person or hazardous circuit have been defined (peak value and waveshape).

These peak values and waveshapes should be suitable for insulation coordination purposes.

History

Edition	Recommendation	Approval	Study Group	Unique ID*
1.0	ITU-T K.75	2008-04-13	5	11.1002/1000/9412
2.0	ITU-T K.75	2016-06-29	5	11.1002/1000/12875

Keywords

Classification, overvoltage, safety, telecommunication, transient, resistibility.

* To access the Recommendation, type the URL <http://handle.itu.int/> in the address field of your web browser, followed by the Recommendation's unique ID. For example, <http://handle.itu.int/11.1002/1000/11830-en>.

FOREWORD

The International Telecommunication Union (ITU) is the United Nations specialized agency in the field of telecommunications, information and communication technologies (ICTs). The ITU Telecommunication Standardization Sector (ITU-T) is a permanent organ of ITU. ITU-T is responsible for studying technical, operating and tariff questions and issuing Recommendations on them with a view to standardizing telecommunications on a worldwide basis.

The World Telecommunication Standardization Assembly (WTSA), which meets every four years, establishes the topics for study by the ITU-T study groups which, in turn, produce Recommendations on these topics.

The approval of ITU-T Recommendations is covered by the procedure laid down in WTSA Resolution 1.

In some areas of information technology which fall within ITU-T's purview, the necessary standards are prepared on a collaborative basis with ISO and IEC.

NOTE

In this Recommendation, the expression "Administration" is used for conciseness to indicate both a telecommunication administration and a recognized operating agency.

Compliance with this Recommendation is voluntary. However, the Recommendation may contain certain mandatory provisions (to ensure, e.g., interoperability or applicability) and compliance with the Recommendation is achieved when all of these mandatory provisions are met. The words "shall" or some other obligatory language such as "must" and the negative equivalents are used to express requirements. The use of such words does not suggest that compliance with the Recommendation is required of any party.

INTELLECTUAL PROPERTY RIGHTS

ITU draws attention to the possibility that the practice or implementation of this Recommendation may involve the use of a claimed Intellectual Property Right. ITU takes no position concerning the evidence, validity or applicability of claimed Intellectual Property Rights, whether asserted by ITU members or others outside of the Recommendation development process.

As of the date of approval of this Recommendation, ITU had not received notice of intellectual property, protected by patents, which may be required to implement this Recommendation. However, implementers are cautioned that this may not represent the latest information and are therefore strongly urged to consult the TSB patent database at <http://www.itu.int/ITU-T/ipr/>.

© ITU 2016

All rights reserved. No part of this publication may be reproduced, by any means whatsoever, without the prior written permission of ITU.

Table of Contents

	Page
1 Scope.....	1
2 References.....	1
3 Definitions	2
3.1 Terms defined elsewhere	2
3.2 Terms defined in this Recommendation.....	2
4 Abbreviations and acronyms	3
5 Conventions	3
6 Classification of interfaces	3
6.1 Type of interface.....	3
6.2 Specifying the transient	5
7 Application of overvoltage categories	5
Annex A – Classifying external and internal interfaces	9
Appendix I – Overvoltages on telecommunication network	10
I.1 General	10
I.2 Protection and risk assessment	10
I.3 Telecommunication overvoltage categories	11
I.4 Causes of overvoltage.....	12
Bibliography.....	14

Recommendation ITU-T K.75

Classification of interface for application of standards on resistibility and safety of telecommunication equipment

1 Scope

The purpose of this Recommendation is to provide:

- guidance to manufacturers, network operators and test houses on the classification of the type of interface, i.e., external [subject to alternating current (a.c.) surges or conducted lightning surges] or internal (subject to short fall-time transients induced in building cabling);
- information on the waveform of transients appearing at equipment interfaces for insulation coordination purposes.

This Recommendation mainly applies to customer equipment due to safety being achieved in other ways for network equipment, e.g., earthing or powering from a safe supply, such as a supply voltage equal to or less than 60 V direct current (d.c.).

NOTE – 60 V d.c. is a class 1 energy source (ES1) voltage.

However, the waveform of transients appearing at equipment interfaces is also provided for telecommunication centres and access network sites, in case it is needed in the future.

This Recommendation assumes that the telecommunication equipment is either mains powered or powered from the telecommunication network, and is installed according to the earthing and bonding requirements relevant to each different environment (i.e., [ITU-T K.27], [ITU-T K.35] and [ITU-T K.66]).

This Recommendation does not provide safety or resistibility requirements such as test procedures and test criteria.

This Recommendation does not describe mitigation measures or the various approaches used to determine the need to provide additional protection external to the equipment (primary protection).

This Recommendation does not address overvoltages caused by power contact with low-voltage or medium-voltage power lines.

2 References

The following ITU-T Recommendations and other references contain provisions which, through reference in this text, constitute provisions of this Recommendation. At the time of publication, the editions indicated were valid. All Recommendations and other references are subject to revision; users of this Recommendation are therefore encouraged to investigate the possibility of applying the most recent edition of the Recommendations and other references listed below. A list of the currently valid ITU-T Recommendations is regularly published. The reference to a document within this Recommendation does not give it, as a stand-alone document, the status of a Recommendation.

[ITU-T K.20] Recommendation ITU-T K.20 (2016), *Resistibility of telecommunication equipment installed in a telecommunications centre to overvoltages and overcurrents*.

[ITU-T K.21] Recommendation ITU-T K.21 (2016), *Resistibility of telecommunication equipment installed in customer premises to overvoltages and overcurrents*.

[ITU-T K.27] Recommendation ITU-T K.27 (2015), *Bonding configurations and earthing inside a telecommunication building*.

- [ITU-T K.35] Recommendation ITU-T K.35 (1996), *Bonding configurations and earthing at remote electronic sites*.
- [ITU-T K.45] Recommendation ITU-T K.45 (2016), *Resistibility of telecommunication equipment installed in the access and trunk networks to overvoltages and overcurrents*.
- [ITU-T K.66] Recommendation ITU-T K.66 (2011), *Protection of customer premises from overvoltages*.
- [ITU-T K.67] Recommendation ITU-T K.67 (2015), *Expected surges on telecommunications and signalling networks due to lightning*.
- [IEC 60664-1] IEC 60664-1 (2007), *Insulation coordination for equipment within low-voltage systems – Part 1: Principles, requirements and tests*.
- [IEC 60950-1] IEC 60950-1 (2005) + AMD1 (2009) + AMD2 (2013), *Information technology equipment – Safety – Part 1: General requirements*.
- [IEC 62305-2] IEC 62305-2 (2010), *Protection against lightning – Part 2: Risk management*.

3 Definitions

3.1 Terms defined elsewhere

This Recommendation uses the following terms defined elsewhere:

3.1.1 basic insulation [IEC 60950-1]: Insulation to provide basic protection against electric shock.

3.1.2 double insulation [IEC 60950-1]: Insulation comprising both basic insulation and supplementary insulation.

3.1.3 equipotential bonding [b-IEC 60050-826]: Electrical connection putting various exposed conductive parts and extraneous conductive parts at a substantially equal potential.

3.1.4 reinforced insulation [IEC 60950-1]: Single insulation system that provides a degree of protection against electric shock equivalent to double insulation under the conditions specified in IEC 60950-1.

3.1.5 supplementary insulation [b-IEC 62368-1]: Independent insulation applied in addition to basic insulation to provide a supplementary safeguard for fault protection against electric shock.

3.2 Terms defined in this Recommendation

This Recommendation defines the following terms:

3.2.1 circuit isolation voltage: Highest value of a specified overvoltage that does not cause breakdown of insulation or other safeguards between a telecommunication line and another circuit within the equipment.

3.2.2 external circuit: Circuit that is, in whole or in part, external to the equipment and is neither a mains nor a d.c. power distribution system.

NOTE – This definition is different to the ITU-T SG 5 definition in the context of external interfaces.

3.2.3 external interface: Any port on the equipment that may be subject to a.c. surges and conducted lightning surges.

3.2.4 internal interface: Any port on the equipment which is only ever exposed to short duration induced transients.

3.2.5 person isolation voltage: Highest value of a specified overvoltage that does not cause breakdown of insulation between a telecommunication line and a person in contact with the equipment.

3.2.6 telecommunication overvoltage category: A designation defining a transient overvoltage condition.

4 Abbreviations and acronyms

This Recommendation uses the following abbreviations and acronyms:

a.c.	alternating current
d.c.	direct current
ES1	Energy Source - class 1
EPR	Earth Potential Rise
EUT	Equipment Under Test
GDT	Gas Discharge Tube
L	Line
MDF	Main Distribution Frame
MET	Main Earth Terminal
N	Neutral
PC	Personal Computer
PE	Protective Earth
POTS	Plain Old Telephone Service
rms	root mean square
SPD	Surge Protective Device
USB	Universal Serial Bus
VDSL	Very high-speed Digital Subscriber Line
VTU-O	Very high speed digital subscriber line Transceiver Unit, Operator end
VTU-R	Very high speed digital subscriber line Transceiver Unit, Remote end

5 Conventions

None.

6 Classification of interfaces

Two things are needed to classify an interface. Firstly, an interface has to be classified as either "internal" or "external". Secondly, it is necessary to define the interface in terms of the magnitude of the likely transient.

6.1 Type of interface

An interface is classified by determining the types of overvoltages that the interface is exposed to.

If the interface is exposed to a.c. surges or to lightning surges conducted by an outdoor or external cable, it is an external interface.

If it is only exposed to short transients, due to induction in building wiring, it can be classified as an internal interface.

Figure 1 shows a reference configuration for the telecommunication lines with metallic symmetric conductors where the reference nodes ([IEC 62305-2] uses the term "transition points") and the cable sections between them can be seen. Table 1 defines the various nodes in Figure 1.

Figure 1 can be used to identify parts of the telecommunication network to be classified as either "internal" or "external":

- a) External conductors
External or outdoor conductors, subject to power induction and lightning-caused overvoltages, are conductors between nodes E–S, E–R, R–S, S–S shown in Figure 1 (see also Appendix I).
- b) Internal conductors
Internal or intra-building or indoor conductors, not subject to the electromagnetic interference due to power systems, are conductors between nodes I–I and M–M shown in Figure 1 (see also Appendix I).

A detailed method for classifying interfaces is given in Annex A.




Figure 1 – Reference configuration of telecommunication and signal lines

Table 1 – Description of nodes

Node	Description
L	Transition between equipment interface inside the exchange building and the external cabling.
E	Entrance of the exchange building, e.g., main distribution frame (MDF).
R	Transition between line and equipment inside a remote site.
S	Entrance of the customer's building.
A	Transition between equipment interface inside the customer's building and the external cabling.
M	Transition between equipment interface inside the exchange's building and the internal cabling.
I	Transition between equipment interface inside the customer's building and the internal cabling.

6.2 Specifying the transient

This Recommendation adopts an approach suggested by [IEC 60664-1] by specifying "telecommunications overvoltage categories".

Table 2 shows the overvoltage categories and overvoltage transient on mains according to [IEC 60664-1].

Table 2 – Mains overvoltage categories and overvoltage transient on mains interfaces, according to [IEC 60664-1]

Mains overvoltage categories	Lightning impulse transient (1.2/50 μ s)
IV	6 000 V
III	2 500 V
II	2 500 V
I	1 500 V

Each overvoltage category relates to a set of network design and protection practices that correspond to a particular resistibility level of the equipment in terms of transient overvoltages. The relevant values of the impulse overvoltage at the equipment input, taking into account the different installation environments, are specified in:

- [ITU-T K.20] for the exchange environment;
- [ITU-T K.45] for the access network environment; and
- [ITU-T K.21] for the customer's environment.

The inherent equipment impulse resistibility requirements, based on the data in these Recommendations, are used in Tables 3 and 4 to define the telecommunication overvoltage categories for telecommunication circuits.

7 Application of overvoltage categories

Three types of insulation are generally used in equipment, in particular in telecommunications equipment designed for use in customer premises. Each type of insulation has a different test requirement. These three types of insulation and their test requirements are as follows:

- **Basic insulation** – Basic insulation is nominally tested at the relevant voltage and waveshape listed in Tables 2–4.
- **Reinforced insulation** – Reinforced insulation is tested at one step higher according to [IEC 60664-1]. The test is determined by selecting the relevant transient from Tables 2–4.

Using Table 5, taken from [IEC 60664-1], select the next highest voltage in the table. The insulation is then nominally tested at this voltage using the relevant waveshape from Tables 2–4. If the impulse withstand voltage required for basic insulation is other than a value taken from the preferred series, reinforced insulation shall be dimensioned to withstand 160% of the value required for basic insulation (e.g., 1.6 kV for 1 kV value specified for basic insulation).

- **Double insulation** – Double insulation consists of basic insulation and a supplementary insulation. Both insulations are independently tested as for basic insulation above.

Table 3 – Telecommunication overvoltage categories and overvoltage transients on interfaces declared as "internal interfaces"

Telecommunication overvoltage category	Additional qualifying conditions	Inherent impulse resistibility	Impulse withstand voltage of double or reinforced insulation
I ₁	Equipment with "enhanced" resistibility installed in a customer building.	1 500 V 1.2/50 µs	2 500 V 1.2/50 µs
I _{2a}	Equipment with "basic" resistibility installed in a customer building.	1 000 V 1.2/50 µs	1 500 V 1.2/50 µs
I _{2b}	Equipment with "enhanced" resistibility installed in a telecommunication centre.	1 000 V 1.2/50 µs	1 500 V 1.2/50 µs
I ₃	Equipment with "basic" resistibility installed in a telecommunication centre.	500 V 1.2/50 µs	800 V 1.2/50 µs

Table 4 – Telecommunication overvoltage categories and overvoltage transients on interfaces declared as "external interfaces"

Telecommunication overvoltage category	Additional qualifying conditions	Inherent impulse resistibility	Impulse withstand voltage of double or reinforced insulation
O ₁	Equipment with "enhanced" resistibility installed in a customer building.	6 000 V 10/700 µs	8 000 V 10/700 µs
O _{2a}	Equipment with "basic" resistibility installed in a customer's building.	1 500 V 10/700 µs	2 500 V 10/700 µs
O _{2b}	Equipment with "basic" or "enhanced" resistibility installed in a remote site.	1 500 V 10/700 µs	

Table 4 – Telecommunication overvoltage categories and overvoltage transients on interfaces declared as "external interfaces"

Telecommunication overvoltage category	Additional qualifying conditions	Inherent impulse resistibility	Impulse withstand voltage of double or reinforced insulation
O _{2c}	Equipment with "enhanced" resistibility installed in a telecommunications centre or large commercial building.	1 500 V 10/700 µs	2 500 V 10/700 µs
O ₃	Equipment with "basic" resistibility installed in a telecommunications centre or large commercial building.	1 000 V 10/700 µs	1 500 V 10/700 µs

Table 5 – IEC 60664-1 – preferred series values of rated impulse voltage (V) for insulation co-ordination

330	500	800	1 500	2 500	4 000	6 000	8 000	12 000
-----	-----	-----	-------	-------	-------	-------	-------	--------

In order to protect people, it is necessary to insulate non-hazardous circuits (which may be touched by persons) from hazardous circuits, e.g., mains.

A general philosophy is that, if a failure of basic insulation could result in serious injury or death, two methods of protection (two safeguards) should be used. These two methods could be any of the following:

- double insulation (basic + supplementary);
- reinforced insulation (an insulation system equivalent to double insulation); or
- basic insulation in conjunction with:
 - an earthed screen between the insulation and the non-hazardous circuit; or
 - earthing of the non-hazardous circuit.

Where failure of the safeguards results only in damage to the equipment, a single safeguard is satisfactory. Examples of a single safeguard are:

- basic insulation only (single safeguard);
- earthing only (single safeguard).

To protect people touching unearthed parts from non-hazardous circuits, e.g., telecommunication or signal circuits, it is necessary to have adequate insulation tested with 2.5 kV (10/700 µs) according to [IEC 60950-1].

These safety requirements are summarized in Figure 2.




Figure 2 – Scheme of circuit-to-circuit and circuit-to-person safeguards

The withstand level of a basic safeguard (basic insulation) is equal to the inherent resistibility level of the equipment.

The withstand voltages for double or reinforced insulation, linked to the overvoltage categories, are reported in Tables 3 and 4.

Annex A

Classifying external and internal interfaces

(This annex forms an integral part of this Recommendation)


This annex provides a method for classifying external and internal interfaces. Note that these interfaces have different meanings compared with the IEC internal and external circuits.

An equipment interface or port can only be classified as an internal interface (or port) if all of the following apply:

- it is only connected to intra-building cables;
- the cable is connected to an internal interface or port of the associated equipment;
- the equipment and the associated equipment have the same earth reference or the equipment is floating;
- the port will not be connected to an external interface or port of the associated equipment;
- the port does not provide a service that the customer may extend to an outbuilding [e.g., a plain old telephone service (POTS), Ethernet or video port];
- the port will not have a conductive connection to a cable which leaves the building via other equipment (e.g., via a splitter).

Any interface or port not complying with the requirements for an internal interface or port is an external port.

Figure A.1 is an example of interface (or port) classifications.



Outdoor signal line continued inside the building as the splitter does not contain "adequate" isolation

Figure A.1 – Example of port classifications

Appendix I

Overvoltages on telecommunication network

(This appendix does not form an integral part of this Recommendation)

I.1 General

A number of phenomena can affect metallic conductors in such a way that an overvoltage can be transmitted to the interface port of the equipment. The relevant phenomena are:

- induction due to lightning;
- direct lightning strike;
- induction by electric traction systems;
- power cross or direct contact;
- induction and earth potential rise (EPR) from power systems.

All of these phenomena lead to the appearance of overvoltages in the system affected. The overvoltages may be transient (surges) or, in the case of long-term induction, can occur almost continuously.

This Recommendation is concerned with categorizing transients on metallic conductors arising from effects of lightning (atmospheric discharges). Proper categorization of transients is needed to achieve insulation coordination between equipment and the external circuit.

The majority of data on transients is available in the context of the telecommunication networks. These results are expected to be valid for other networks that use similar cable constructions, installation techniques and protection methods.

The fundamental international documents characterizing overvoltages on telecommunication conductors are [b-ITU-T Handbook] and [ITU-T K.67]. These documents allow determination of the characteristics of overvoltages, including the likelihood of occurrence, from first principles.

I.2 Protection and risk assessment

The occurrence of overvoltages on telecommunication networks is a statistical phenomenon. The inherent equipment resistibility values in ITU-T K-series Recommendations have been chosen to help reduce the risk of damage or upset of equipment assuming certain installation conditions for various environments. However, overvoltages greater than the inherent resistibility level (e.g., 1500 V_{peak} for customer premises equipment) can occur. To reduce the probability of such overvoltages, mitigation measures such as primary protection, adequate routing or shielding are used.

The requirements for determination of the need and the type of mitigation measures, which may be contained in national regulations for customer locations or are usually reported in the network operator practices for network equipment, can range from simple heuristic rules to complex risk assessment procedures. For example, [IEC 62305-2] allows the risk assessment against lightning to the structure together with the services entering the structure.

This Recommendation does not describe mitigation measures or the various approaches used to determine the need to provide primary protection. Risk assessment techniques to determine the need to install protection and other mitigation measures are evolving and becoming more sophisticated. Nevertheless, the goal of any of the methods used to determine the need for protection is to reduce the probability of the overvoltage exceeding the equipment resistibility value and the relevant safety value to a suitably low value. Therefore, it is possible to categorize the electrical environment on the basis of the resistibility value of the equipment.

I.3 Telecommunication overvoltage categories


The occurrence of surges is a complex statistical phenomenon that is difficult to capture with a single "expected voltage" number. Therefore, this Recommendation adopts an approach suggested by [IEC 60664-1] by specifying "telecommunications overvoltage categories". Each overvoltage category relates to a set of network design and protection practices that corresponds to a particular resistibility level of the equipment in terms of transient overvoltages.

Although an overvoltage category is associated with a resistibility level, this does not mean that an overvoltage greater than this level cannot occur. Overvoltages are a statistical phenomenon, and for each resistibility level, larger overvoltages can occur with a reduced probability.


The transient overvoltages on communication conductors are defined in terms of open-circuit voltages and waveshape that appear at the interface of the telecommunication equipment with the external circuit. For the purpose of determining the transient, the input impedance of the equipment is considered infinite. It is possible for components in the equipment to reduce the voltage that can appear inside the equipment.

This Recommendation does not provide transient classification in terms of short-circuit currents. Although the short-circuit current is an important characteristic of a transient, it has limited relevance to insulation coordination. However, where surge protective devices (SPDs) are used to reduce the voltage appearing in the equipment, their capability to handle the short-circuit current for the interface needs to be considered.

The transient overvoltages for an interface are defined with respect to the terminals where the voltage is defined. For the majority of cases, the relevant voltages are common (U_c) and differential (U_d) mode voltages at the interface. For unearthed conductive parts and non-conductive parts of the equipment expected to be held or otherwise maintained in continuous contact with the body during normal use (e.g., a telephone handset or headset or the palm rest surface of a laptop or notebook computer), the voltage with respect to local earth (U_{ce}) may be relevant. Figure I.1 shows the definition of the various voltages for a paired-conductor interface.



a) Class I equipment (shielded or unshielded cable)



b) Class II equipment

K.75(16)_FI.1

Figure I.1 – Illustration of transient voltages on paired-conductor external circuits

I.4 Causes of overvoltage

This clause provides a high-level description of the sources of overvoltage on communication conductors. Figure 1 shows a reference configuration for the telecommunication lines with metallic symmetric conductors where the reference transition points and the cable sections between them can be seen.

I.4.1 Outdoor conductors

Coupling mechanisms include: inductive coupling, resistive coupling, direct lightning flashes to the structure or telecommunication lines. For lightning-caused overvoltages, the typical overvoltage waveshape is 10/700 μ s at the interfaces E, R and S.

The overvoltage at interfaces L and A comprises the overvoltage coming from the outdoor cabling and the overvoltage induced on to the indoor portions (E–L and S–A) as described in clause I.4.2. The overvoltages at the interfaces L and A coming from the outdoor cabling can be reduced by the installation of primary protection at transition points E and S, respectively.

NOTE – Even when protection has been installed, peak voltages as high as 1 000 V 10/700 μ s and about 800 V_{peak} 50/60 Hz can still occur at the L and A interfaces (under the firing voltage of the primary protector). These numbers correspond to the maximum (780 V) d.c. firing voltage of a 600 V_{GDT}, where GDT denotes gas discharge tube, which is used by some operators at customer premises to prevent operation at 240 V_{rms}, where rms denotes root mean square.

I.4.2 Intra-building or indoor conductors

Because intra-building or indoor conductors (conductors between transition points I–I and M–M of Figure 1) are not subject to the electromagnetic interference due to power systems, [ITU-T K.20] and

[ITU-T K.21] do not provide equipment resistibility requirements against induced voltages due to power lines. From the lightning protection point of view, the lightning flashes directly to or near the structure are relevant as a source of overvoltage by inductive coupling. Figure I.2 shows an illustrative configuration.




Figure I.2 – Illustration of induction into loop areas (A1 and A2) due to lightning strike directly to or near the structure

The waveform of the induced open circuit voltages should have a very short duration (of the order of a few microseconds, e.g., 2 μ s to 10 μ s) and a front time similar to that of the subsequent stroke (i.e., 0.25 μ s).

NOTE – This has been confirmed by measurements of voltages induced in a loop carried out with triggered lightning reported in Appendix I of [ITU-T K.67].

For ease of testing, the test values for ports connecting to intra-building conductors are usually given using the 1.2/50 μ s open-circuit voltage waveform (the combination wave). This Recommendation also specifies reference levels in terms of the 1.2/50 μ s waveform to facilitate insulation testing.

Bibliography

- [b-ITU-T Handbook] ITU-T Handbook (1995), *The protection of telecommunication lines and equipment against lightning discharges* – Chapters 9 and 10.
- [b-IEC 60050-826] International Standard IEC 60050-826 (2004), *International Electrotechnical Vocabulary – Part 826: Electrical installations*
- [b-IEC 62368-1] International Standard IEC 62368-1 (2014), *Audio/video, information and communication technology equipment – Part 1: Safety requirements*

SERIES OF ITU-T RECOMMENDATIONS

- Series A Organization of the work of ITU-T
- Series D General tariff principles
- Series E Overall network operation, telephone service, service operation and human factors
- Series F Non-telephone telecommunication services
- Series G Transmission systems and media, digital systems and networks
- Series H Audiovisual and multimedia systems
- Series I Integrated services digital network
- Series J Cable networks and transmission of television, sound programme and other multimedia signals
- Series K Protection against interference**
- Series L Environment and ICTs, climate change, e-waste, energy efficiency; construction, installation and protection of cables and other elements of outside plant
- Series M Telecommunication management, including TMN and network maintenance
- Series N Maintenance: international sound programme and television transmission circuits
- Series O Specifications of measuring equipment
- Series P Terminals and subjective and objective assessment methods
- Series Q Switching and signalling
- Series R Telegraph transmission
- Series S Telegraph services terminal equipment
- Series T Terminals for telematic services
- Series U Telegraph switching
- Series V Data communication over the telephone network
- Series X Data networks, open system communications and security
- Series Y Global information infrastructure, Internet protocol aspects and next-generation networks, Internet of Things and smart cities
- Series Z Languages and general software aspects for telecommunication systems