



INTERNATIONAL TELECOMMUNICATION UNION

ITU-T

TELECOMMUNICATION
STANDARDIZATION SECTOR
OF ITU

Q.118

(09/97)

SERIES Q: SWITCHING AND SIGNALLING

Clauses applicable to ITU-T standard systems – Abnormal conditions

Abnormal conditions – Special release arrangements

ITU-T Recommendation Q.118

(Previously CCITT Recommendation)

ITU-T Q-SERIES RECOMMENDATIONS
SWITCHING AND SIGNALLING

SIGNALLING IN THE INTERNATIONAL MANUAL SERVICE	Q.1–Q.3
INTERNATIONAL AUTOMATIC AND SEMI-AUTOMATIC WORKING	Q.4–Q.59
FUNCTIONS AND INFORMATION FLOWS FOR SERVICES IN THE ISDN	Q.60–Q.99
CLAUSES APPLICABLE TO ITU-T STANDARD SYSTEMS	Q.100–Q.119
General clauses	Q.100–Q.109
Transmission clauses for signalling	Q.110–Q.114
Control of echo suppressors	Q.115
Abnormal conditions	Q.116–Q.119
SPECIFICATIONS OF SIGNALLING SYSTEMS No. 4 AND No. 5	Q.120–Q.249
SPECIFICATIONS OF SIGNALLING SYSTEM No. 6	Q.250–Q.309
SPECIFICATIONS OF SIGNALLING SYSTEM R1	Q.310–Q.399
SPECIFICATIONS OF SIGNALLING SYSTEM R2	Q.400–Q.499
DIGITAL EXCHANGES	Q.500–Q.599
INTERWORKING OF SIGNALLING SYSTEMS	Q.600–Q.699
SPECIFICATIONS OF SIGNALLING SYSTEM No. 7	Q.700–Q.849
DIGITAL SUBSCRIBER SIGNALLING SYSTEM No. 1	Q.850–Q.999
PUBLIC LAND MOBILE NETWORK	Q.1000–Q.1099
INTERWORKING WITH SATELLITE MOBILE SYSTEMS	Q.1100–Q.1199
INTELLIGENT NETWORK	Q.1200–Q.1999
BROADBAND ISDN	Q.2000–Q.2999

For further details, please refer to ITU-T List of Recommendations.

ITU-T RECOMMENDATION Q.118

ABNORMAL CONDITIONS – SPECIAL RELEASE ARRANGEMENTS

Summary

This Recommendation describes arrangements for releasing connections resulting from abnormal conditions such as calling or called party clearing.

Source

ITU-T Recommendation Q.118 was revised by ITU-T Study Group 11 (1997-2000) and was approved under the WTSC Resolution No. 1 procedure on the 12th of September 1997.

FOREWORD

ITU (International Telecommunication Union) is the United Nations Specialized Agency in the field of telecommunications. The ITU Telecommunication Standardization Sector (ITU-T) is a permanent organ of the ITU. The ITU-T is responsible for studying technical, operating and tariff questions and issuing Recommendations on them with a view to standardizing telecommunications on a worldwide basis.

The World Telecommunication Standardization Conference (WTSC), which meets every four years, establishes the topics for study by the ITU-T Study Groups which, in their turn, produce Recommendations on these topics.

The approval of Recommendations by the Members of the ITU-T is covered by the procedure laid down in WTSC Resolution No. 1.

In some areas of information technology which fall within ITU-T's purview, the necessary standards are prepared on a collaborative basis with ISO and IEC.

NOTE

In this Recommendation, the expression "Administration" is used for conciseness to indicate both a telecommunication administration and a recognized operating agency.

INTELLECTUAL PROPERTY RIGHTS

The ITU draws attention to the possibility that the practice or implementation of this Recommendation may involve the use of a claimed Intellectual Property Right. The ITU takes no position concerning the evidence, validity or applicability of claimed Intellectual Property Rights, whether asserted by ITU members or others outside of the Recommendation development process.

As of the date of approval of this Recommendation, the ITU had not received notice of intellectual property, protected by patents, which may be required to implement this Recommendation. However, implementors are cautioned that this may not represent the latest information and are therefore strongly urged to consult the TSB patent database.

© ITU 1998

All rights reserved. No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the ITU.

CONTENTS

		Page
1	Answer signal not received by an outgoing exchange after receiving a number-received signal or number-received information (Systems No. 4 and R2) or after receiving an address complete signal (Systems No. 6 and No. 7) or after transmitting the ST signal (System No. 5)	1
2	Delay in clearing by the calling subscriber in automatic service (arrangements made in the outgoing country)	1
3	Clear-forward signal not received by the incoming exchange after sending a clear-back signal	2

Recommendation Q.118

ABNORMAL CONDITIONS – SPECIAL RELEASE ARRANGEMENTS

(revised in 1997)

1 Answer signal not received by an outgoing exchange after receiving a number-received signal or number-received information (Systems No. 4 and R2) or after receiving an address complete signal (Systems No. 6 and No. 7) or after transmitting the ST signal (System No. 5)

It is recommended that arrangements should be made, either in the national network of the outgoing country or at the outgoing international exchange, for the connection to be released if an answer signal is not received within a delay period of 1.5 to 3 minutes as soon as it is known, or can be assumed, that the called subscriber's line has been reached. In addition, Administrations with ability to discriminate call answers may adopt a shorter interval which may be as low as 1 minute. However, this will require bilateral agreement.

This represents an improvement from earlier values of 2 to 4 minutes. Application of this 1.5- to 3-minute values is left to Administrations.

If an Administration adopts a shorter delay period for this forced release condition, there will be a risk that the international connection will be released prematurely on calls not returning an answer signal. If the maximum delay of 3 minutes is exceeded, it will of course involve an unnecessary occupation of international circuits.

2 Delay in clearing by the calling subscriber in automatic service (arrangements made in the outgoing country)

In automatic working, arrangements must be made to clear the international connection and stop the charging if, between 10-60 seconds, with a preferred value of 30 seconds after receipt of the clear-back signal, the calling subscriber has not cleared. Clearing of the international connection should preferably be controlled from the point where the charging of the calling subscriber is carried out.

Such timed supervision may also be applied in semi-automatic service.

During the establishment of a connection to a PABX extension, it is not appropriate to send a clear-back signal. However, if a PABX returns a clear-back condition, the duration must be less than 10 seconds, so that it would not unintentionally clear the connection, especially on calls from networks with short time-out.¹

¹ For a call where the charging is applied to called party (e.g. free phone service), the time-out may be reduced. The value to be chosen is for further study.

3 Clear-forward signal not received by the incoming exchange after sending a clear-back signal²

The incoming circuits at the incoming international exchange should include an arrangement for releasing the national part of the connection if, after sending a clear-back signal, a clear-forward signal is not received within 2 to 3 minutes (provided that a similar arrangement is not already made in the national network of the incoming country). This arrangement avoids indefinite blocking of the national circuits of the country of destination or of the subscriber's line in the case of interruptions of the line or of equipment faults.

Since the call may be a semi-automatic call not including the time-out of clause 2 at the outgoing end, the expiry of the 2 to 3 minute time-out should not cause any alarm or blocking actions on the international circuit.

² These release arrangements may not be used within some regional networks.

ITU-T RECOMMENDATIONS SERIES

- Series A Organization of the work of the ITU-T
- Series B Means of expression: definitions, symbols, classification
- Series C General telecommunication statistics
- Series D General tariff principles
- Series E Overall network operation, telephone service, service operation and human factors
- Series F Non-telephone telecommunication services
- Series G Transmission systems and media, digital systems and networks
- Series H Audiovisual and multimedia systems
- Series I Integrated services digital network
- Series J Transmission of television, sound programme and other multimedia signals
- Series K Protection against interference
- Series L Construction, installation and protection of cables and other elements of outside plant
- Series M TMN and network maintenance: international transmission systems, telephone circuits, telegraphy, facsimile and leased circuits
- Series N Maintenance: international sound programme and television transmission circuits
- Series O Specifications of measuring equipment
- Series P Telephone transmission quality, telephone installations, local line networks
- Series Q Switching and signalling**
- Series R Telegraph transmission
- Series S Telegraph services terminal equipment
- Series T Terminals for telematic services
- Series U Telegraph switching
- Series V Data communication over the telephone network
- Series X Data networks and open system communication
- Series Z Programming languages