



INTERNATIONAL TELECOMMUNICATION UNION

ITU-T

TELECOMMUNICATION
STANDARDIZATION SECTOR
OF ITU

U.4

TELEGRAPH SWITCHING

GENERAL

**EXCHANGE OF INFORMATION REGARDING
SIGNALS DESTINED TO BE USED OVER
INTERNATIONAL CIRCUITS CONCERNED
WITH SWITCHED TELEPRINTER NETWORKS**

ITU-T Recommendation U.4

(Extract from the *Blue Book*)

NOTES

1 ITU-T Recommendation U.4 was published in Fascicle VII.2 of the *Blue Book*. This file is an extract from the *Blue Book*. While the presentation and layout of the text might be slightly different from the *Blue Book* version, the contents of the file are identical to the *Blue Book* version and copyright conditions remain unchanged (see below).

2 In this Recommendation, the expression “Administration” is used for conciseness to indicate both a telecommunication administration and a recognized operating agency.

Recommendation U.4

EXCHANGE OF INFORMATION REGARDING SIGNALS DESTINED TO BE USED OVER INTERNATIONAL CIRCUITS CONCERNED WITH SWITCHED TELEPRINTER NETWORKS

*(former CCIT Recommendation E.4, Geneva, 1956;
modified at New Delhi, 1960 and Geneva, 1972)*

The CCITT,

considering

(a) that certain signals and certain characteristics of signals used in the international telex service have been standardized in Recommendation U.1;

(b) that certain Administrations have introduced automatic telex transit switching facilities based upon the signalling standards shown in Recommendation U.1;

(c) that standardized signals for the European switched network for the public telegram service (gentex network) are advocated in Recommendation U.30;

(d) that in view of the foregoing an exchange of information regarding the precise nature of the signals proposed to be used in the above-mentioned services by interested Administrations would be very useful;

(e) that certain Administrations have already supplied such details regarding their telex services in a useful form (see supplements to the documents of the VIIIth Plenary Assembly of the CCIT, and subsequent Plenary Assemblies of the CCITT),

unanimously recommends

that Administrations concerned in the international telex service and gentex network be invited to supply to the CCITT time-sequence diagrams showing in each case the signals at present transmitted or proposed to be transmitted over the international circuit for incoming calls. The diagrams should show not only the sequence and characteristics of the signals, but also the timing tolerances to be expected. The diagrams should show the signalling conditions applicable to transit as well as to terminal calls, including any conversion of the signals that are received from the destination network.